DRAGON
DISTRIBUTING
41 Years/1973-2014
2014
FULL-LINE
CATALOG
INTRODUCING
SOLARFX OPENING
ORDER PROGRAM!
SOLARFX
WINDOW FILMS
The Clear Vision in Solar Protection!
TOLL FREE 800-825-3746
www.dragondistributing.com

DRAGON 41 Years/1973-2014

2014 FULL-LINE CATALOG

Contents

AMPHIBIOUS 30
Marine/Off-Road Products

ATREND 90–94
High Quality MDF Enclosures

AXXERA 29
Mobile Video & Car Audio Products

AXXESS 105–108
iPod/iPhone Integration & Accessories, Steering Wheel Interface, Vehicle Integration Products, Line Level & Noise Control Products

BLUES 31–32
Car Audio Products

BRANDMOTION 9–10
Rear View Mirrors, Cameras

BUZZMAT 125
Noise Dampening Materials

CERWIN-VEGA 33–35
Car Audio Products

COBRA 127
CB Radios & Power Inverters

CRUX 3–14, 109
Bluetooth Kits, Rear View Integration, Cameras, Car Audio Integration Products

DB DRIVE 36–41
Car Audio Products

DB LINK 23, 110–118
High Power LED Lights, Car Audio Accessories

DUAL 42–44
Mobile Video, Car Audio & Marine Audio Products

ECHOMASTER 11–12
Back-up Sensors, Rear View Mirrors, Rear View Integration, Cameras

EPIQUE LIGHTS 24
High Power LED Lights

EXCALIBUR 95–102
Alarms, Keyless Entry, Remote Starters, Interface Modules & Accessories

EXTREME LIGHTING 25
HID Light Kits

FARENHEIT 26, 45–49
Xenon Bulbs, Mobile Video Product, Mobile Video Accessories

GDI TOOLS 7–8
Window Tinting Accessories

GHOST SHADOW 27
Ghost Shadow Logo Light Kits

INCARBITE 50
Mobile Video Products

INSTALL BAY ... 22, 28, 104, 119–124
LED Lighting, Import Wire Harnesses & Antenna Adapters, 12-Volt Installation Accessories

METRA 103
Car Audio Install Kits, Wire Harnesses, Antenna Adapters, Replacement Antennas

POWER ACOUSTIK 51–58
Mobile Video & Car Audio Products

POWERBASS 59–72
Car Audio & Marine Audio Products

QUANTUM AUDIO 73–76
Car Audio Products

ROSEN 77–82
Mobile Video, Vehicle Specific OEM Multimedia Systems, Ceiling Mount Multimedia, Vehicle Specific Headrest Systems

ROSTRA 15–22
Rear View Mirrors, Cameras, Back-up Sensors, Bluetooth Kits, Cruise Controls, Dashboard Video Recording, Seat Heaters

SHURIKEN 126
High Performance Batteries

SOLARFX 4–6
Automotive Window Films, Decorative & Specialty Films

SOUND STORM LABS 83–86
Car Audio & Mobile Video Products

TARANTULA 102
Alarms, Remote Starts

TVIEW 87–89
Mobile Video Products

MISSOURI TAX FORM 128
DEALER APPLICATION FORM 129–130
TERMS & CONDITIONS 131

© 2014 VEI ALL RIGHTS RESERVED

DRAGON
41 Years/1973-2014

WE HAVE BEEN IN THE WHOLESALE DISTRIBUTION BUSINESS SINCE 1973!

SERVICE, SELECTION & PRICE—One Call Gets It All!

We distribute:

- Automotive Window Films
- Flat Glass Window Films
- Mobile Video Products
- Car Audio Products
- Marine Audio Products
- Cruise Controls
- HID Kits
- Auto Security
- Remote Starters
- Bluetooth Products
- Performance Lighting Products
- OEM Multimedia Navigation Systems
- Vehicle Specific Headrest Packages

AND MUCH MORE!

FAST SHIPPING!

Since we are centrally located within the USA, we ship to most locations within the USA in 2–3 business days.

We are here to help you in your promotional efforts!

Stupid Friday Deals™

Every Friday log into to our website and click on the **Stupid Friday Deals** button!

These deals can only be viewed online by authorized dealers that have received a username and password.

Special of the Month!

Each month we have a new **Special of the Month** that is good all month long.

These deals can only be viewed online by authorized dealers that have received a username and password.

Stupid Text Deals™

Text the word "**dragon**" to **77948** to receive our insane text only deals!

Special Buys

To checkout our special buys and exclusive offers, log into our website and click on the **Special Buys** button!

Username and password required for access.

Weekly Specials

Every Monday morning we email our **Weekly Specials**. Contact your Dragon sales representative today to get signed up to receive these specials.

Closeout Opportunities

Log into our website and click on the **Closeout Opportunities** button to view our current closeout listing!

Username and password required for access.

© 2014 VEI ALL RIGHTS RESERVED

SOLARFX WINDOW FILMS

The Clear Vision in Solar Protection!

NEW

FREE SHIPPING ON $750 ORDERS

AUTOMOTIVE WINDOW FILMS

Black NR Automotive Window Films

Series	VLT	20" x 100'	24" x 100'	36" x 100'	40" x 100'	FREE CUSTOM CUTS 60" x 100'
Classic	5%, 20%, 35%, 50%					
Vintage	5%, 20%, 35%, 43%, 50%					

Charcoal NR Automotive Window Films

Series	VLT	20" x 100'	24" x 100'	36" x 100'	40" x 100'	FREE CUSTOM CUTS 60" x 100'
Prime	5%, 20%, 35%, 50%					
Ultra*	5%, 20%, 30%, 40%, 50%					

Ceramic NR Automotive Window Films

Series	VLT	20" x 100'	24" x 100'	36" x 100'	40" x 100'	FREE CUSTOM CUTS 60" x 100'
FXtreme Ceramic*	5%, 20%, 30%, 35%, 40%, 45%					

** COLOR STABLE FILMS!*

5-YEAR WARRANTY

Classic Series Black NR 1-Ply Window Film

A classic black look in a 1-ply film that molds quickly and easily. Classic's deep-dyed single ply polyester is made with today's technology but at a price that sounds like the New York Philhar–monic playing Mozart.

Benefits to installation: Exceptionally strong adhesive eliminates fingering, amazing optical clarity with no distortion, reliable scratch-resistant coating, static-free makes it plotter friendly.

LIFETIME WARRANTY

Vintage Series Black NR 2-Ply Window Film

A tried-and-true film with a rich, black tone. Color fade will be minimal over time so the film will probably outlast how long they own the car. If you're tinting for dealerships, this film provides the quality you need while still leaving you enough room for profit. Vintage is your workhorse film.

Benefits to installation: Exceptionally strong adhesive eliminates fingering, remarkable optical clarity with no distortion, dependable scratch-resistant coating, static-free makes it plotter friendly.

LIFETIME WARRANTY

Prime Series Charcoal NR 2-Ply Window Film

A charcoal film with a classic, neutral tone. This film provides minimal color fade over time and will hold up beautifully in any climate. The charcoal counterpart to Vintage, this film will improve installation time and increase productivity.

Benefits to installation: Remarkably aggressive adhesive eliminates fingering, outstanding optical clarity with no distortion, unrivaled scratch-resistant coating, static-free makes it plotter friendly.

LIFETIME WARRANTY

Ultra Series Charcoal NR 2-Ply Window Film

A color stable classic charcoal film that features a clean, neutral tone. UV inhibitors are utilized at multiple stages of the manufacturing process, ensuring the dyes will retain their color for years to come. This is the film of all films, try it and nothing else will compare.

Benefits to installation: Insanely strong adhesive eliminates fingering, unprecedented optical clarity with no distortion, unmatched scratch-resistant coating, static-free makes it plotter friendly.

LIFETIME WARRANTY

FXtreme Ceramic Series Window Film

For the customer looking for absolute solar performance or the discerning customer that only wants the best on his fine European sedan, this film fills the niche for you. Break out the halogen display, give them the price, and pass the Grey Poupon.

Benefits to installation: Cha ching on the profit, supernatural adhesive eliminates fingering, prodigious optical clarity with no distortion, unrivaled scratch-resistant coating, static-free makes it plotter friendly.

© 2014 VEI ALL RIGHTS RESERVED

OPENING ORDER PROGRAM

SOLARFX WINDOW FILMS

The Clear Vision in Solar Protection!

www.solarfxwindowfilms.com

Purchase $750 and Get These FREE Premium Items with Your Opening Order!

- FREE UPS GROUND SHIPPING ON YOUR ORDER
- 3' X 8' SOLARFX WINDOW FILMS OUTDOOR BANNER
- TWO (2) SOLARFX WINDOW FILMS T-SHIRTS
- SOLARFX WARRANTY CARDS HANG FROM REAR VIEW MIRRORS

FREE UPS Ground Shipping

INTRODUCTORY OFFER

On Our New FXtreme Series Ceramic Window Film!

Purchase two (2) 60" rolls of **FXtreme Ceramic Window Film** and get a ***FREE*** tabletop heat lamp kit for demonstrating the heat reducing properties of the FXtreme Ceramic Film!



Kit includes the GT962 heat lamp unit and GT976 glass sample kit that includes two (2) clear single panes, two (2) clear IG and two (2) low-E sets.

In addtion to the heat lamp kit, you also receive:

- Free UPS Ground Shipping
- 3' x 8' SolarFX Outdoor Banner
- Two (2) SolarFX T-shirts
- SolarFX Warranty Cards!

© 2014 VEI ALL RIGHTS RESERVED

DECORATIVE SPECIALTY FILMS & TINTSLIME

NEW DECORATIVE SPECIALTY FILMS

BLIND-LOOK FILMS

60" x 100' Rolls

The Blind Look Series of Films are designed to perfectly emulate the look of window blinds. These simple, but elegant designs add a sense of clean sophistication to their surroundings.



Available in Blind Plus, Venetian Blind, Bold Block and Mini Blind.

MATTE (FROST) FILMS

60" x 100' Rolls

The Matte (Frost) Series of Films are designed to provide excellent privacy with a beautiful frosted appearance.



Available in White Matte, Bronze Matte and Silver Matte.

TRANSPARENT COLOR FILMS

60" x 100' Rolls

The Transparent Series of Films are premium deep dyed single color films with a scratch resistant coating. These vibrant films are perfect for custom graphics or window effects.

Available in Transparent Yellow, Blue, Green and Red.

BLACKOUT & WHITEOUT FILMS

60" x 100' Rolls

The BlackOut and WhiteOut Series of Films are completely opaque and are perfect for applications that require absolute privacy or view shielding.

Available in Opaque Black and White.

SILVER REFLECTIVE FILMS

60" x 100' Rolls

The Silver Reflective Series of Films contains vacuum deposited aluminum. These highly reflective films provide excellent heat rejection with a stylish and classic silver appearance.

Available in 15%, 35%, 50% and 60%.

TS-4 4 Oz. Bottle of TintSlime

TS-32 1 Qt. Bottle of TintSlime

TS-128 1 Gallon of TintSlime

Developed for tinters, by tinters, TintSlime is a window tint mounting and cleaning solution.

TintSlime was made specifically for the automotive tint industry. Unlike other soaps, TintSlime has no harsh chemicals or unnecessary ingredients. TintSlime will not separate, and when used with filtered or distilled water, there is no need to clean out your sprayers daily. TintSlime's low glycerin content means good slip with a quick setup.

TintSlime is safe for use on interiors, biodegradable, and of course, tint safe. TintSlime is made in the USA.

Features: Free of particulates, won't separate, no need to clean out sprayers daily when mixed with filtered or distilled water, no harsh chemicals, tint slips when you need it to, tacks quickly, less waste at 1 oz. of TintSlime per gallon, easier clean up, and quicker film drying time.

© 2014 VEI ALL RIGHTS RESERVED

WINDOW TINTING ACCESSORIES

DRAGON 41 Years/1973-2014

GT-127 Olfa "A" Series Knife

GT-126 Olfa "Silver" Stainless Steel Knife
The original Olfa stainless steel.

$7.50

GT-027 NT Pro A-1 "Red Dot" Knife

GT-116 Olfa Stainless Steel Snap Blades. Pack of 50

GT-123 Olfa Carbon Snap Blades
Pack of 50

GT-1020 NT Stainless Steel Snap Blades. Pack of 50

GT-140 Single Edge Blades Carbon Pack of 100

GT-211 3" Triumph Blades Carbon

GT-139 Plastic Razor Blades Pack of 100

GT-137 Stainless Steel 1" Single Edge Blades
Pack of 100

GT-108SS 6" SS Triumph Blades
Pack of 25

GT-212 1" Blade Ade

GT-210 3" Triumph Scraper

GT-050 Unger Pro Handle

GT-050E Unger Ergo Tec Handle

GT-207 Side Swiper
Use GT118-6 as a replacement blade.

GT-040 Slim Foot

GT-1042 Titan Squeegee

GT-034 Whale Tail Squeegee

GT-205 The Bulldozer I Automotive

GT-206 The Bulldozer II Flat Glass

GT-209 The Scrubber

GT-091 Slammer

GT-257 5" Orange Crush Squeegee

GT-258 5" Orange Crush Angled

GT-259 8" Orange Crush Squeegee

GT-117-8 8" Blue Max Squeegee

GT-117 5" Blue Max Squeegee

GT-117B Square Blue Max 5" Hand Squeegee

GT-117A 5" Angled Blue Max

GT-1042 Titan Squeegee

GT-1068B Go Doctor Blue Squeegee

GT-1068Y Go Doctor Yellow Squeegee

GT-1068R Go Doctor Red Squeegee

GT-035 Whale Tail Replacement Blade



GT-202Y The Conqueror

GT-202B Blue Conqueror

GT-068 Hard Cover Sharpener

GT-032Y Tail Fin Yellow (firm)
GT-032G Tail Fin Green (soft)

GT-083 Lil' Chizler

GT-083W White Chizzler

GT-1049 Gater Blade 1

GT-201Y Yellow Contour Squeegee

GT-151Y Yellow Quick Foot

GT-200 EZ Reach (Gold)

GT-200PLT EZ Reach Ultra (Platinum)

GT-1070 Platinum Smart Card

GT-1070-F Platinum Smart Card with Felt

GT-044BLU Little Foot Blue
GT-044RED Little Foot Red
GT-044BLK Little Foot Black

GT-149 12" Block Squeegee

GT-146 28" Black Smoothie Blade Only

© 2014 VEI ALL RIGHTS RESERVED

WINDOW TINTING ACCESSORIES

GT-086BLU Blue Hard Card Squeegee

GT-086BLK Black Hard Card Squeegee

GT-086 White Hard Card Squeegee

GT-086GLD Gold Hard Card Squeegee

GT-086PLAT Platinum Hard Card Squeegee

GT-087 Yellow Lidco Squeegee

GT-079 4" 3M Gold Squeegee

GT-099 Universal Squeegee

GT-2004 18.5" Green Turbo Blade Only

GT-235 5-1/2" Yellow Turbo Squeegee

GT-236 5-1/2" Yellow Turbo Squeegee (Blade Only)

GT-145 18-1/2" Yellow Turbo Squeegee

GT-194 Gasket Push Stick

GT-190 5-Way Tool Grey

GT-191 The Edge Tool

GT-157 1/2" x 150' Blackout Tape

GT-981 1" x 150' Blackout Tape

GT-981 Do Not Roll Down Stickers (1000 per roll)

GT-085 White Scrub Pad

Great For Cleaning Windows Before Installation!

GT-097 32 Oz. Bottle

GT-098 Adjustable Spray Pump

GT-090 Spraymaster Trigger Sprayer

GT-096 wPoly Spray 2

GT-1008 Impact Sprayer

GT-071 Super Prep Towels

GT-733 Dirt-Off

GT-735 Film-On

GT-714 X-100 Mounting Solution

GT-164 Spray Adhesive Remover

GT-162P Pink Adhesive Remover

GT-120 9" Tube Squeegee

GT-152 Red Turbo Blade

GT-150 18-1/2" Red Turbo Blade

GT-962 Heat Lamp Unit

GT-992 Laser Labs Tint Meter

GT-976 Glass Sample Set



GT-250 Wagner Heat Gun

GT-251 Wagner HT3500 Heat Gun

DOTRIX DOT Matrix Vinyl Roll 16" x 50'

Squeegee & Channel

GT-053 6" Squeegee & Channel

GT-054 8" Squeegee & Channel

GT-055 12" Squeegee & Channel

GT-056 18" Squeegee & Channel

Squeegee Blade

GT-045 140"

GT-048 12"

GT-049 18"

GT-118-6 Blue Squeegee Refill

© 2014 VEI ALL RIGHTS RESERVED

MIRRORS & CAMERAS

BRANDMOTION seamless vehicle personalization

Infinity Mirrors/Auto Dimming Mirrors

Model	Description
1110-2518	OEM Auto Dimming Mirror with Compass
1110-2519	OEM Auto Dimming Mirror with Compass/Temperature Display (Includes Temp Probe)
9002-9701	Infinity Manual Dimming Mirror
9002-9702	Infinity Auto Dimming Mirror with HomeLink
9002-9703	Infinity Auto Dimming Mirror with HomeLink and Compass

Rear Vision Mirrors

Model	Description
9002-8826	Jeep Wrangler Rear Vision System with Mirror Display
9002-8827	Jeep Wrangler Rear Vision System for Factory Displays
9002-8828	Jeep Wrangler Rear Vision Camera
1008-9519	Ford Compass Driver Auto Dimming Mirror with 3.5" Display
9002-9510	GM OnStar Auto Dimming Mirror with 3.5" Display
9002-9511	GM OnStar Auto Dimming Mirror with 3.5" Display and Compass/Temp (Includes Temp Probe)
9002-9515	Factory Auto Dimming Mirror with 3.5" Display
9002-9516	Factory Auto Dimming Mirror with 3.5" Display and Compass/Temp (Includes Temp Probe)
9002-9603	Factory Manual Dimming Mirror with 3.5" Display
9002-9608	Slimline Factory Auto Dimming Mirror with 3.5" Display
9002-9618	Slimline OEM Auto Dimming Mirror with 3.5" Display (Twist Off Mount)

Custom Rear Vision Kits

Model	Description
1008-9520	Ford F-Series Rear Vision System 2004-2014 Black Tailgate Handle
1008-9525	Ford F-Series Rear Vision System 2004-2014 Chrome Tailgate Handle
1008-9527	Ford Rear Vision System Oval Emblem OEM 2009-2014
1008-9528	Ford OEM Emblem Rear Vision System with Compass Driver 2011-2014
1009-9517	Ram OEM Rear Vision System 2009-2012
1009-9518	Ram OEM Rear Vision System 2013-2014
1013-9530	Suburban/Tahoe/Yukon OEM Rear Vision System 2009-2014
9002-1010	Silverado/Sierra OEM Rear Vision System 2014
9002-1015	Silverado Work Truck OEM Rear Vision System 2014
9002-8520	Universal Prismatic OEM Mirror and OEM Camera
9002-8521	Complete Rear Vision System for Vehicle with Exterior Auto Dim Mirrors
9002-8522	Chevrolet/Buick/Cadillac Complete Rear Vision System (16-Pin)
9002-8523	Chevrolet/Buick/Cadillac Complete Rear Vision System (10-Pin)
9002-8524	Honda/Toyota/Hyundai/Ford/Nissan/Chrysler Complete Rear Vision System
9002-8525	Charger/Journey/Grand Cherokee/300/Fusion/Focus/Escape Complete Rear Vision System
9002-9503	Silverado/Sierra OEM Rear Vision System 2009-2013
9002-9504	Silverado/Sierra OEM Rear Vision System with Compass and Temperature 2007-2013

© 2014 VEI ALL RIGHTS RESERVED

MIRRORS & CAMERAS

Fleet Cameras

Model	Description
9002-7605	Ford Transit Camera 2010-2013
9002-7606	Ford E-Series Camera 2010-2013
9002-7607	Chevrolet Express/GMC Savanna Camera 2008-2013
9002-7608	Nissan NV Camera 2012-2013
9002-7609	Dodge Sprinter Camera 2007-2013

Camera/Bezel Kits

Model	Description
1008-6501	F-Series Black Tailgate Bezel and Camera with Harness 2004-2014
1008-6502	F-Series Chrome Tailgate Bezel and Camera with Harness 2004-2014
1008-6509	Ford Oval Emblem OEM Camera with Chassis Harness
1009-6503	RAM Tailgate Bezel and Camera with Chassis Harness 2009-2014
1022-9581	Traverse OEM Tailgate Bezel and Camera 2008-2012 (Primed)
9002-1005	Silverado OEM Tailgate Camera/Bezel Assembly with Chassis Harness 2014
9002-6500	Suburban/Tahoe/Yukon Camera with Chassis Harness 2007-2014
9002-7601	Dual Mount Universal Aftermarket CMOS Camera with Optional Parking Gridlines
9002-7630	Aftermarket Camera Kit for Toyota 6.1" Display Radio
9002-8501	Gen 5 OEM Lip Mount CCD Camera with 26' Harness
9002-8531	Factory Display Radio Camera Kit for 300/Charger/Journey
9002-8532	Factory Display Radio Camera Kit for Grand Cherokee/Caravan/Durango +
9002-8601	Gen 6 OEM Lip Mount CCD Camera with 26' Harness
9002-9501	Silverado/Sierra OEM Rear Vision System for Factory NAV 2009-2013
9002-9560	Silverado/Sierra Tailgate Bezel with Camera Chassis Harness 2007-2013

HomeLink Kit

2000-4100 HomeLink Unit with Three Color Skins (Black, Grey and Tan). 30 minute install, fits any vehicles.

LoftLite LED Lighting Kit

2000-4202 LoftLite LED Interior Lighting Kit. High Intensity LED. Push/Push activation, 2-pack, fits any vehicle.

Pro Curb Warning System

5000-CA5 Curb Alert Pro Curb Warning System.

© 2014 VEI ALL RIGHTS RESERVED

BACK-UP SENSORS & MIRRORS

PRO SERIES BACK-UP NAVIGATOR – 2 SENSOR SYSTEM

Model	Description
EMPV7-B	Black Back-Up Navigator™ "One Box Fits All" Reverse Sensing System Includes Control Module, 2 Wide Angle Sensors with Molex Connectors, Angle Sleeves and Hardware Kit.
EMPV7-S	Silver Back-Up Navigator™ "One Box Fits All" Reverse Sensing System Includes Control Module, 2 Wide Angle Sensors with Molex Connectors, Angle Sleeves and Hardware Kit.
EMPV7-W	White Back-Up Navigator™ "One Box Fits All" Reverse Sensing System Includes Control Module, 2 Wide Angle Sensors with Molex Connectors, Angle Sleeves and Hardware Kit.
EMPV7-P	Primer Back-Up Navigator™ "One Box Fits All" Reverse Sensing System Includes Control Module, 2 Wide Angle Sensors with Molex Connectors, Angle Sleeves and Hardware Kit.

PRO SERIES FRONT NAVIGATOR – 2 SENSOR SYSTEM

Model	Description
EMFN-B	Black Front Park Assist "One Box Fits All". Control Module, 2 Sensors, Angle Sleeves, Auto Safety Latching Speaker, Dash Mounted Lighted ON/OFF Switch with Auto-Off feature, Fused Power Harness, Hardware Kit.
EMFN-S	Silver Front Park Assist "One Box Fits All". Control Module, 2 Sensors, Angle Sleeves, Auto Safety Latching Speaker, Dash Mounted Lighted ON/OFF Switch with Auto-Off feature, Fused Power Harness, Hardware Kit.
EMFN-W	White Front Park Assist "One Box Fits All". Control Module, 2 Sensors, Angle Sleeves, Auto Safety Latching Speaker, Dash Mounted Lighted ON/OFF Switch with Auto-Off feature, Fused Power Harness, Hardware Kit.
EMFN-P	Primer Front Park Assist "One Box Fits All". Control Module, 2 Sensors, Angle Sleeves, Auto Safety Latching Speaker, Dash Mounted Lighted ON/OFF Switch with Auto-Off feature, Fused Power Harness, Hardware Kit.

PRO SERIES EXTRA SENSOR NAVIGATOR – 2 SENSOR SYSTEM

Model	Description
EMSP7-B	Black OE Style Round Sensor Set with Universal Angle Sleeves and 2 Sensors with Molex Connectors. Works with EMPV7s and EMFNs.
EMSP7-S	Silver OE Style Round Sensor Set with Universal Angle Sleeves and 2 Sensors with Molex Connectors. Works with EMPV7s and EMFNs.
EMSP7-W	White OE Style Round Sensor Set with Universal Angle Sleeves and 2 Sensors with Molex Connectors. Works with EMPV7s and EMFNs.
EMSP7-P	Primer OE Style Round Sensor Set with Universal Angle Sleeves and 2 Sensors with Molex Connectors. Works with EMPV7s and EMFNs.

REAR VIEW MIRRORS & MONITORS

REARVIEW MONITORS – UNIVERSAL

Model	Description
VM-35R	3.5" Rear Camera Display Mirror: 2 Video Inputs
VM-35R-M	3.5" Rear Camera Display Mirror: 2 Video Inputs [Manual (Tab) Dimming]
VM-35R-AD	3.5" Rear Camera Display Mirror: 2 Video Inputs [Auto Dimming]
VM-35R-CJD	3.5" Rear Camera Display Mirror: 1 Video Input [TWIST Mount]
VM-43M	4.3" Rear Camera Display Mirror: 2 Video Inputs
VM-43M-AD	4.3" Rear Camera Display Mirror: 2 Video Inputs

REARVIEW MONITORS – FORD

Model	Description
FM-25R-AD-G	3.5" OEM Ford Rear Camera Display Mirror (Fits F-Series Trucks with 16 pin): Retains Gyro Compass Function [Auto Dimming]
FM-35R-TM	3.5" Ford Rear Camera Display Mirror: [TWIST Mount] for Escape, Focus, C-Max [Auto Dimming]

HITCHSCAN PARKING SENSOR

Model	Description
00-03000	Black HitchScan® System Hitch Mount Transmitter, 12 Volt Plug-in Receiver, HitchLock with 2 keys, 7 way Power Harness and Universal 2 Pin Power Harness

CAMERAS – UNIVERSAL

Model	Description
VM-10L	Adjustable License Plate Camera (Mounts Behind): 170° [Programmable Parking Lines and Image Reverse]
VM-110	Lip or Truck Handle Mount Camera: 170° [Programmable Parking Lines and Image Flip]
VM-110C	Chrome Lip or Truck Handle Mount Camera: 170° [Programmable Parking Lines and Image Flip]
VM-150	Lip Mount Camera: 150° [Programmable Parking Lines and Image Reverse]
VM-201	Mini Lip Mount Camera: 170° [Programmable Parking Lines and Image Reverse]

© 2014 VEI ALL RIGHTS RESERVED

CAMERA INTERFACE KITS FOR OE DISPLAY RADIOS

FACTORY INTEGRATED BACK-UP CAMERA

Available for:

ACURA,

CADILLAC

CHEVY

CHRYSLER

DODGE

FORD

GMC

HONDA

HYUNDAI

JEEP

LINCOLN

MAZDA

SCION

SUBARU

TOYOTA

VOLKSWAGEN

CAMERA INTERFACE KITS FOR OE DISPLAY RADIOS (PLUG & PLAY)

Model	Description
FC-CIVIC	2012-14 Acura ILX without Navigation – Camera and Integrated Connect Harness
FC-GMLN	2012-14 Buick Lacrosse and Verano, 2012–13 Regal with IntellilLink - Camera and Integrated Connect Harness
FC-CUE	2013 Cadillac ATS, SRX and XTS with 8" Cue Screen – Camera and Integrated Connect Harness
FC-GMLN	2011-14 Chev Equinox, 2013–14 Camaro, Cruze, Malibu and Volt with MyLink – Camera and Integrated Connect Harness
FC-CJ300	2012-14 Chrysler 300/ 300C with 8.4" Screen – Camera and Integrated Connect Harness Dlr Program Req
FC-CJDR	2013-14 Chrysler 200 with MyGig – Camera and Integrated Connect Harness Dlr Program Req
FC-CJ300	2012-14 Dodge Charger and Journey with 8.4" Screen – Camera and Integrated Connect Harness Dlr Program Req
FC-DRAM	2013-14 Ram with 5" or 8.4" Screen – Tailgate Camera (EV-DRAM) and Integrated Connect Harness Dlr Program Req
FC-MYFT2	2011-13 Ford Explorer, 2014 Fiesta. 2011-13 Focus, 2011-13 Fusion Vehicles with MyFord Touch – Integrated Harness and Programming Module (Camera Not Included)
FC-MYFT	2011-13 Ford Focus and Edge, 2013 C-Max and F-Series. 2013–14 Escape, Flex, Fusion and Taurus, 2014 Fiesta Vehicles with MyFord Touch – Integrated Harness and Programming Module (Camera Not Included)
FC-FSER	2013 Ford F-150, F-250, F-350 with MyFord Touch – Tailgate Camera (EV-FF150) and Integrated Connect Harness
FC-GMLN	2011–13 GMC Terrain with LCD Screen – Camera and Integrated Connect Harness
FC-CIVIC	2011–12 Honda CRV, 2011–2014 Civic without Factory Navigation – Camera and Integrated Connect Harness
FC-ODYS	2011–13 Honda Odyssey EX with 8" Screen – Camera and Integrated Connect Harness
FC-VELOS	2011–14 Hyundai Veloster with 7" Screen – Camera and Integrated Connect Harness
FC-SONA	2011–14 Hyundai Sonata with Factory Navgiation – Camera and Integrated Connect Harness
FC-CJDR	2013–14 Jeep Compass with MyGig – Camera and Integrated Connect Harness Dlr Program Req
FC-GCH	2014 Jeep Grand Cherokee with 5" and 8.4" Screen – Camera and Integrated Connect Harness Dlr Program Req
FC-GCH-2	2014 Jeep Grand Cherokee with 5" and 8.4" Screen – Camera and Integrated Connect Harness
FC-MYFT	2011-13 Lincoln MKX with MyFord Touch – Integrated Harness and Programming Module (Camera Not Included)
FC-MAZ3	2013 Mazda3 Sedan and Mazda3 Wagon with Factory LCD Screen - Camera and Integrated Connect Harness
FC-MAZX	2013 Mazda CX-9 and CX-5, 2014 6 Sedan, 2012 CX-7 with Factory LCD Screen – Camera and Integrated Connect Harness
FC-GLK	2009–12 Mercedes GLK with 7" Screen with or without Factory Navigation – Camera and Integrated Connect Harness
FC-TOYO	2013–14 Scion FR-S, 2013 xB with Touch Screen – Camera and Integrated Connect Harness
FC-TOYO	2013–14 Subaru BRZ with Touch Screen – Camera and Integrated Connect Harness
FC-TOYO	2012–13 Toyota 4Runner, Corolla, Highlander, 2012-14 Avalon, Camry, Prius (Gen3), Prius C, Prius V, Rav4 and Venza with 6.1" Screen – Camera and Integrated Connect Harness
FC-CAMRY	2012–13 Toyota Camry Models with 6.1" Screen – OE Fit Camera and Integrated Connect Harness
FC-TSAS	2012–13 Toyota Sienna and Sequoia with Screen Non-JBL – Camera and Integrated Connect Harness
FC-TAC14	2014 Toyota Tacoma with 6.1" Screen – Tailgate Camera (EV-TTAC) and Integrated Connect Harness
FC-TTAC	2012–13 Toyota Tacoma with 6.1" Screen – Tailgate Camera (EV-TTAC) and Integrated Connect Harness
FC-TTUN	2012–13 Toyota Tundra with Screen Non-JBL – Tailgate Camera (EV-TTUN) and Integrated Connect Harness
FC-VOLKS	2009–13 VW GTI, Golf, Jetta, Passat and Tiguan, 2012–2013 CC, All with Factory Navigation #RNS315 (5" Screen) and #RNS510 (7" Screen) – Camera and Integrated Connect Harness Dlr Program Req

© 2014 VEI ALL RIGHTS RESERVED

SELECT MARKETS ONLY!

SELECT MARKETS ONLY!

BLUETOOTH CONNECTIVITY

The CRUX Bluetooth® Connectivity Kit is a comprehensive solution that is tailored to seamlessly integrate mobile phones with select automobiles. Accessible through steering wheel controls that enhance the ease of access for communicating while driving.

Crux's *Beeline Series* Bluetooth interface features cutting-edge A2DP technology that allows the user to stream music wirelessly into the factory installed audio system.

Model	Description
BEEBT-22	Bluetooth® Toyota & Scion Vehicles 1998 & UP
BEEBT-22JB	Bluetooth® Toyota JBL Amplified system 1998-2012
BEEBT-22HH	Bluetooth® Toyota Highlander 2003-2006 with JBL Harman/Becker Amplifier
BEEBL-23	Bluetooth® Lexus Vehicles 1998-2009
BEEBF-24	Bluetooth® Ford, Lincoln & Mercury Vehicles 2003 & UP
BEEBF-32	Bluetooth® for Ford CAN Bus II Vehicles
BEEBF-32F	Bluetooth® Kit for FORD FOCUS 2012
BEEBG-25	Bluetooth® GM LAN 11-Bit Vehicles
BEEBG-33	Bluetooth® GM LAN 29-Bit Vehicles
BEEBG-33B	Bluetooth® for SUVs and Trucks 2012-Upwards with Factory Navigation Radios
BEEBG-34	Bluetooth® GM Class II Vehicles 2003-UP
BEEBH-28	Bluetooth® Honda Vehicles 2008 & UP
BEEBH-02	Bluetooth® Honda Vehicles 2003-2007
BEEBH-03	Bluetooth® Honda Vehicles 2012- UP Civic & CRV with Subwoofer
BEEBH-04	Bluetooth® Honda Vehicles with Premium Sound System (AMP) 2008 & UP
BEEBH-05	Bluetooth® Honda Vehicles with Premium Sound System (AMP) 2003-2007
BEEHK-29	Bluetooth® Kit for Hyundai and Kia Vehicles 2006 & UP
BEEMZ-30	Bluetooth® Kit for MAZDA Vehicles 2004 & UP
BEENS-31	Bluetooth® Kit for NISSAN Vehicles 2005 UP
BEECR-35	Bluetooth® for Chrysler, Dodge, Jeep Vehicles 2005- UP
BEECR-35C	Bluetooth® for Select Chrysler & Dodge Vehicles 2011-Up
BEEVW-36	Bluetooth® for Volkswagen Vehicles 2002-UP
BEEFT-38	Bluetooth® Connectivity for Fiat Vehicles
BEBMW-42	Bluetooth® for BMW Vehicles with Fiber-optic based Systems (MOST)
BEPRS-43	Bluetooth® for Porsche Vehicles with PCM 2.1 Navigation Systems
BEEMB-44	Bluetooth® for Mercedes Benz Vehicles 1999-UP
BEEMB-44B	Bluetooth® for Mercedes-Benz Vehicles (CAN version II)
BEEMB-45	Bluetooth® for BMW Vehicles (CAN version)

© 2014 VEI ALL RIGHTS RESERVED

CRUX INTERFACING SOLUTIONS

REAR VIEW INTEGRATION & VIDEO IN-MOTION ACTIVATION

SELECT MARKETS ONLY!

Rear View Integration

Model	Description
RVCTY-71	Rear-view Integration with Camera for Toyota
RVCTY-71C	Rear-view Integration with Camera for Toyota Tacoma
RVCTY-71D	Rear-view Integration with Camera for Toyota Tundra
RVCMZ-72	Rear-view Integration with Camera for Mazda
RVCVW-73	Rear-view Integration Interface and Kit for Volkswagen Vehicles with RNS-315 Nav Systems
RVCVW-73B	Rear-view Integration Interface and Kit for VW Beetle Vehicles with RNS-315 Nav Systems
RVCVW-73P	Rear-view Integration Interface and Kit for Volkswagen Vehicles with Premium 8 Radios
RVCVW-67	Rear-view Integration for Volkswagen Vehicles with RNS-510 Navigation Systems
RVCCH-75	Rear-view Integration Interface and Kit for Chrysler, Dodge & Jeep Vehicles with MYGIG
RVCCH-75C	Rear-view Integration System for Dodge & Jeep Vehicles 2014-Up
RVCCH-75R	Rear-view Integration Interface and Kit for Dodge Ram 2009-2012 with Handle Camera
RVCCH-75D	Rear-View & VIM Integration with Handle & Camera For Dodge RAM 2013-UP
RVCCH-75W	Rear-View & VIM Integration with Camera For Jeep Wrangler 2007- 2013
RVCHN-76C	Rear-view Integration for Honda Civic Factory Monitors without Navigation Option
RVCHN-76D	Rear-view Integration for Honda Odyssey Vehicles with Factory Navigation Systems
RVCBM-77	Rear-view Integration for BMW Vehicles with CIC Navigation System
RVCBM-77B	Rear-view Integration for BMW Vehicles with 6-Pin LVDS Units
RVCMB-78	Rear-view Integration for Mercedes Benz Vehicles
RVCMB-78G	Rear-view Integration for Mercedes-Benz GLK 2013-2014
RVCMB-78K	Rear-view Integration for Mercedes-Benz GLK 2008-2012
RVCMB-78S	Rear-view Integration for Mercedes-Benz S-Class Vehicles 2007-2009
RVCFD-79	Rear-view Integration Interface for Ford & Lincoln Vehicles with MyFord Touch Systems
CFD-03E	Ford Emblem Camera
CFD-03F	Ford F-Series Handle Camera
CDR-02	Dodge Ram Handle Camera
CCH-01W NEW	Jeep Wrangler Camera
AVITY-01	A/V Input Integration for Select Toyota Vehicles

Video In-Motion Activation

Model	Description
VIMMB-85	VIM Activation for Mercedes Benz Vehicles with Comand Online NTG4.5 Navigation Systems
VIMAD-84	VIM Activation for Audi 2G/3G/3G+ and Volkswagen RNS850 Navigation Systems
VIMBM-86	VIM Activation — BMW Vehicles with Professional CCC / CIC / Nav Systems
VIMBM-87	VIM Activation — BMW Vehicles Professional Navigation with 10.2" Monitor
VIMLR-88	VIM Activation — Land Rover Vehicles with Touchscreen Nav Systems (Version 1 & 2)
VIMLR-89	VIM Activation — Land Rover & Jaguar Vehicles with Touchscreen Nav System (Version 3)
VIMPR-90	VIM Activation — Porsche Cayenne Vehicles with PCM 2.1 Navigation System
VIMVW-91	VIM Activation — Volkswagen with MFD2 / RNS2 and Audi with RNS-E Nav Systems
VIMVW-92	VIM Activation — Volkswagen Vehicles with RNS-510 Navigation System
VIMCF-93	VIM Activation — Chrysler, Dodge, Jeep and Ferrari Vehicles with MYGIG Nav Systems
VIMCF-93C	VIM Activation for Select Dodge and Jeep Vehicles 2013-Up
VIMCF-93E	VIM Activation for Select Chrysler & Dodge Vehicles 2011-Up
VIMGM-94	VIM Activation For Select General Motors LAN 29-BIT Vehicles
VIMFD-95	VIM Activation — Ford, Lincoln and Mercury Vehicles with Factory Navigation Systems

© 2014 VEI ALL RIGHTS RESERVED

NEW ITEMS FOR 2014

Rostra Precision Controls, Inc.

250-8622 Tailgate Handle Backup Camera for 2014 Chevrolet Silverado and GMC Sierra. Features a 1/4" CMOS color camera with a 150-degree wide angle lens, .5 Lux light sensitivity for increased night time clarity and viewing, standardized RCA video connectors, a 30-foot extension harness and all necessary mounting hardware/ electrical connectors.

250-8612 2004-2014 Ford F-150/250/350/ 450/550 CMOS Tailgate Handle Camera. 1/4" CMOS color camera, .5 Lux sensitivity, 150-degree peripheral view, waterproof case with an anti-fog lens, includes 30' extension harness.

250-8614 2010-2014 Dodge Ram CMOS Tailgate Handle Camera. 1/4" CMOS color camera, .5 Lux sensitivity, 150-degree peripheral view, includes opening for factory lock, waterproof case with an anti-fog lens, includes 30' extension harness.

250-8616 2005-2014 Toyota Tacoma CMOS Tailgate Handle Camera 1/4" CMOS color camera, .5 Lux sensitivity, 150-degree peripheral view, includes opening for factory lock, waterproof case with an anti-fog lens, includes 30' extension harness.

250-8618 2007-2013 Chevrolet Silverado & GMC Sierra CMOS Tailgate Handle Camera. 1/4" CMOS color camera, .5 Lux sensitivity, 150-degree peripheral view, includes opening for factory lock, waterproof case with anti-fog lens, includes 30' extension harness.

250-8918 DashCam Dashboard Video Recording Complete System. Includes windshield mount, remote control, and power adapter plug and harness, 1-Channel video recording, video recorded to class 4 SD card (not included), records up to 24 hours of video, records PAL and NTSC formats, built-in speaker for video playback, graphic interface for video retrieval, built-in acceleration G-Force meter, automatically records when ignition is on.

250-8919 DashCam Dashboard Video Recording System with GPS. 2-Channel video recording, 120-degree 720p forward view, 170-degree VGA interior view, video recorded to class 4 SD card (not included), records up to 24 hours of video, records PAL and NTSC formats, infrared LEDs for night vision, records GPS location for mapping, automatically records when ignition is on.

INTRODUCING DASHCAM — a series of compact, fully-featured digital video capture systems that use a standard SD card for storage and record on-road video while you drive. The DashCam recording units and their associated accessories are specifically designed with mobility in mind. Their compact form factor means they blend seamlessly into most vehicle dashboards and windshields while providing easy access to their many features including video playback, starting and stopping recordings, and turning audio capture on or off. The software suite included with each Dashboard Video Recording System provides a sophisticated means of extracting video to a personal computer for editing, as well as providing access to many other features including overlaying GPS coordinates onto a Google Map to view driving patterns, and viewing telemetry data such as in-car G-forces experienced while driving.

© 2014 VEI ALL RIGHTS RESERVED

REARVIEW MIRRORS

250-8208 4.3" Rearsight Rearview Mirror Monitor. 4.3" TFT/LCD Rearview Mirror Monitor with anti-glare coating, light sensor with night dimming LCD. 2 video inputs.

250-8209 4.3" Rearsight Rearview Mirror Monitor for Dodge. 4.3-inch TFT LCD monitor with anti-glare coating, light sensor with night dimming LCD. 2 Video inputs. Trilobe stem for Dodge vehicles.

250-8210 4.3" Rearsight Rearview Mirror Monitor for Ford. 4.3-inch TFT LCD monitor with anti-glare coating, light sensor with night dimming LCD. 2 Video inputs. Trilobe stem for Ford vehicles.

250-8072 4.3" Rearsight Rearview Mirror Monitor. 4.3" TFT/LCD rearview mirror monitor with anti-glare coating and selectable parking gridlines. 2 video inputs.

250-8804 3.5" Magna Rearview Mirror. 3.5" TFT/LCD EC slim rearview mirror monitor.

250-8800 3.5" Magna Rearview Mirror. 3.5" TFT/LCD EC standard rearview mirror monitor.

250-8802 3.5" TFT LCD GM Replacement Rearview Mirror Monitor. OnStar, auto dimming with 4:3 aspect ratio, 1 video input, reverse override, high resolution display, 30' extension harness, OEM approved. *FOR GM ONLY!*

250-8801 3.5" TFT LCD Replacement Rearview Mirror. Monitor/Compass/Temperature, auto dimming, 1 video input, reverse override, high resolution display, 30' extension harness.

250-8807 3.5" Rearsight Rearview Mirror Monitor For Ford. Fits 2011–2014 F-150 and SuperDuty, original equipment Ford mirror, 3.5-inch TFT LCD display, built-in gyro for factory compass, auto-dimming mirror glass.

250-8803 3.5" TFT LCD GM Replacement Rearview Mirror Monitor. OnStar, compass and tempera–ture, auto dimming with 4:3 aspect ratio, 1 video input, reverse override, high resolution display, 30' extension harness, OEM approved. *FOR GM ONLY!*

250-8081 Universal Back-up Camera and OE Mirror with 4.2" LCD Monitor. High resolution display, reverse trigger override, selectable parking gridlines, 1/4" CMOS color camera, low LUX, 160° lens, protective shroud with adjustable bracket.

250-8070 Rearsight 4.2" LCD Rearview Mirror Monitor with 1/4" Color CCD Camera. 2 video inputs, selectable parking gridlines, includes license plate braket and 30' extension harness for car/SUV applications.

© 2014 VEI ALL RIGHTS RESERVED

250-8118 4.3" Stand Alone Monitor. Touch controls, selectable parking gridlines, wide angle view with reverse override, 5" stem mount with windshield lug and adhesive.

250-8069 Universal Back-up Camera and 4.3" LCD Monitor with 5" Stem Mount. Hybrid CMOS 1/4" color camera, selectable parking gridlines, up to 4 video inputs, includes 30' extension harness and 6' power harness.

250-8082A CMOS Universal Rearsight Camera. Mini camera with adjustable bracket and gridlines, 6' power harness (male/female DC power adapters) and 30' extension harness.

250-8083A CMOS Universal Rearsight Camera. Mini camera with parking gridlines, flush mount (bullet style), 6' power harness (male/female DC power adapters) and 30' extension harness.

250-8092A CMOS Universal Rearsight Camera. Mini camera with license plate bracket and parking gridlines, 6' power harness (male/female DC power adapters) and 30' extension harness.

250-8117A CMOS Universal Rearsight Camera. Mini camera with dual shrouds (truck & car) and parking gridlines, 6' power harness (male/female DC power adapters) and 30' extension harness.

250-8569 CMOS GM Tailgate Latch Camera. Shrouded latch mount, .5 LUX 1/4" CMOS camera. Includes camera and tailgate latch bezel non pre-wired. Fits ’07–’12 Chevy Silverado. Dealer activation required.

250-8586 CCD Dodge Ram Tailgate Latch Camera. Latch mount, .5 LUX 1/4" color CCD camera. Includes camera and tailgate latch bezel. Fits ’10 – ’13 Dodge Ram.

250-8601 CMOS Dodge Ram Tailgate Latch Camera. Latch mount, .5 LUX 1/4" color CMOS camera. Includes camera and tailgate latch bezel. Fits ’10 – ’13 Dodge Ram.

250-8587 CCD Toyota Tundra Tailgate Latch Camera. Shrouded latch mount, .5 LUX 1/4" color CCD camera. Includes camera and tailgate latch bezel. Fits ’07–’13 Toyota Tundra.

250-8595 CCD Ford F-Series Tailgate Latch Camera. Shrouded latch mount, .5 LUX 1/4" color CCD camera. Includes camera and tailgate latch bezel. Fits ’04 – ’12 F150, ’08 – ’13 F250/F350.

250-8600 CMOS Ford F-Series Tailgate Latch Camera. Shrouded latch mount, .5 LUX 1/4" color CMOS camera. Includes camera and tailgate latch bezel. Fits ’04 – ’12 F150, ’08 – ’13 F250/F350.

© 2014 VEI ALL RIGHTS RESERVED

Rostra Precision Controls, Inc.

CAMERA & BACKUP SENSORS

Infra-Red Color Camera

300-1000-005 1/4" CMOS Infra Red Color Camera Bullet Style (includes drill bit) Night Vision & Reverse Image. 120° angled waterproof lens, 1.0 LUX Illumination without LED light, includes "Mini S" video cable (3/8" diameter), DC power cable, 26' extension harness and RCA adapter.

Bracket Style Color Camera

300-1000-001 1/4" CMOS Color Camera Bracket Style with Reverse Image. 120° angled waterproof lens, 1.0 LUX Illumination, includes "Mini S" video cable (3/8" diameter), DC power cable, 26' extension harness and RCA adapter.

1/4" CMOS Color Camera

300-1000-004 1/4" CMOS Color Camera. Lip mount, 120° angled waterproof lens, 1.0 LUX illumination, inludes "Mini S" video cable (3/8" diameter), DC power cable, 26' extension harness and RCA adapter.

Chrome License Bar Camera

300-1000-002 1/4" CMOS Color Camera with Reverse Image. License bar with chrome finish, 120° angled water-proof lens, 1.0 LUX illumination, includes "Mini S" video cable (3/8" diameter), DC power cable, 26' extension harness and RCA adapter.

Black License Bar Camera

300-1000-003 1/4" CMOS Color Camera with Reverse Image. License bar with black finish, 120° angled waterproof lens, 1.0 LUX illumination, includes "Mini S" video cable (3/8" diameter), DC power cable, 26' extension harness and RCA adapter.

3.5" Stand Alone Monitor

300-4000-001 3.5" Stand Alone Monitor. Adjustable swivel mount, 2 video inputs, reverse override, high resolution display, dimmer switch for day or night settings.

300-3000-002 Seamless Rearview Mirror with 3.5" TFT/LCD Monitor. Includes stem mount, 6' RCA power cord, anti-glare coating with high resolution display, 2 video inputs.

250-5108 Park-ProHD Ultrasonic Truck Park Assist. 19.7' harness, 4 black sensors, built-in diagnostics.

250-5109 Park-ProHD Ultrasonic Car Park Assist. 10.3' harness, 4 black sensors, built-in diagnostics.

250-1903-BZP Car/SUV Backzone Plus Parking Aid. 4 black sensors, digital display for plastic or metal applications.

$18.90

250-1919 Truck/SUV Extension.

Rostra 250-1920-FZ FrontZone Ultrasonic Parking Aid. Includes four paintable ultrasonic sensors, includes 6-degree and 12-degree angled bezels to accommodate curved bumpers, digital dashboard display included.

The FrontZone automatically provides both audible and visual alerts to the potential dangers of nearby obstacles through the use of an included buzzer built into a digital display that can be mounted on your vehicle's sun visor or dashboard. When the vehicle's ignition is powered on, the system will engage and output a single half-second "beep" alerting the driver that it has been activated.

© 2014 VEI ALL RIGHTS RESERVED

CON-VERSE HANDS-FREE BLUETOOTH SYSTEMS

Rostra Precision Controls, Inc.

Model	Description
250-7500-BMW1	BMW CUSTOM KIT — Reference rostra.com for applications
250-7500-CHR1	CHRYSLER/DODGE/JEEP — Reference rostra.com for applications
250-7500-CHR2	CHRYSLER/DODGE/JEEP — Reference rostra.com for applications
250-7500-CHR3	CHRYSLER/DODGE/JEEP — Reference rostra.com for applications
250-7500-CHR4-V	CHRYSLER/DODGE/JEEP — Reference rostra.com for applications
250-7500-CHR5	CHRYSLER/DODGE/JEEP — Reference rostra.com for applications
250-7500-CHR6	CHRYSLER/DODGE/JEEP — Reference rostra.com for applications
250-7500-FD1	FORD/LINCOLN/MERCURY — Reference rostra.com for applications
250-7500-FD2	FORD/LINCOLN/MERCURY — Reference rostra.com for applications
250-7500-FD3	FORD/LINCOLN/MERCURY — Reference rostra.com for applications
250-7500-FD4	FORD/LINCOLN/MERCURY — Reference rostra.com for applications
250-7500-FD5	FORD/LINCOLN/MERCURY — Reference rostra.com for applications
250-7500-FD6	FORD/LINCOLN/MERCURY — Reference rostra.com for applications
250-7500-GM1	GENERAL MOTORS — Reference rostra.com for applications
250-7500-GM2	GENERAL MOTORS — Reference rostra.com for applications
250-7500-GM3	GENERAL MOTORS — Reference rostra.com for applications
250-7500-GM4	GENERAL MOTORS — Reference rostra.com for applications
250-7500-GM7	GENERAL MOTORS — Reference rostra.com for applications
250-7500-GM8	GENERAL MOTORS — Reference rostra.com for applications
250-7500-GM9	GENERAL MOTORS — Reference rostra.com for applications
250-7500-HK1	HYUNDAI/KIA — Reference rostra.com for applications
250-7500-HK2	HYUNDAI/KIA — Reference rostra.com for applications
250-7500-HK3	HYUNDAI/KIA — Reference rostra.com for applications
250-7500-HK4	HYUNDAI/KIA — Reference rostra.com for applications
250-7500-HK5	HYUNDAI/KIA — Reference rostra.com for applications
250-7500-HK6	HYUNDAI/KIA — Reference rostra.com for applications
250-7500-HK7	HYUNDAI/KIA — Reference rostra.com for applications
250-7500-HN1	HONDA/ACURA — Reference rostra.com for applications
250-7500-HN2	HONDA/ACURA — Reference rostra.com for applications
250-7500-HN5	HONDA/ACURA — Reference rostra.com for applications
250-7500-HN6	HONDA/ACURA — Reference rostra.com for applications
250-7500-HN8	HONDA/ACURA (Premium Sound) — Reference rostra.com for applications
250-7500-HN9	HONDA/ACURA (Premium Sound) — Reference rostra.com for applications
250-7500-MZ1	MAZDA — Reference rostra.com for applications
250-7500-MZ2	MAZDA — Reference rostra.com for applications
250-7500-MZ3	MAZDA — Reference rostra.com for applications
250-7500-NS1	NISSAN — Reference rostra.com for applications
250-7500-NS2	NISSAN — Reference rostra.com for applications
250-7500-NS5	NISSAN — Reference rostra.com for applications
250-7500-NS6	NISSAN (Premium Sound) — Reference rostra.com for applications
250-7500-NS7	NISSAN (Premium Sound) — Reference rostra.com for applications
250-7500-NS8	NISSAN (Premium Sound) — Reference rostra.com for applications
250-7500-SPK1	UNIVERSAL BLUETOOTH SYSTEM (Single Speaker Included)
250-7500-SPK2	UNIVERSAL BLUETOOTH SYSTEM (Dual Speakers Included)
250-7500-SUB1	SUBARU — Reference rostra.com for applications
250-7500-SUB2	SUBARU — Reference rostra.com for applications
250-7500-TY1	TOYOTA/LEXUS — Reference rostra.com for applications
250-7500-TY2	TOYOTA/LEXUS — Reference rostra.com for applications
250-7500-TY3	TOYOTA/LEXUS — Reference rostra.com for applications
250-7500-TY4	TOYOTA/LEXUS — Reference rostra.com for applications
250-7500-TY5	TOYOTA/LEXUS — Reference rostra.com for applications
250-7500-TY8	TOYOTA/LEXUS (Premium Sound) — Reference rostra.com for applications
250-7500-TY9	TOYOTA/LEXUS — Reference rostra.com for applications
250-7500-VV1	VOLVO — Reference rostra.com for applications
250-7500-VW1	VOLKSWAGEN — Reference rostra.com for applications

© 2014 VEI ALL RIGHTS RESERVED

CRUISE CONTROLS

Model	Description
250-1223	CRUISE CONTROL, GLOBAL ELECTRONIC
250-1483	UNIVERSAL RF SWITCH
250-1729-TB	OE CRUISE SWITCH 2002 TRAILBLAZER
250-1731	CRUISE CONTROL 08-09 COROLLA, MATRIX, TUNDRA, TACOMA
250-1732	CRUISE CONTROL 08 FJ/SIENNA
250-1753	CRUISE CONTROL 04-05 AVEO
250-1755	CRUISE CONTROL 04-06 SCION XA/XB
250-1766	CRUISE CONTROL 04-05 RIO W/3742 SWITCH
250-1768	CRUISE CONTROL A/T & M/T US MADE 05-06 COROLLA, MATRIX
250-1771	CRUISE M/T CAN MADE 05-06 COROLLA, MATRIX, VIBE
250-1774	CRUISE 05-06 EQUINOX, CANYON, COLORADO, ION RF SWITCH
250-1775	CRUISE 05-06 COBALT, MALIBU RF SWITCH
250-1779	CRUISE 05-06 TACOMA, TUNDRA RF SWITCH
250-1796	CRUISE 06-07 YARIS A/T WITH SWITCH
250-1797	CRUISE 06-07 YARIS M/T WITH SWITCH
250-1799	CRUISE 07-08 KIA RIO
250-1836	CRUISE 09 TOYOTA TACOMA
250-1840	CRUISE FORD FOCUS INTERFACE WITH SWITCH
250-1847	CRUISE CONTROL FORD
250-1848	CRUISE CONTROL GM
250-1855	CRUISE PLUG'N'PLAY CUSTOM INTERFACE W/SWITCH
250-1856	CRUISE PLUG'N'PLAY CUSTOM INTERFACE W/SWITCH
250-1857	CRUISE PLUG'N'PLAY CUSTOM INTERFACE W/SWITCH
250-1858	CRUISE CONTROL, CHEVY EXPRESS VAN
250-1859	CRUISE CONTROL, HYUNDAI/KIA
250-1867	07-2011 HONDA CIVIC/FIT CRUISE CONTROL
250-1873	06-07 TOYOTA YARIS CRUISE CONTROL
250-1875	'12 SUBARU IMPREZA - AUTOMATIC'S ONLY!
250-1876	'12 DODGE RAM 1500 *AUTOMATIC TRANSMISSION ONLY*
250-1877	CRUISE CONTROL HONDA INSIGHT
250-1896	CRUISE 07-08 HONDA FIT DASHMOUNT SWITCH
250-2663	DISENGAGEMENT SWITCH, M/T TACOMA/TUNDRA
250-3020	EARLY GM LEVER 1981 AND EARLIER
250-3032	"CUT OFF" INSTALLS OVER EXISTING TURN SIGNAL LEVER
250-3421	SLIM ARM UNIVERSAL MOUNT ADJUSTABLE ARM
250-3446	"SLIM ARM" UNIVERSAL MOUNT ADJ ARM, RIGHT ARM MOUNT
250-3592	UNIVERSAL DASH MOUNT W/ENGAGEMENT LIGHT
250-3593	UNIVERSAL DASH MOUNT W/O ENGAGEMENT LIGHT
250-3742	UNIVERSAL ANGLE MOUNT, ON/OFF LED LEFT SIDE MOUNT
250-3743	UNIVERSAL ANGLE MOUNT, ON/OFF RIGHT SIDE MOUNT
250-4160	GM VEHICLE W/FRONT & REAR WHEEL DR NO/EXT CABLE
250-4165	UNIVERSAL SIGNAL GEN W/MAGNETS & PICK UP COIL
250-4184	'97-02 DODGE 2.5/3.0/3.3 LITER ENGINE T-BAR ADAPTER
250-4201	THROTTLE ADAPTER PACKAGE NISSAN TRUCK 4CYL
250-4206	UNIVERSAL CLUTCH DISENGAGEMENT SWITCH
250-4243	THROTTLE ADAPTER TACOMA 4-CYL (95-02)
250-4288	THROTTLE ADAPTER FM 2.2L (98-03)

© 2014 VEI ALL RIGHTS RESERVED

CRUISE CONTROLS

Rostra Precision Controls, Inc.

Model	Description
250-4325	THROTTLE ADAPTER FOR HONDA INSIGHT
250-4328	THROTTLE ADAPTER HONDA CIVIC 1.7L (01-02)
250-4369	ADAPTER INTERFACE, VSS, DCX
250-9000	CRUISE 06-07 AVEO, FORENZA, RENO
250-9001	CRUISE 06-07 CALIBER
250-9003	CRUISE 07 TORRENT, EQUINOX
250-9004	CRUISE 07 UPLANDER
250-9005	CRUISE 07-08 KIA RONDO, SORENTO
250-9006	CRUISE 07-08 SUZUKI SX4
250-9008	CRUISE 07-08 DODGE RAM/DAKOTA
250-9009	CRUISE 07-08 MAZDA 3
250-9010	2010/11 SUZUKI SX4 CRUISE CONTROL
250-9500	CRUISE CONTROL FORD F150 2007-2008
250-9501	CRUISE E150/250/350/450 AND F250/350/450
250-9502	CRUISE CONTROL MAZDA 3 – 2010
250-9503	CRUISE CONTROL MAZDA 6 – 2010
250-9504	CRUISE NISSAN VERSA W/O ABS 2007-2010
250-9506	2010 COBALT CRUISE CONTROL KIT
250-9507	CRUISE FORD F150 2006-2008 (Replaces 250-9500)
250-9600	2011 COBALT CRUISE CONTROL KIT
250-9601	2012 MAZDA 2 CRUISE CONTROL KIT
250-9602	CRUISE CONTROL FORD F SERIES
250-9603	2011 CHEVY EXPRESS CRUISE CONTROL
250-9604	2010/11 NISSAN SENTRA 2 CRUISE CONTROL
250-9605	2010/11 FORD TRANSIT CRUISE CONTROL
250-9610	2011 FORD FIESTA CRUISE CONTROL
250-9611	2011 FORD E-SERIES CRUISE CONTROL
250-9612	2012 FORD FOCUS CRUISE CONTROL
250-9613	2012 CHEVY CRUZE CRUISE CONTROL *AUTOMATIC*
250-9614	2012 CHEVY CRUZE CRUISE CONTROL *MANUAL*
250-9615	VW JETTA CRUISE — AUTOMATIC TRANSMISSION
250-9616	VW JETTA CRUISE — MANUAL TRANSMISSION
250-9617	CRUISE 07'-11' CHEVY SILVERADO, CK, SIERRA
250-9618	CHEVY SONIC CRUISE CONTROL — AUTOMATICS ONLY!
250-9619	CHEVY SONIC CRUISE CONTROL — MANUALS ONLY!
250-9620	'12 HONDA CIVIC *AUTOMATIC TRANSMISSION ONLY*
250-9621	'12 SCION IQ *AUTOMATIC TRANSMISSION ONLY*
250-9622	CRUISE CONTROL MAZDA 3
250-9623	CRUISE CONTROL DODGE RAM
250-9625	CRUISE CONTROL FOR SPRINTER
250-9626	CRUISE CONTROL FORTE
250-9627	CRUISE CONTROL TUSCON/OPTIMA
250-9628	CRUISE CONTROL ELANTRA/ACCENT/RIO
250-9629	2013 NISSAN ALTIMA CRUISE CONTROL BLAZER
250-9630	2013 DODGE DART CRUISE CONTROL
250-9631	CRUISE CONTROL SOUL
250-9632	CRUISE CONTROL IMPREZA
250-9658	07-2012 NISSAN FRONTIER CRUISE CONTROL
250-9659	2013 NISSAN TITAN CRUISE CONTROL

© 2014 VEI ALL RIGHTS RESERVED

SEAT HEATERS

Rostra Precision Controls, Inc.

250-1870

Single Seat Heater with Illuminated 3-Position Switch

Dual elements for cushion and back areas, meets OEM standards, works on leather, vinyl and cloth, elements can be trimmed horizontally for center listings, rapid heat-up time, provides even heating and continual temperature monitoring, switches can be mounted to the dash, console or seat.

3 YEAR/36,000 MILE WARRANTY

250-1871

Single Seat Heater with Illuminated 5-Position Thumb Dial Switch

Dual elements for cushion and back areas, meets OEM standards, works on leather, vinyl and cloth, elements can be trimmed horizontally for center listings, rapid heat-up time, provides even heating and continual temperature monitoring, switches can be mounted to the dash, console or seat.

3 YEAR/36,000 MILE WARRANTY

250-1872

Driver & Passenger Seat Heater with Dual Illuminated 5-Position Thumb Dial Switch

Dual elements for cushion and back areas, meets OEM standards, works on leather, vinyl and cloth, elements can be trimmed horizontally for center listings, rapid heat-up time, provides even heating and continual temperature monitoring, switches can be mounted to the dash, console or seat.

3 YEAR/36,000 MILE WARRANTY

Install Bay

IBHS-1

Single Seat Heater with Illuminated 3-Position Switch

- 1 pc. in retail box
- **Dimensions:** 18" x 9"
- **Power Rating:** DC12V, 25 ± 3W x 2

3-YEAR WARRANTY

IBHS-2

Single Seat Heater with Illuminated 5-Position Thumb Dial Switch

- 1 pc. in retail box
- **Dimensions:** 18" x 9"
- **Power Rating:** DC12V, 25 ± 3W x 2

3-YEAR WARRANTY

IBHS-3

Driver & Passenger Seat Heater with Dual Illuminated 5-Position Thumb Dial Switch

- 1 pc. in retail box
- **Dimensions:** 18" x 9"
- **Power Rating:** DC12V, 25 ± 3W x 4

3-YEAR WARRANTY

© 2014 VEI ALL RIGHTS RESERVED

HIGH EFFICIENCY POWER SUPPLIES!

HIGH POWER LED LIGHTS

db link

Single (DBLHD1) or Double (DBLHD2) LED BAR CONNECTION HARNESS

$49.95
DBSM4-F4 Flood 4" Surface Mount. High power LED flood light, wide flood lighting pattern, IP68 element rating, 4–4 watt high output LED's, black aluminum chassis, shock proof electronics, 10v-30v DC, shatter proof polycarbonate lens, 16 watts, 1300 lumens.

$49.95
DBSM4-S4 Same as above but focused spot lighting pattern.

NEW

$156.99
DBSM6-F6 Flood 6" Surface Mount. High power LED flood light, wide flood lighting pattern, IP68 element rating, 6–10 watt high output LED's, black aluminum chassis, shock proof electronics, 10v-30v DC, shatter proof polycarbonate lens, 60 watts, 1600 lumens.

$156.99
DBSM6-S6 Same as above but focused spot lighting pattern.

NEW

$99.95
DBLB12-F8 Flood 8" LED Light Bar. High power LED flood light, wide flood lighting pattern, IP68 element rating, 12–3 watt high output LED's, black aluminum chassis, shock proof electronics, 10v-30v DC, shatter proof polycar–bonate lens, 36 watts, 2400 lumens.

NEW

$99.95
DBLB12-C8 Same as above but combination spot/flood lighting pattern.

$99.95
DBLB12-S8 Same as DBLB12-F8 but focused spot lighting pattern.

NEW

$184.99
DBLB24-C14 Spot/Flood Lighting Pattern 14" Lght Bar. High power LED light bar, IP68 element rating, 24–3 watt high output LED's, black extruded aluminum chassis, shock proof electronics, 10v-30v DC, shatter proof polycarbonate lens, 72 watts, 4700 lumens.

NEW

$284.99
DBLB40-C22 Spot/Flood Lighting Pattern 22" Light Bar. High power LED light bar, IP68 element rating, 40 – 3 watt high output LED's, black extruded aluminum chassis, shock proof electronics, 10v-30v DC, shatter proof polycarbonate lens, 120 watts, 7800 lumens.

NEW

$399.95
DBLB60-C32 Spot/Flood Lighting Pattern 32" Light Bar. High power LED light bar, IP68 element rating, 60–3 watt high output LED's, black extruded aluminum chassis, shock proof electronics, 10v-30v DC, shatter proof polycarbonate lens, 180 watts, 11700 lumens.

NEW

$541.99
DBLB80-C42 Spot/Flood Lighting Pattern 42" Light Bar. High power LED light bar, IP68 element rating, 80–3 watt high output LED's, black extruded aluminum chassis, shock proof electronics, 10v-30v DC, shatter proof polycarbonate lens, 240 watts, 15600 lumens.

NEW

$641.99
DBLB96-C50 Spot/Flood Lighting Pattern 50" Light Bar. High power LED light bar, IP68 element rating, 96–3 watt high output LED's, black extruded aluminum chassis, shock proof electronics, 10v-30v DC, shatter proof polycarbonate lens, 288 watts, 18720 lumens.

© 2014 VEI ALL RIGHTS RESERVED

épique lights

HIGH POWER LED LIGHT BARS WITH CREE BULBS

3" LED Spot Light with Cree Bulbs

3EP18W 3" LED High Power 18 Watt Rectangular Round Edge Fog Light.

8" LED Light with Cree Bulbs

8EP36WC 8" LED Light Bar. LED Power: 36W, operating voltage: 10-30V DC, waterproof rate: IP 67, twelve (12) 3w high intensity LEDs, current draw 2.5A @ 12V, 5A@24V, color temperature: 6000K, diecast aluminum housing, PMMA lens material, Alu firm mounting bracket.

14" LED Light with Cree Bulbs

14EP72WC 14" LED Light Bar. LED Power: 72W, operating voltage: 10-30V DC, waterproof rate: IP 67, twenty-four (24) 3w high intensity LEDs, current draw 4.8A @ 12V, 9.8A @24V, color temperature: 6000K, diecast aluminum housing, PMMA lens material, Alu firm mounting bracket

22" LED Light with Cree Bulbs

22EP120WC 22" LED Light Bar. LED Power: 120W, operating voltage: 10-30V DC, waterproof rate: IP 67, forty (40) 3w high intensity LEDs, current draw 8A @ 12V, 16A @24V, color temperature: 6000K, diecast aluminum housing, PMMA lens material, Alu firm mounting bracket.

32" LED Light with Cree Bulbs

32EP180WC 32" LED Light Bar. LED Power: 180W, operating voltage: 10-30V DC, waterproof rate: IP 67, sixty (60) 3w high intensity LEDs, current draw 16A @ 12V, 24A @24V, color temperature: 6000K, diecast aluminum housing, PMMA lens material, Alu firm mounting bracket.

42" LED Light with Cree Bulbs

42EP240WC 42" LED Light Bar. LED Power: 240W, operating voltage: 10-30V DC, waterproof rate: IP 67, eighty (80) 3w high intensity LEDs, current draw 16A @ 12V, 32A @24V, color temperature: 6000K, diecast aluminum housing, PMMA lens material, Alu firm mounting bracket.

50" LED Light with Cree Bulbs

50EP288WC 50" LED Light Bar. LED Power: 288W, operating voltage: 10-30V DC, waterproof rate: IP 67, one-hundred (100) 3w high intensity LEDs, current draw 16A @ 12V, 32A @24V, color temperature: 6000K, diecast aluminum housing, PMMA lens material, Alu firm mounting bracket.

© 2014 VEI ALL RIGHTS RESERVED

Standard HID Kits

Extreme Lighting HID Kits with Water Proof Ballasts.

Available in 6K or 8K, direct plug and play installation, no modification to headlight housing required, 3x brighter than halogen lights, 10x longer life than halogen lights.

Each kit includes two (2) bulbs, two (2) ballasts.

We only offer exchanges on ballasts.

Optional Relay Harnesses Available.

Replacement BULBS Available!

Replacement Bulbs

AVAILABLE FOR THE FOLLOWING BULB APPLICATIONS						
5202	9004	9006	H1	H11	H3	H7
880	9005	9007	H10	H13	H4	H9

FLOOR STANDING HID BANNERS!

BI-Xenon HID Kits

Extreme Lighting HID Kits With BI-Xenon Bulbs and Water Proof Ballasts.

Available in 6K or 8K, direct plug and play installation, no modification to headlight housing required, 3x brighter than halogen lights, 10x longer life than halogen lights, waterproof design.

Each kit includes two (2) BI-Xenon bulbs, two (2) ballasts and relay harness.

We only offer exchanges on ballasts.

Replacement BULBS Available!

Replacement Bulbs

AVAILABLE FOR THE FOLLOWING BULB APPLICATIONS			
9004-H/L	9007-H/L	H4-H/L	H13-H/L

© 2014 VEI ALL RIGHTS RESERVED

Farenheit XENON BULB PACKAGES

BACK IN STOCK!

SuperWhite Xenon Bulbs

New quartz glass holding twice the air pressure for high intensity gas loading and extra long life.

ALL MODELS ARE PACKAGED IN PAIRS.

H1

H1
12V 100W

H3

H3
12V 100W

H4

H4
12V 100/90W

H7

H7
12V 100W

H8

H8
12V 35W

H9

H9
12V 65W

H11

H11
12V 55W

H13

H13
12V 65/55W

9004

9004
12V 100/80W

9005

9005
12V 100W

9006

9006
12V 80W

9007

9007
12V 100/80W

9008

9008
12V 65/55W

© 2014 VEI ALL RIGHTS RESERVED

All ghost shadow kits install in the lower portion of the car door panel. Simply tap into door valet light or door pin switch, and you're done!

GHOST SHADOW KITS

Model	Type	Description
SPK-GM1	GM Ghost Shadow Kit	Includes Buick/Cadillac/Oldsmobile/Pontiac/Chevy/GMC, 2 logo lasers, wiring and custom diameter drill bit.
SPK-FORD1	Ford Ghost Shadow Kit	Includes Ford/Ford 2/Lincoln/Mercury/Ford Tough/Super Duty, 2 logo lasers, wiring and custom diameter drill bit.
SPK-SPORT1	Sport Ghost Shadow Kit	Includes Ford/Chevy/Mustang/Mustang 2/Camaro 1/Camaro 2, 2 logo lasers, wiring and custom diameter drill bit.
SPK-CHRYSLER1	Chrysler Ghost Shadow Kit	Includes Dodge Ram/Jeep/Chrysler/4X4/Hemi/Fiat, 2 logo lasers, wiring and custom diameter drill bit.
SPK-LUX1	Luxury Ghost Shadow Kit.	Includes Audi/BMW/Lexus/Mercedes Benz/Porsche/Corvette logos, 2 logo lasers, wiring and custom diameter drill bit.
SPK-MPT1	Import 1 Ghost Shadow Kit	Includes Honda/Toyota/Nissan/Infinity/Acura/Volkswagen logos, 2 logo lasers, wiring and custom diameter drill bit.
SPK-MPT2	Import 2 Ghost Shadow Kit	Includes Kia/Hyundai/Hummer/Mitsubishi/Mazda/Volvo logos, 2 logo lasers, wiring and custom diameter drill bit.

© 2014 VEI ALL RIGHTS RESERVED

12 Volt LED Strip Lights

These strips are 8mm wide with 60 LED's per meter, have a water resistant covering, utilize 3M double-sided tape for a strong bond and offers 120° viewing angle. Available in three different lengths and seven colors.

IBLED-1M 1-Meter Length LED Strip Lights.
Available in: White, Blue, Red, Amber and Green. (Purple and Pink available.)

IBLED-3M 3-Meter Length LED Strip Lights.
Available in: White, Blue, Red, Amber and Green. (Purple and Pink available.))

IBLED-5M 5-Meter Length LED Strip Lights.
Available in: White, Blue, Red, Amber and Green. (Purple and Pink available.))

IBLED-5MRGB-1 5-Meter Length 16-Color LED Strip Light. 5050 RGB LED's, 10mm wide and 2mm thick, IP65 rated water resistant silicone covering with 3M tape, 60 LED's per meter.
Requires IBLED-RGBC-1 Controller.

IBLED-RGBC-1 Control Box for IBLED-5MRGB-1 Strips.

IBLED-5MRGB-2 5-Meter Length 7-Color LED Strip Light. 5050 RGB LED's, 12mm wide and 3mm thick, IP65 rated water resistant silicone covering with 3M tape, 54 LED's per meter.
Requires IBLED-RGBC- Controller.

IBLED-RGBC2 Control Box for IBLED-5MRGB-2 Strips.

ECRP 6" Solderless Extension Cable for Single Color LED Strip Lights. Allows connection of two cut ends to be joined without soldering. 2-Pack

QCRP 6" Solderless Quick Connection Cable for Single Color LED Strip Lights. Allows power and ground connection of cut ends to the strip lights without soldering. 4-Pack.

CS-3528CP 3528 LED Strip Light Couplers. 10-Pack

CS-5050CP 5050 LED Strip Light Couplers. 10-Pack

CS-3528+ 3528 LED+ Adapter. 10-Pack

CS-5050+ 5050 LED+ Adapter. 10-Pack

CS-3528RA 3528 LED Right Angle Adapter. 10-Pack

CS-5050RA 5050 LED Right Angle Adapter. 10-Pack

CS-3528T 3528 LED "T" Adapter. 10-Pack

CS-5050T 5050 LED "T" Adapter. 10-Pack

CS-PS12V6A 12V 6A Power Supply.



CS-3525QC DC Female Quick Connect for 3.5mm x 2.8mm LED's. 10-Pack

CS-5050QC DC Female Quick Connect for 5mm x 5mm LED's. 10-Pack

© 2014 VEI ALL RIGHTS RESERVED

MOBILE VIDEO & AUDIO PRODUCTS

axxera

SELECT MARKETS ONLY!

2 Year Warranty!

AV614BH Double DIN DVD Multimedia Receiver with 6.2" Digital LCD, Bluetooth and DisplayLink. Built-in Bluetooth (HFP, A2DP & AVRCP), DisplayLink for Apple and Android devices, HDMI input, microSD card input for MP3/WMA/JPG playback, front panel USB and 3.5mm inputs, rear RCA A/V inputs and 1 RCA video output, 3 pairs of RCA preamp outputs (F/R/S).

2 Year Warranty!

DV714BH Single DIN DVD Multimedia Receiver with 7" Digital LCD, Bluetooth and DisplayLink. Built-in Bluetooth (HFP, A2DP & AVRCP), DisplayLink for Apple and Android devices, HDMI input, SD card input for MP3/WMA/JPG playback, front panel USB and 3.5mm inputs, rear RCA A/V inputs and 1 RCA video output, 3 pairs of RCA preamp outputs (F/R/S).

2 Year Warranty!

AXD530 Multi-Format CD Receiver with Large 3" QVGA Full-Color LCD Screen. Stunning 3D-like background graphics, built-in Bluetooth, direct control for iPod/iPhone, front USB, aux-in, 3-pairs of 4-volt preamp outputs, steering wheel control-ready, 60W x 4, wireless remote.

2 Year Warranty!

AXD430 Multi-Format CD Receiver with Large 3" QVGA Full-Color LCD Screen. Stunning 3D-like background graphics, direct control for iPod/iPhone, front USB, aux-in, 2 preamp outputs (F+R/S), steering wheel control-ready, 60W x 4, wireless remote.

2 Year Warranty!

AC504BiM CD Receiver with Extra Wide 3.7" LCD, Motion Control, Bluetooth & Pandora. Motion control (Play/Pause, Tune/Track/Volume Up/Down), Built-in Bluetooth (HFP, A2DP & AVRCP), direct USB control for most iPhone/iPod devices, Pandora radio app control (iPhone via USB), front Panel USB and 3.5mm inputs, 2 pairs of 4V RCA preamp outputs (F+R/S Selectable).

2 Year Warranty!

AC404IM CD Receiver with Extra Wide 3.7" LCD, Motion Control & Pandora. Motion control (Play/Pause, Tune/Track/Volume Up/Down), direct USB control for most iPhone/iPod devices, Pandora radio app control (iPhone via USB), large 3.7" wide black/white LCD, front Panel USB and 3.5mm inputs, 2 pairs of RCA preamp outputs (F+R/S Selectable).

2 Year Warranty!

AXM230 Mechless Digital Media Receiver with Large 3" QVGA Full-Color LCD Screen. Stunning 3D-like background graphics, direct control for iPod/iPhone, front USB, aux-in, 2 preamp outputs (F+R/S), steering wheel control-ready, 60W x 4, wireless remote.

2 Year Warranty!

AXD130 Indash CD Receiver. 12-Character LCD display, front USB, aux-in, preamp output (R/S), 60W x 4, wireless remote.

© 2014 VEI ALL RIGHTS RESERVED

APA-80.4 Marine/Off Road 560 Watt 4-Channel Amplifier. Elastoaquatic coating solution on PCB component, DriveSink heat management system, buffered pre-amp input circuitry, continuously variable 12dB low pass crossover, variable 12dB bass boost @ 45Hz, 4-channel 2 Ohm stereo capability, ideal for marine and off road vehicle applications.

APM300.2 Compact 600 Watt 2-Channel Marine Class D Full Range Amplifier. Marine grade Elastoaquatic coating solution on PCB components, compact chassis for unlimited installation capabilities, continuously variable 12dB per octave high pass and low pass crossover network, variable 18dB bass boost, ideal for any extreme condition installation. Dimensions: 7.48"L x 1.85"H x 6.22"W

APM250.4 Compact 600 Watt 4-Channel Marine Class D Full Range Amplifier. Marine grade Elastoaquatic coating solution on PCB components, compact chassis for unlimited installation capabilities, continuously variable 12dB per octave high pass and low pass crossover network, variable 18dB bass boost, ideal for any extreme condition installation. Dimensions: 7.48"L x 1.85"H x 6.22"W

APS6.0-B Black 6.5" 2-Way Marine/ Off Road Loudspeaker Pair.

APS6.0-W White 6.5" 2-Way Marine/ Off Road Loudspeaker Pair.

APS8.0-B Black 8" 2-Way Marine/ Off Road Loudspeaker Pair.

APS8.0-W White 8" 2-Way Marine/ Off Road Loudspeaker Pair.

APT6.0PRO-B Black 6" Pro Audio Marine Tower Speaker System. 500 Watts max power handling, high frequency compression driver, horn loaded compression super tweeter, pro audio marine mid-range, high grade aluminum multi-fit bracket that adjusts between 1.5" and 3". Great for boat use or off-road vehicles. Priced per pair.

APT6.0PRO-W White 6" Pro Audio Marine Tower Speaker System. 500 Watts max power handling, high frequency compression driver, horn loaded compression super tweeter, pro audio marine mid-range, high grade aluminum multi-fit bracket that adjusts between 1.5" and 3". Great for boat use or off-road vehicles. Priced per pair.

APT8.0PRO-B Black 8" Pro Audio Marine Tower Speaker System. 600 Watts max power handling, high frequency compression driver, horn loaded compression super tweeter, pro audio marine mid-range, high grade aluminum multi-fit bracket that adjusts between 1.5" and 3". Great for boat use or off-road vehicles. Priced per pair.

APT8.0PRO-W White 8" Pro Audio Marine Tower Speaker System. 600 Watts max power handling, high frequency compression driver, horn loaded compression super tweeter, pro audio marine mid-range, high grade aluminum multi-fit bracket that adjusts between 1.5" and 3". Great for boat use or off-road vehicles. Priced per pair.

© 2014 VEI ALL RIGHTS RESERVED

Blues Multi Channel Amplifiers

Common Features of Blues Multi Channel Amplifiers

These versatile multi channel amplifiers are 2-ohm stereo or 4-ohm bridged mono making them perfect for powering full range speakers, components and subwoofers. These multi channel models are feature packed and include selectable bass boost (up to 12dB), selectable electronic crossover, variable high pass and low pass filters and voltage protection. RCA audio line outputs (pass thru) are available for adding additional amplifers to your system.

BA-2.300 600 Watt Class A/B 2-Channel Amplifier.
2-Ohm Stereo stable/4-Ohm mono stable, Mosfet, FULL/LPF/HPF adjustable electronic crossover, switchable 6dB or 12dB bass boost, low level line output (pass thru).

Dimensions: 9"L x 8.8"W x 2"H

BA-4.600 1200 Watt Class A/B 4-Channel Amplifier.
2-Ohm Stereo stable/4-Ohm mono stable, Mosfet, FULL/LPF/HPF adjustable electronic crossover, switchable 6dB or 12dB bass boost, low level line output (pass thru).

Dimensions: 12.4"L x 8.8"W x 2"H

NEW

BA-5.1100 1100 Watt Class A/B 5-Channel Amplifier. 2-Ohm Stereo stable/ 4-Ohm mono stable, Mosfet, FULL/LPF/HPF adjustable electronic crossover, switchable 6dB or 12dB bass boost, low level line output (pass thru).

Dimensions: 16.3"L x 8.8"W x 2"H.

Blues Monoblock Amplifiers

Common Features of Blues Monoblock Amplifiers

These conventional Class A/B single channel mono amplifiers can be configured to run full range or for bass only (just subwoofers) thanks to the on-board electronic crossover and variable LPF (low pass filter) circuitry. Combining true high fidelity sound and power, these amplifiers feature audio line low level pass thru RCA's for designing multi-amp systems with maximum flexibilty. The Blue's design team included all the sought after features such as a wired remote bass boost control, variable subsonic filter, reverse phase switch, voltage protection and up to 12dB of bass boost.

BA-1.350 700 Watt Class A/B Monoblock Amplifier.
2-Ohm Stable (Min), FULL/LPF adjustable electronic crossover, low level line output (pass thru), subsonic filter and 180° phase switch,remote bass gain.

Dimensions: 9.2"L x 8.8"W x 2"H

BA-1.500 1000 Watt Class A/B Monoblock Amplifier.
2-Ohm Stable (Min), FULL/LPF adjustable electronic crossover, 12dB variable bass boost, low level line output (pass thru), subsonic filter and 180° phase switch, remote bass gain.

Dimensions: 11.2"L x 8.8"W x 2"H

BA-1.1000 2000 Watt Class A/B Monoblock Amplifier.
2-Ohm Stable (Min), FULL/LPF adjustable electronic crossover, 12dB variable bass boost, low level line output (pass thru), subsonic filter and 180° phase switch, remote bass gain.

Dimensions: 13.1"L x 8.8"W x 2"H

© 2014 VEI ALL RIGHTS RESERVED

Blues Subwoofers

Get Some Real Bass!

Get some real bass in your drive using either our 10" or 12" Blues Subwoofers! These single 4-ohm or dual 4-ohm subwoofers sound great in either sealed or ported enclosures.

High performance features include durable, yet lightweight poly coated cone, butyl rubber surround, pole vented power strontium ferrite magnet, spring loaded binding post for speaker wire connections and rolled steel baskets.

BW-10
10" SVC 4-Ohm Subwoofer
- 800 watts peak
- 30 oz. magnet
- 4.65" mounting depth

BW-12
12" SVC 4-Ohm Subwoofer
- **1000 watts peak**
- **30 oz.** magnet,
- 5.25" mounting depth

BW-10D
10" DVC 4-Ohm Subwoofer
- 800 watts peak
- 30 oz. magnet
- 4.65" mounting depth

BW-12D
12" DVC 4-Ohm Subwoofer
- **1000 watts peak**
- **30 oz.** magnet,
- 5.25" mounting depth

BX Series Full-Range Speakers

Model	Size & Type	Max Power	Frequency Response
BX-69	6" x 9" 3-Way Speaker Pair	280 Watts	78Hz-20KHz
BX-57	5" x 7" 3-Way Speaker Pair	240 Watts	79Hz-20KHz
BX-65	6.5" 3-Way Speaker Pair	240 Watts	94Hz-20KHz
BX-52	5.25" 2-Way Speaker Pair	200 Watts	127Hz-20KHz
BC-65	6.5" 2-Way Component System	240 Watts	94Hz-20KHz

Features of BX Series Full-Range Speakers:
- Poly Coated Woofer Cones
- Balanced Output Mylar Tweeters
- Metal Mesh Grills

The BC Series Component System also Includes:
- 1" Mylar Tweeters (Surface or Flush Mount)
- 12dB Crossover Networks

© 2014 VEI ALL RIGHTS RESERVED

AMPLIFIERS

stealth bomber mobile

60 YEAR cerwin vega ANNIVERSARY

Model	Channels	Power
B2	2-Channel	250Wx2 @ 2 Ohm/150Wx2 @ 4 Ohm RMS
B4	4-Channel	150Wx4 @ 2 Ohm/80Wx4 @ 4 Ohm RMS
B1	Monoblock	500Wx1 @ 2 Ohm RMS

- Ultra Compact High Density Aluminum Alloy Chassis
- Class D IR Chipset with DirectFET Power Mosfet Output Stage
- IC Audio Driver Provides Superior Overload Protection
- Switchable 12dB Crossovers and Vega Bass Boost 18dB @ 45Hz
- Auxiliary Direct High Level Matching Input and Adjustment
- 2/4-Channel and Mono Models

hed mobile

60 YEAR cerwin vega ANNIVERSARY

Model	Channels	Power
H4-1000.2	2-Channel	100Wx2 @ 4 Ohm RMS/1100W MAX
H4-1200.4	4-Channel	80Wx4 @ 4 Ohm RMS/1200W MAX
H4-900.4	4-Channel	65Wx4 @ 4 Ohm RMS/ 900W MAX
H4-1000.1D	Monoblock	500Wx1 @ 1 Ohm RMS Class D/1100W MAX
H4-1500.1D	Monoblock	750Wx1 @ 1 Ohm RMS Class D/ 1500W MAX
H4-2000.1D	Monoblock	1000Wx1 @ 1 Ohm RMS Class D/ 2000W MAX

- AB Power Multi Channel and Digital Mono-Block Design
- Variable X-Over 12dB HP/LP Switchable
- Remote Level Controller for System Tuning
- Heavy-Grade Aluminum Alloy Extruded Heatsink
- Internal Temperature-Sensitive Fans on Select Models
- 2/4-Channel and Mono Models

xed mobile

60 YEAR cerwin vega ANNIVERSARY

Model	Channels	Power
XED-600.2	2-Channel	600 Watts Max Power
XED-600.4	4-Channel	600 Watts Max Power
XED-1200.1M	Monoblock	1200 Watts Max Power

- High Quality Class AB Topology Design
- Switchable Crossovers
- Ambient Backlit Logo
- Tight Connection Mount RCA Connectors
- 2/4-Channel and Mono Models

© 2014 VEI ALL RIGHTS RESERVED

WOOFERS

xed mobile

- Parabolic Polypropylene Cone
- Unique Foam Blend High Roll Surround
- Bumped Back Plate for Maximum Excursion
- Vented Pole Piece for Extended Play Time
- Single Voice Coil 4 Ohm

Model	Size	Power
XED-12	12"	1000 Watts Max

vega mobile

- Proprietary Stamped Cast Vega Basket Design
- Optimized High Power Single-Stacked Motor Structure
- Parabolic One Piece Stamped Carbon Fiber Polypropylene Cone
- Double Stitched Vega Red Santoprene Surround
- Proprietary Horizontal Mounted Spring Loaded Terminals
- High Power Integrated Impedance Selector
- Vega Concealed Mounting Gasket
- Dual Voice Coil 4 Ohm

Model	Size	Power
V84D	8"	500W Max/250W RMS
V104D	10"	800W Max /400W RMS
V124D	12"	900W Max /450W RMS
V154D	15"	1100W Max /550W RMS

hed mobile

- Proprietary HED Basket Frame with Unimount Gasket Surround
- One Piece Parabolic Cone for Extreme Rigidity
- Single Stitched Rubber Surround
- Bumped Back Plate for Maximum Excursion
- Dual Voice Coil 4 Ohm

Model	Size	Power
H4-104D	10"	1000W Max /250W RMS
H4-124D	12"	1200W Max /250W RMS

vega pro mobile

- Proprietary Stamped Cast Vega Basket Design
- Optimized High Power Double Stacked Motor Structure
- Vented Pole Piece and Voice Coil Gap for Maximum Cooling
- Black Santoprene Double Stitched Surround for Ultimate Reliability
- Proprietary Horizontal Mounted Terminal with Integrated Impedance Selector
- Vega Concealed Mounting Gasket
- Dual Voice Coil 4 Ohm

Model	Size	Power
VPRO-104D	10"	1400W Max /700W RMS
VPRO-124D	12"	1500W Max /750W RMS
VPRO-154D	15"	1800W Max /900W RMS

© 2014 VEI ALL RIGHTS RESERVED

FULL RANGE LOUDSPEAKERS

- Curvilinear Polypropylene Cone
- Butyl Rubber Surround
- Balanced Metal Dome .75" CV Tweeter

Model	Description	Power
XED-62	6.5" 2-Way Speaker Pair	300 Watts Max
XED-693	6" x 9" 3-Way Speaker Pair	350 Watts Max
XED-650C	6.5" 2-Way Component Set	300 Watts Max
XED-1T	.75" Piezo Tweeter Kit	500 Watts Max

- Stamped Steel Vented Air Flow Basket Frame
- Mica Injected Reinforced Polypropylene Cone with Oversized Rubber Surround
- Linear Woven Treated Red Spider
- Black Anodized Metal Dome with Mesh Tweeter Grill

Model	Description	Power
H4-52	5.25" 2-Way Speaker Pair	250 Watts Max / 50 Watts RMS
H4-65	6.5" 2-Way Speaker Pair	300 Watts Max / 50 Watts RMS
H4-46	4" x 6" 2-Way Speaker Pair	200 Watts Max / 50 Watts RMS
H4-653	6.5" 3-Way Speaker Pair	320 Watts Max / 50 Watts RMS
H4-683	6" x 8" 3-Way Speaker Pair	320 Watts Max / 50 Watts RMS
H4-693	6" x 9" 3-Way Speaker Pair	420 Watts Max / 50 Watts RMS
H4-694	6" x 9" 4-Way Speaker Pair	440 Watts Max / 50 Watts RMS
H4-TAK	1" Tweeter Add-on Kit	300 Watts Max / 50 Watts RMS
H4-65C	6.5" 2-Way Component Set	360 Watts Max / 50 Watts RMS

- Fully-encapsulated 12dB On-Board Crossover Network
- Low-Resonant Deep Drawn Stamped Cast Basket
- Curvilinear Cone Design for Superior Mid-Bass and Off-Axis Performance
- Vega Signature Red Surround

Model	Description	Power
V-465	6.5" 2-Way Speaker Pair	400 Watts Max / 75 Watts RMS
V-469	6" x 9" 3-Way Speaker Pair	500 Watts Max / 100 Watts RMS
V-465C	6.5" 2-Way Component Set	400 Watts Max / 100 Watts RMS

© 2014 VEI ALL RIGHTS RESERVED

AMPLIFIERS

SELECT MARKETS ONLY!

A1 Series Amplifiers

Model	Type	MaxPower	Bass Remote	Dimensions
A1-502	2-Channel BTL Amplifier	100 Watts	No	3.9"L x 1.96"H x 8"W
A1-504	4-Channel BTL Amplifier	200 Watts	No	5.1"L x 1.96"H x 8"W
A1-500	Class A/B Monoblock Amplifier	500 Watts	Yes	7"L x 1.96"H x 8"W
A1-750	Class A/B Monoblock Amplifier	750 Watts	Yes	10.3"L x 1.96"H x 8"W

A1 Series Amplifiers Feature: Variable Input Gain Control, Selectable Hi Pass, Low Pass Crossover, Frequency Response: 20Hz -20KHz, Direct-Connect Integrated Speaker and Power Wire Terminals, Nickel Plated RCA inputs, High Level Inputs, Power On Indicator LED, DriveSink Heat Management System, DC Short Circuit Protection, Remote Bass Gain included with A1-500 and A1-750. 4 Ohm Stereo on 2 and 4-Channel Amplifiers, 2 Ohm Mono on Monoblock Amplifiers.

A3 Series Amplifiers

Model	Type	MaxPower	Bass Remote	Dimensions
A3-85.2	2-Channel Class A/B Amplifier	300 Watts	No	7.87"L x 2"H x 9.5"W
A3-65.4	4-Channel Class A/B Amplifier	480 Watts	No	10.23"L x 2"H x 9.5"W
A3-85.4	4-Channel Class A/B Amplifier	600 Watts	No	12.9"L x 2"H x 9.5"W
A3-850.1D	Class A/B Monoblock Amplifier	850 Watts	Yes	11.81"L x 2"H x 9.5"W
A3-1050.1D	Class A/B Monoblock Amplifier	1050 Watts	Yes	13.77"L x 2"H x 9.5"W
A3-1550.1D	Class A/B Monoblock Amplifier	1550 Watts	Yes	15.74"L x 2"H x 9.5"W
A3-1450.3	2-Ch Class A/B & D Class	1450 Watts	No	11.87"L x 2"H x 9.5"W
A3-1750.5	5-Channel Class A/B Amplifier	1750 Watts	Yes	15.74"L x 2"H x 9.5"W
A3-2250.5	5-Channel Class A/B Amplifier	2250 Watts	Yes	16.92"L x 2"H x 9.5"W

A3 Series Amplifiers Feature: DriveSink Heat Management System, Buffered pre-amp input circuitry, Continuously Variable 12dB Low Pass Crossover, Continuously Variable 18dB Bass Boost @ 45Hz, Audiophile Grade Components, Direct-Connect Integrated Speaker and Power Wire Terminals, High Efficiency Mosfet Design, Variable Input Level Control, DC-DC PWM Power Supply. 2 Ohm Stereo on 2 and 4-Channel Amplifiers, 1 Ohm Mono on Monoblock Amplifiers. A3-1750.5 operates 2 Ohm Mono for Sub, A3-2250.5 operates 1 Ohm for Sub.

© 2014 VEI ALL RIGHTS RESERVED

A7 Series Amplifiers

Model	Type	MaxPower	Bass Remote	Dimensions
A7-300.2	2-Channel Class A/B Amplifier	900 Watts	No	16.63"L x 2.5"H x 10.25"W
A7-75.4	4-Channel Class A/B Amplifier	300 Watts	No	13.5"L x 2.5"H x 10.25"W
A7-125.4	4-Channel Class A/B Amplifier	500 Watts	Yes	16.63"L x 2.5"H x 10.25"W
A7-750.1	Class D Monoblock Amplifier	750 Watts	Yes	10"L x 2.5"H x 10.25"W
A7-1100.1	Class D Monoblock Amplifier	1100 Watts	Yes	10.75"L x 2.5"H x 10.25"W
A7-1500.1	Class D Monoblock Amplifier	1500 Watts	Yes	12.75"L x 2.5"H x 10.25"W
A7-2000.1	Class D Monoblock Amplifier	2000 Watts	Yes	14.88"L x 2.5"H x 10.25"W
A7-2500.1	Class D Monoblock Amplifier	2500 Watts	Yes	16.88"L x 2.5"H x 10.25"W

A7 Series Amplifiers Feature: 2 Ohm Stereo Capability on 2 and 4 Channel Models, 1 Ohm Mono Capability on all Mono Amplifiers, Continuously Low Level RCA Inputs on all Models, DriveSink Heat Management System, Independent 18dB per Octave High Pass and Low Pass Crossover Network on 2 and 4 Channel Amplifiers, Continuously Variable 24dB per Octave Low Pass Crossover on all Mono Amplifiers, Continuously Variable 24dB per Octave Subsonic Filter on Mono Amplifiers, Variable Phase Shift Control (0-180) on Mono Amplifiers, Continuously variable Bass Boost @ 45Hz, Internal Multi-Link Module for Easy Multi-Linking of Two Like Amplifiers, RCA Pre-amp Outputs for Easy Daisy Chaining of Multiple Amplifiers, Large Gauge Power Input Terminals.

A7M Series Amplifiers

Model	Type	MaxPower	Bass Remote	Dimensions
A7M-100.4	4-Channel Class A/B Amplifier	800 Watts	No	9.06"L x 2.2"H x 7.08"W
A7M-750.1	Class D Monoblock Amplifier	850 Watts	Yes	7.08"L x 2.2"H x 7.08"W
A7M-1250.1	Class D Monoblock Amplifier	1250 Watts	Yes	10.23"L x 2.2"H x 7.08"W
A7M-2000.1	Class D Monoblock Amplifier	2000 Watts	Yes	13.38"L x 2.2"H x 7.08"W

A7M Series Amplifiers Feature: 2 Ohm Stereo Capability on the 4 Channel Model, 1 Ohm Mono Capability on all Class D Mono Amplifiers, Continuously Low Level RCA Inputs on all Models, DriveSink Heat Management System, Independent 18dB per Octave High Pass and Low Pass Crossover Network on the 4 Channel Amplifier, Continuously Variable 12dB per Octave Low Pass Crossover on all Mono Amplifiers, Continuously Variable 12dB per Octave Subsonic Filter on Mono Amplifiers, Continuously Variable Bass Boost @ 45Hz, Power Input Terminals.

© 2014 VEI ALL RIGHTS RESERVED

SUBWOOFERS

SELECT MARKETS ONLY!

K2 Series Subwoofers

- Dual 4-ohm Voice Coil
- Heavy Gauge Stamped Steel Basket
- Injection Molded Bowl PP Dust Cap
- KSV Voice Coil Former
- Rolled Foam Surround
- 65 oz. Magnet

Model	Size	Power
K2-10D4	10"	700W Max/400W Nominal
K2-12D4	12"	700W Max/400W Nominal

K5F Flat Series Subwoofers

- Dual 4-Ohm Voice Coil
- Ultra Shallow Stamped Steel Basket
- Injection Molded Bowl PP Dust Cap
- Black Finished Top and Bottom Plates
- Rolled Foam Surround
- Sealed or Vented Enclosure

Model	Size	Power
K5F-10D4	10"	500W Max/250W Nominal
K5F-12D4	12"	500W Max/250W Nominal

K4 Series Subwoofers

- Dual 4-ohm Voice Coil
- Heavy Gauge Stamped Steel Basket
- Injection Molded Bowl PP Dust Cap
- KSV Voice Coil Former
- Rolled Foam Surround
- 65 oz. Magnet

Model	Size	Power
K4-10D4	10"	1000W Max/500W Nominal
K4-12D4	12"	1000W Max/500W Nominal

K5.V2 Series Subwoofers

- Dual 4-ohm Voice Coil
- Vac PP Cone with Rubber Surround
- Stamped Steel Frame Design
- Black Electro-Plated Top and Bottom Plates
- Fiber Mixed Spider
- Large Magnet Structure

Model	Size	Power
K5-10D4v2	10"	1500W Max/600W Nominal
K5-12D4v2	12"	1500W Max/600W Nominal
K5-15D4v2	15"	1500W Max/600W Nominal

© 2014 VEI ALL RIGHTS RESERVED

WDX 2K Series
High Power Woofers

- Dual Voice Coil
- 2000 Watt of Power Handling
- 120oz Ceramic Ferrite Magnet
- 3" High Temperature Voice Coil
- High Grade Low Carbon Steel Top and Bottom Plates
- Designed to Optimize SPL Performance
- High Excursion Spider Design
- 1.5" High Roll Foam Surround
- Low Resistance Direct Connect Speaker Cables

Model	Size	Recommended Music Power Range	SPL Tone Burst	Magnet
WDX12-2K	12"	350 – 1000 Watts	1000 – 2000 Watts	120oz
WDX15-2K	15"	350 – 1000 Watts	1000 – 2000 Watts	120oz

WDX 3K Series
High Power Woofers

- Dual Voice Coil
- 3000 Watt of Power Handling
- 165oz Ceramic Ferrite Magnet
- 3" High Temperature Voice Coil
- High Grade Low Carbon Steel Top and Bottom Plates
- Designed to Optimize SPL Performance
- High Excursion Spider Design
- 1.5" High Roll Foam Surround
- Low Resistance Direct Connect Speaker Cables

Model	Size	Recommended Music Power Range	SPL Tone Burst	Magnet
WDX12-3K	12"	750 – 1500 Watts	1500 – 3000 Watts	165oz
WDX15-3K	15"	750 – 1500 Watts	1500 – 3000 Watts	165oz

WDX 5K Series
High Power Woofers

- Dual Voice Coil
- 5000 Watt of Power Handling
- 275oz Ceramic Ferrite Magnet
- 3" High Temperature Voice Coil
- High Grade Low Carbon Steel Top and Bottom Plates
- Designed to Optimize SPL Performance
- High Excursion Spider Design
- 1.5" High Roll Foam Surround
- Low Resistance Direct Connect Speaker Cables

Model	Size	Recommended Music Power Range	SPL Tone Burst	Magnet
WDX12-5K	12"	1000 – 2000 Watts	2500 – 5000 Watts	275oz
WDX15-5K	15"	1000 – 2000 Watts	2500 – 5000 Watts	275oz
WDX18-5K	18"	1000 – 2000 Watts	2500 – 5000 Watts	275oz

© 2014 VEI ALL RIGHTS RESERVED

PRO AUDIO & SIGNAL PROCESSORS

SELECT MARKETS ONLY!

S9-6C Top-of-the-Line Pro-Series 6.5" Component System. Features: 400 Watts max power handling, paper composite cone with TSD coating, steel embossed woofer basket, EISV Kapton former voice coil, FEA designed Ferrite Oxide magnet, .75" silk dome tweeter, 12dB per octave position compensating crossover network, selectable tweeter level control.

P9TW-3D 1" ProAudio Tweeter Pair. 375 Watts dynamic power, high efficiency Titanium voice coil, integrated 6dB passive high pass crossover, fully replaceable diaphragm, die-cast aluminum construction, shallow 2" mounting depth, 4 Ohm.

- Paper Composite Cone
- Cloth Edge Surround
- Barium Ferrite Magnet
- Stamped Steel Basket
- 2" High Temperature Voice Coil

P8M-6C
6.5" Pro Audio Mid Bass.
400 Watts dynamic power.

P8M-8C
8" Pro Audio Mid Bass.
500 Watts dynamic power.

P5TW-4D 1.75" ProAudio Tweeter. 300 Watts dynamic power, high efficiency voice coil, 11.6 oz magnet, 103 dB sensitivity, 8 Ohm impedence.

- High Efficiency
- Cloth Surround
- High Energy Stronium Ferrite Magnet
- Die-Cast Aluminum Basket
- High Temperature Voice Coil

P5M-6C
6.5" Pro Audio Mid Bass.
250 Watts dynamic power.

P5M-88C
8" Pro Audio Mid Bass.
300 Watts dynamic power.

E7-BE Reference Bass Enhancer. Remote bass control, variable PFM subsonic filter, illuminated controls, illuminated logo badge, single band parametric bass equalization, balanced RCA inputs, variable signal output, PWM power supply.

- Shallow Mount
- Paper Composite Cone
- Cloth Edge Surround
- Barium Ferrite Magnet
- Stamped Steel Baskett

P3M-6C
6.5" Pro Audio Mid Bass.
225 Watts dynamic power

P3M-8C
8" Pro Audio Mid Bass.
275 Watts dynamic power.

P3M-10C
10" Pro Audio Mid Bass.
350 Watts dynamic power.

E7-EQ7 7-Band Parametric Equalizer with Built-in Subwoofer Crossover. Seven parametric equalization bands, variable subwoofer output with 18dB per octave selectable at 60Hz or 90Hz, three stereo outputs (front/rear/subwoofer), auxiliary stereo input on rear as well as a MP3 input on front panel, master volume, variable subwoofer output control, illuminated controls, balanced RCA inputs.

© 2014 VEI ALL RIGHTS RESERVED

SELECT MARKETS ONLY!

S5v2 Series Full Range Speakers

Model	Size & Type	MaxPower	Nominal Power	Frequency Response
S5-69HP	6" x 9" 3-Way High Power Speaker Pair	500 Watts	150 Watts	20Hz – 20KHz
S5-69v2	6" x 9" 3-Way Speaker Pair	400 Watts	100 Watts	30Hz – 20KHz
S5-60v2	6.5" 2-Way Speaker Pair	350 Watts	75 Watts	35Hz – 20Khz
S5-57v2	5" x 7" 2-Way Speaker Pair	350 Watts	75 Watts	35Hz – 20Khz
S5-46v2	4" x 6" 2-Way Speaker Pair	275 Watts	60 Watts	38Hz – 20Khz
S5-6Cv2	6.5" 2-Way Component System	400 Watts	90 Watts	35Hz – 20Khz
S5-1Tv2	25mm Aluminum Dome Tweeter	350 Watts	75 Watts	2900Hz – 20KHz

S5v2 Series Full Range Speakers Feature: Audiophile Performance at an Exceptional Value, TSD Coated Pressed Paper Cone, Butyl Rubber Surround, Aluminum Voice Coil, Heavy Gauge Steel Stamped Basket. **Component Set Features:** 25mm Multi-Mount Aluminum Dome Tweeters, 12dB per Octave Passive Crossover Network.

S3v2 Series Full Range Speakers

Model	Size & Type	MaxPower	Nominal Power	Frequency Response
S3-69HP	6" x 9" 3-Way High Power Speaker Pair	450 Watts	125 Watts	40Hz – 20KHz
S3-69v2	6" x 9" 3-Way Speaker Pair	380 Watts	90 Watts	30Hz – 20KHz
S3-60v2	6.5" 2-Way Speaker Pair	300 Watts	65 Watts	38Hz – 20Khz
S3-60Sv2	6.5" Shallow Mount 2-Way Speaker Pair	275 Watts	60 Watts	40Hz – 20Khz
S3-57v2	5" x 7" 2-Way Speaker Pair	300 Watts	65 Watts	38Hz – 20Khz
S3-46v2	4" x 6" 2-Way Speaker Pair	200 Watts	50 Watts	40Hz – 20Khz
S3-50v2	5.25" 2-Way Speaker Pair	275 Watts	60 Watts	38Hz – 20Khz
S3-40v2	4" 2-Way Speaker Pair	175 Watts	45 Watts	40Hz – 20Khz
S3-35v2	3.5" 2-Way Speaker Pair	150 Watts	45 Watts	45Hz – 20Khz
S3-65Cv2	6.5" 2-Way Component System	400 Watts	90 Watts	35Hz – 20Khz

S3v2 Series Full Range Speakers Feature: Higher Power Handling, Louder Music and Detailed Sound. TSD Coated Pressed Paper Cone, Butyl Rubber Surround, Aluminum Voice Coil, Heavy Gauge Steel Stamped Basket. **Component Set Features:** 14mm Multi-Mount PEI Dome Tweeters, 12dB per Octave Passive Crossover Network.

© 2014 VEI ALL RIGHTS RESERVED

DV1014BH Single DIN DVD Multimedia Receiver with 10.1" Digital LCD, Bluetooth and DisplayLink™. Built-in Bluetooth (HFP, A2DP & AVRCP), DisplayLink™ for Apple and Android devices, HDMI input, SD card input for MP3/WMA/JPG playback, front panel USB and 3.5mm inputs, rear RCA A/V inputs and 1 RCA video output.

XDVD1265BT Double-Din 6.2" Touch Screen Multimedia Receiver with Bluetooth. High-resolution display, direct control for iPod/iPhone with included cable, rear USB, microSD card, aux-in, two dedicated video inputs, preamp outputs (F/R/S), Android connectivity via Bluetooth, 60W x 4, rear camera input.

DV604-BI Double DIN DVD Multimedia Receiver with 6.2" Digital LCD & Bluetooth. Built-in Bluetooth (HFP, A2DP & AVRCP), direct USB control for most iPhone/iPod devices, microSD card input for MP3/WMA/JPG playback, front panel USB and 3.5mm inputs, rear RCA A/V inputs and 1 RCA video output, 3 pairs of RCA preamp outputs (F/R/S).

DV604I Double DIN DVD Multimedia Receiver with 6.2" Digital LCD. Direct USB control for most iPhone/iPod devices, microSD card input for MP3/WMA/JPG playback, front panel USB and 3.5mm inputs, Front panel 3.5mm and rear RCA A/V inputs, 1 RCA video output and 3 pairs of RCA preamp outputs, back-up camera input.

XDVD1175BT Single-Din 7" Motorized Touch Screen Multimedia Receiver with Bluetooth. High-resolution display, direct control for iPod/iPhone with included cable, rear USB, SD card, aux-in, two dedicated video inputs, preamp outputs (F/R/S), Android connectivity via Bluetooth, 60W x 4, rear camera input.

DV704-BI Single DIN DVD Multimedia Receiver with 7" Digital LCD & Bluetooth. Built-in Bluetooth (HFP, A2DP & AVRCP), direct USB control for most iPhone/iPod devices, SD card input for MP3/WMA/JPG playback, front panel USB and 3.5mm inputs, rear RCA A/V inputs and 1 RCA video output, 3 pairs of RCA preamp outputs (F/R/S).

DV704I Single DIN DVD Multimedia Receiver with 7" Digital LCD. Direct USB control for most iPhone/iPod devices, SD card input for MP3/WMA/JPG playback, front panel USB and 3.5mm inputs, rear RCA A/V inputs and 1 RCA video output, 3 pairs of RCA preamp outputs (F/R/S), back-up camera input.

DC504BiM CD Receiver with Extra Wide 3.7" LCD, Motion Control, Bluetooth & Pandora. Motion control (Play/Pause, Tune/Track/Volume Up/Down), built-in Bluetooth (HFP, A2DP & AVRCP), direct USB control for most iPhone/iPod devices, Pandora radio app control (iPhone via USB), front Panel USB and 3.5mm inputs, 2 pairs of 4V RCA preamp outputs (F+R/S selectable).

DCBT304U CD Receiver with Extra Wide 3.7" LCD & Bluetooth. Built-in Bluetooth (HFP, A2DP & AVRCP), Large 3.7" wide black/white LCD, Front panel 3.5mm AUX input, Front panel USB input, 1 pair of RCA preamp outputs, 3 Selectable EQ curves (pop, rock, jazz).

DC404IM CD Receiver with Extra Wide 3.7" LCD, Motion Control & Pandora. Motion control (Play/Pause, Tune/Track/Volume Up/Down), direct USB control for most iPhone/iPod devices, Pandora radio app control (iPhone via USB), large 3.7" wide black/white LCD, front panel USB and 3.5mm inputs, 2pairs of RCA preamp outputs (F+R/S selectable).

DC204 CD Receiver with Extra Wide 3.7" LCD. Large 3.7" wide black/white LCD, front panel 3.5mm AUX input, front panel USB input, 1 pair of RCA preamp outputs, 3 selectable EQ curves (pop, rock, jazz), wireless remote.

XR4120 Mechless Receiver with 3.5mm, USB & SD Card Inputs. Front panel 3.5mm AUX input, front panel USB input, SD memory card input (supports SDHC), 1 pair of RCA preamp outputs, 3 selectable EQ curves (pop, rock, jazz), wireless remote control.

© 2014 VEI ALL RIGHTS RESERVED

MD100 Android Dual Mirror™ Adapter. Compatible with multimedia receivers with RCA A/V input, mirror the screen of an Android smartphone onto the receiver's LCD screen, micro USB to micro USB cable included, 3.5mm A/V to RCA A/V cable included, 5-12V Power adapter included.

DA301L Ultra Compact 700 Watt Digital Monoblock Amplifier. 150 Watts x 1 RMS power @ 4 Ohms, 350 Watts x 1 RMS power @ 2 Ohms, variable low-pass crossover, high level inputs with auto turn-on, low-level inputs.

DA704L Ultra Compact 400 Watt 4-Channel Digital Amplifier. 100 Watts x 4 RMS power @ 4 Ohms, 150 Watts x 4 RMS power @ 2 Ohms, variable high and low-pass crossovers, high level inputs with auto turn-on, low-level inputs.

ALB12 12" 300-Watt Amplified Subwoofer in a Tuned Ported Enclosure. 300 Watts peak power, 60 Watts RMS, MOSFET powered, frequency response: 20Hz – 200Hz, variable low-pass crossover: 40Hz – 200Hz, 30oz. magnet.

BAK1500 10" Low-Pro-file 1500 Watt Underseat Amplified Subwoofer. 1500 Watts peak power, MOSFET powered, variable low-pass filter (20-160Hz), remote level control included.
Dimensions: 2.9"H x 10.5"W x 14.9"D

AMB600W Marine CD Receiver with Bluetooth. SiriusXM Ready (requires tuner), direct USB control of iPod/iPhone, Android connectivity via Bluetooth, 7-channel NOAA weather band tuner, front USB, aux-in, SD card, 2-line 16-character LCD display, 60W x 4, 2-preamp outputs, wireless remote.

AMB400W Marine CD Receiver with 7-Channel NOAA Weather Tuner. Direct USB control of iPod/iPhone, front USB, aux-in, SD card, 10-character LCD display, 60W x 4, preamp outputs, wireless remote.

MCP200S Marine CD Receiver with 6.5" Speakers and Splash-guard. Charge only front USB, aux-in, 25W x 4, 7-character LCD display, preamp out, included UV-resistant ABS polymer splashguard features a transparent fold-down door with rubber seal.

MGH30BT Marine Digital Media Receiver with 3" LCD and Bluetooth. This flagship, gauge hole-size receiver features a large 3" TFT, multi-line, full-color LCD. The built-in Bluetooth® supports audio streaming and player control profiles. The receiver is IPX6 waterproof to withstand heavy splashing and rain. Direct control for iPod and iPhone devices is available via the rear USB input. Media playback from select Android devices is also available via USB. One pair of RCA aux inputs and preamp outputs are also located on the back of the receiver. The zero current draw memory back-up saves the boat's battery when idle.

MGH20 Marine Digital Media Receiver with Control for iPod/iPhone and Pandora. This gauge hole-size receiver is IPX6 waterproof to withstand heavy splashing and rain. It features direct USB control for iPod and iPhone devices and control for Pandora app on an iPhone connected via USB. Media playback from select Android devices is also available via USB. The USB input for playback and charging, the RCA aux inputs and preamp outputs are located on the back of the receiver. The zero current draw memory back-up saves the boat's battery when idle.

© 2014 VEI ALL RIGHTS RESERVED

MARINE AUDIO

MCP100 Marine Mechless Digital Media Receiver with 6.5" Speakers. Front USB, SD card slot, aux-in, wireless remote, 8-character LCD display, MP3/WMA, 25W x 4, preamp output.

MCP100-B Black Marine Mechless Digital Media Receiver with 6.5" Speakers. Front USB, SD card slot, aux-in, wireless remote, 8-character LCD display, MP3/WMA, 25W x 4, preamp output.

MCP105 Mechless Digital Media Receiver with 6.5" Speakers. Easily connect your iPod or other media devices via the front panel USB or 3.5mm inputs, or via the SD card slot located behind the faceplate. The included floating remote control is IPX7 waterproof (up to 3 feet deep, for less than 30 minutes).

MH200 Watertight Universal Gimbal Housing. Fully-enclosed gimbal housing accommodates most single-din units, transparent fold-down door with rubber seal and positive locking door, one-piece adjustable mounting bracket for easy installation.

SG3/SG4 Watertight Universal Splash Guard. Features recessed design to accommodate most single-din units, transparent fold-down door with rubber seal.

SG3 - White Splash Guard
SG4 - Gray Splash Guard

LU43PB/ PW Indoor/ Outdoor 4" 3-Way Wall Mountable Stereo Speakers. Weather resistant, 50W RMS/100W peak, includes mounting brackets. 8.25"H x 5.25"W x 5.25"D.

LU43PB – Black Speakers
LU43PW – White Speakers

DMP670 6.5" White Marine Speakers. Polypropylene dual cone design provides enhanced vocal clarity, injection-molded woofer cones let you hear your music with accurate bass response, 100 watts peak power.

DMS-365 6.5" White Marine 3-Way Speakers. Injection-molded polypropylene cone and poly-cloth surround to protect against the elements, 120 watts peak power.

DMS-652 6.5" White Marine 2-Way Speakers. Injection-molded polypropylene cone and rubber surround to protect against the elements, 175 watts peak power.

DMS-369 6"x9" White Marine 3-Way Speakers. Magnetically shielded woofer, Injection-molded polypropylene cone, poly-cloth surround, UV-resistant weather proof grill, 200 watts peak power.

MAR16W/B Universal Antenna. Durable and flexible mast, 180º swivel base for increased mounting options, 54" corrosion resistant cable.

MAR16W – White Antenna
MAR16B – Black Antenna

MAW40 Soft Wire Antenna. 40" corrosion resistant cable, simple installation—no mounting required.

© 2014 VEI ALL RIGHTS RESERVED

TI-103B Single-Din Mobile 8 Multimedia Source Unit with Detachable 10.3" LCD Touch Screen. Built-in Bluetooth, motorized angle adjustment, DVD/CD/MP3/MP4 playback, 32GB SD/USB, Aux-in, front & rear pre-amp audio outputs, variable subwoofer output, 52w x 4, rear camera input.

TI-930B Single-Din Mobile 8 Multimedia Source Unit with Detachable 9.3" LCD Touch Screen. Built-in Bluetooth, motorized angle adjustment, DVD/CD/MP3/MP4 playback, 32GB SD/USB, Aux-in, front & rear pre-amp audio outputs, variable subwoofer output, 52w x 4, rear camera input.

TI-620HB Double-Din Mobile 8 Multimedia Source Unit with 6.2" LCD Touch Screen and Mobile Lin MHL Input. Built-in Bluetooth, DVD/CD/MP3/MP4 playback, 32GB SD/USB, Aux-in, front & rear pre-amp audio outputs, variable subwoofer output, 52w x 4, rear camera input.

TI-720HB Single-Din Mobile 8 Multimedia Source Unit with Motorized 7" LCD Touch Screen and Mobile Lin MHL Input. Built-in Bluetooth, DVD/CD/MP3/MP4 playback, 32GB SD/USB, Aux-in, front & rear pre-amp audio outputs, variable subwoofer output, 52w x 4, rear camera input.

Mobile Link MHL Interface Cables

HDM-i4
iPhone4/4s, iPad2 & iPad3

HDM-A2
Galaxy 2 & Select 5-Pin Android Devices

HDM-A3
Galaxy 3/4 & Select 11-Pin Android Devices

5' Interface cable unlocks 1080p video and audio playback from MHL enabled mobile devices appropriate micro connector for your mobile device.

TI-712B Single-Din Mobile 8 Multimedia Source Unit with Detachable 7" LCD Touch Screen. Built-in Bluetooth, motorized angle adjustment, DVD/CD/MP3/MP4 playback, 32GB SD/USB, Aux-in, front & rear pre-amp audio outputs, variable subwoofer output, 52w x 4, rear camera input.

TID-893B Single-Din Multimedia Unit with Motorized 7" Flip-up LCD Touch Screen & Bulit-in Bluetooth. Dual zone, LED backlighting, 32GB SD/USB, Aux-in, sub output, 52w x 4, rear camera input.

Single-Din Multimedia Unit with 3.4" LCD Screen!

TI-344 Single-Din Multimedia Unit with 3.4" LCD Screen. Theft deterrent detachable face plate, 32GB SD/USB. Aux-in, RCA outputs, fixed subwoofer output, 52w x 4, AM/FM, CD/DVD/MP3 player.

Compact Mobile DVD/MP3/CD Player!

DVD-39 Compact Mobile DVD/MP3/CD Player. 32GB SD/USB, front Aux-in, floor and under-dash mounting brackets, last position memory, wireless remote.

© 2014 VEI ALL RIGHTS RESERVED

MD-1560CMM 15.6" Motorized Ceiling Mount DVD Entertainment System. Car-Spec DVD, IR transmitter, FM modulator, HD digital display, LED dome lights, SD/USB, A/V input, A/V output, 16:9 widescreen.

NEW

MD-1430X High Definition 14.3" Ceiling Mount Monitor/DVD Combo with 3 Snap-on Color Skins (Gray, Beige, Black) & MobileLink MHL Input. SD/USB, 8-CH FM modulator, IR transmitter, LED dome lights, A/V input, 16:9 widescreen.

HDM-i4
iPhone4/4s, iPad2 & iPad3

HDM-A2
Galaxy 2 & Select 5-Pin Android Devices

HDM-A3 Galaxy 3/4 & Select 11-Pin Android Devices

MD-1210CMX 12.1" Ceiling Mount Monitor/DVD Combo with 3 Snap-on Color Skins (Gray, Beige, Black). SD/USB, slim/compact design, FM modulator, HD digital display, LED backlighting, IR transmitter, LED dome lights, last position memory, 2 A/V inputs, 4:3 fullscreen.

MD-1120CMX 11.2" Wide Ceiling Mount Monitor/DVD Combo with 3 Snap-on Color Skins (Gray, Beige, Black). SD/USB, slim/compact design, FM modulator, HD digital display, LED backlighting, 16:9 widescreen, IR transmitter, LED dome lights, last position memory, 2 A/V inputs.

NEW

CM-103D 10.3" Ceiling Mount Monitor/DVD Combo with 3 Snap-on Color Skins (Gray, Beige, Black) & MobileLink MHL Input. SD/USB, FM modulator, IR transmitter, LED dome lights, A/V input, 16:9 widescreen.

MD-1020X 10.2" Wide Ceiling Mount Monitor/DVD Combo with 3 Snap-on Color Skins (Gray, Beige, Black). SD/USB, FM modulator, HD digital display, 16:9 widescreen, IR transmitter, dome lights, last position memory, A/V inputs, A/V output.

MD-920CM 9" Wide Ceiling Mount Monitor/DVD Combo with 3 Snap-on Color Skins (Gray, Beige, Black). SD card slot, slim/compact design, FM modulator, HD digital display, LED backlighting, 16:9 widescreen built-in IR transmitter, dome lights, last position memory, A/V input.

MD-900CM 9" Wide Ceiling Mount Monitor/DVD Combo with 3 Snap-on Color Skins (Gray, Beige, Black). SD card slot, USB input, FM modulator, IR transmitter, dome lights, last position memory, 2 A/V inputs, 16:9 widescreen.

T-1502CM 15.2" TFT/LCD Universal Ceiling Mount Monitor. Dual A/V inputs, built-in IR transmitter, remote control, 4:3 fullscreen.

© 2014 VEI ALL RIGHTS RESERVED

T-1100CM 11.2" Wide Ceiling Mount Monitor with 3 Snap-on Color Skins (Gray, Beige, Black). Slim/compact design, built-in IR transmitter for wireless headphones, dome lights, 2 A/V imputs.

FHDM-103 Single 10.3" 1080p Digital Media Headrest with HDMI MHL Input. Forward/Backward tilting, SD/USB, 3 changeable color skins (grey, beige, black), FM transmitter, dual channel IR transmitter, Aux A/V input, 2-RCA A/V inputs, 4.75"–8.25" pole adjustment.

GRIP-H Headrest Mounting Bracket for Mobile Devices.

HDM-i4
iPhone4/4s, iPad2 & iPad3

HDM-A2
Galaxy 2 & Select 5-Pin Android Devices

HDM-A3
Galaxy 3/4 & Select 11-Pin Android Devices

5' Interface cable unlocks 1080p video and audio playback from MHL enabled mobile devices appropriate micro connector for your mobile device.

HRD-91CC Single Universal 9" Headrest with DVD Player. SD/USB, 3 changeable color skins (grey, beige, black), FM transmitter, dual channel IR transmitter, Aux A/V input, RCA A/V inputs, 4.75"–8.25" pole adjustment.

HRD-71CC Single Universal 7" Headrest with DVD Player. SD/USB, 3 changeable color skins (grey, beige, black), FM transmitter, dual channel IR transmitter, Aux A/V input, RCA A/V inputs, 4.75"–8.25" pole adjustment.

HR-91CC Single Universal 9" Headrest. 3 Changeable color skins (grey, beige, black), FM transmitter, dual channel IR transmitter, Aux A/V input, RCA A/V inputs, 4.75"–8.25" pole adjustment.

HR-71CC Single Universal 7" Headrest. 3 Changeable color skins (grey, beige, black), FM transmitter, dual channel IR transmitter, Aux A/V input, RCA A/V inputs, 4.75"–8.25" pole adjustment.

T-7012IRA 7" Dual Channel IR Headrest Monitor. LED backlighting, 2 A/V inputs, 1 front/1 rear, wired headphone output, new slim design, 16:9 aspect ratio.

T-7000MHR 7" Headrest Monitor. Widescreen, adjustable installation depth, headrest shroud, 1 video input, remote.

T-7027MSV 7" Sun Visor Monitor. Widescreen, 1 video input, remote.

© 2014 VEI ALL RIGHTS RESERVED

NEW

AC-1 Wireless Mobile Link MHL Receiver.
Wirelessly stream video & content from your smart device, compatible with DLNA, Miracast, AirPlay, and AllShare smart devices, connect to any headrest, overhead or source unit with Mobile Link input, streams full 1080p video. Universal application with most home LCD TV's.

NEW

UMHL1 Universal Mobile Link MHL Receiver.
Share video and content from your smart device to in-car entertainment systems by replicating the image of your smart device. Connect to any headrest, overhead or source unit via RCA A/V outputs. Interface cable for 1st and 2nd generation Android devices included, compatible with iOS devices (requires iOS interface cable). Universal application with most home LCD TVs.

WLHP-100 Wireless Infrared Headphones.
Adjustable headphone straps, single channel.

NEW

WLHP-200 2-Channel Wireless Infrared Headphones.
Adjustable headphone straps.

HP-10S Foldable Wireless Headphones.
Adjustable headphone.

HP-11S Swivel Ear Pad Single Channel IR Wireless Headphones with MP3 Input.
Adjustable headphone.

HP-12S Swivel Ear Pad Dual Channel IR Wireless Headphones with MP3 Input.
Adjustable headphone.

HP-22IRT Pair of Swivel Ear Pad Single Channel IR Wireless Headphones with MP3 Input and Transmitter.

HP-902RFT Pair of Swivel Ear Pad 2 Channel 900Mhz Wireless Headphones with MP3 Input and Transmitter.

HP-900S Swivel Ear Pad 2-Channel 900Mhz Wireless Headphones with MP3 Input.

HP-K1B Blue Single Channel IR Headphone.
Adjustable headband, Aux-in for personal media players, volume control, color match carry bag included.

HP-K1P Pink Single Channel IR Headphone.
Adjustable headband, Aux-in for personal media players, volume control, color match carry bag included.

HP-K2B Blue Dual Channel IR Headphone.
Adjustable headband, Aux-in for personal media players, volume control, color match carry bag included.

HP-K2P Pink Dual Channel IR Headphone.
Adjustable headband, Aux-in for personal media players, volume control, color match carry bag included.

LP-3CSC Chrome License Plate Mount Night Vision Camera with Back-Up Sensors, On-Screen Distance Gauge & Proximity Alert.

LP-3CSB Black License Plate Mount Night Vision Camera with Back-Up Sensors, On-Screen Distance Gauge & Proximity Alert.

LP-2CSC Chrome License Plate Frame with Night Vision Camera with Back-Up Sensors, On-Screen Distance Gauge & Proximity Alert.

© 2014 VEI ALL RIGHTS RESERVED

LP-2CSB Black License Plate Frame with Night Vision Camera with Back-Up Sensors, On-Screen Distance Gauge & Proximity Alert.

LP-1CA Adjustable Angle CCD License Plate Color Camera. 1/3" CCD 1 LUX low light color camera, din connector & RCA outputs, reversed image.

CCD-6XS Water-Proof Surface Mount Rear View Camera. 1/3" CCD high definition color camera by PixelPlus, IP67 waterproof nickel plated zinc alloy housing, rear view image pre-reversed, 0.1 LUX low light lens.

CCD-4XS Extra Small Rear View Color Camera.

RVC-3 Surface Mount Rear View Camera. 1/3" CCD color camera, IP67 waterproof nickel plated zinc alloy housing, rear view image pre-reversed, 0.5 LUX low light lens.

RVC-2 Pivoting Rear View Camera. 1/4" CCD color camera, IP67 waterproof nickel plated zinc alloy housing, rear view image pre-reversed, 0.2 LUX low light lens.

RVC-1 Surface Mount Rear View Camera. 1/4" CCD color camera, IP67 waterproof nickel plated zinc alloy housing, rear view image pre-reversed, 0.2 LUX low light lens.

CCD-1 Weather Proof Rear View Camera.

CCD-2 Bullet Style Color Camera.

CCD-3 Bullet Style Color Camera.

VB-1 One in & Four Output Video Signal Booster. Four individual output trimmer gain controls, shielded metal housing.

FM Modulator

EFM-02

EFM-02 Wired FM Modulator with 3 Frequency settings.

FM Modulator

FMT-3

FMT-3 3-Channel Wireless FM Modulator.

Xenon Bulb Package

SuperWhite Xenon Bulbs

NOW BACK IN STOCK

See Page 26 for Complete Details!

© 2014 VEI ALL RIGHTS RESERVED

UNIVERSAL 2-DIN DASH DOCKING MULTIMEDIA SYSTEM

Universal 2-Din Dash Docking Multi-Media System!

NEW

DDM-101P Double-Din Multimedia Unit with Unique Dash Dock Multimedia Interface for Smartphones.

Dash Dock comes with adapter for use with Smartphones utilizing Android adapters, built-in Bluetooth, front panel USB and Aux-in, intuitive menu operation for ease of operation, AM/FM, WMA/MP3, 3-band EQ, RDS, front/rear RCA's, subwoofer output, 50W x 4, steering wheel control interface capable.

Optional Smartphone adapters available separately for iPhone4/4S and iPhone5. Dash docks available for iPad2, mini iPad, as well as a universal dash dock for use with other tablets.

DDM-101 Same as DDM-101P shown above, but without Smartphone Dash Dock. Works with IM-10-2X iPad Mini Dash Dock, M2-20-3R iPad2 Dash Dock and UM-10-2 Universal Tablet Dash Dock.

iPhone 5 Adapter!

DDS-i5 iPhone5 Adapter. Works with Smartphone Dash Dock that comes with **DDM-101P**.

M2-20-3R Dash Dock for iPad2. Also includes headrest adapter.

iPhone 4/4S Adapter!

DDS-i4 iPhone4/4S Adapter. Works with Smartphone Dash Dock that comes with **DDM-101P**.

iPad Mini Dash Dock!

IM-10-2X iPad Mini Dash Dock DDM-101. Also includes headrest adapter.

Universal Tablet Dash Dock!

UM-10-2 Universal Dash Dock for Tablets. Also includes headrest adapter.

© 2014 VEI ALL RIGHTS RESERVED

PD-103B Single-Din Mobile 8 Multimedia Source Unit with Detachable 10.3" LCD Touch Screen. Built-in Bluetooth, motorized angle adjustment, DVD/CD/MP3/MP4 playback, 32GB SD/USB, Aux-in, front & rear pre-amp audio outputs, variable subwoofer output, 52W x 4, rear camera input.

PD-930B Single-Din Mobile 8 Multimedia Source Unit with Detachable 9.3" LCD Touch Screen. Built-in Bluetooth, motorized angle adjustment, DVD/CD/MP3/MP4 playback, 32GB SD/USB, Aux-in, front and rear pre-amp audio outputs, variable subwoofer output, 52W x 4, rear camera input.

PD-620HB Double-Din Mobile 8 Multimedia Source Unit with 6.2" LCD Touch Screen and Mobile Link MHL Input. Built-in Bluetooth, DVD/CD/MP3/MP4 playback, 32GB SD/USB, Aux-in, front and rear pre-amp audio outputs, variable subwoofer output, 52W x 4, rear camera input.

PD-720HB Single-Din Mobile 8 Multimedia Source Unit with Motorized 7" LCD Touch Screen and Mobile Link MHL Input. Built-in Bluetooth, DVD/CD/MP3/MP4 playback, 32GB SD/USB, Aux-in, front and rear pre-amp audio outputs, variable subwoofer output, 52W x 4, rear camera input.

Mobile Link MHL Interface Cables

HDM-i4
iPhone4/4s, iPad2 & iPad3

HDM-A2
Galaxy 2 & Select 5-Pin Android Devices

HDM-A3
Galaxy 3/4 & Select 11-Pin Android Devices

5' Interface cable unlocks 1080p video and audio playback from MHL enabled mobile devices appropriate micro connector for your mobile device.

PD-701B Single-Din Mobile 8 Multimedia Source Unit with Motorized 7" LCD Touch Screen. Built-in Bluetooth, DVD/CD/MP3/MP4 playback, 32GB SD/USB, Aux-in, front and rear pre-amp audio outputs, variable subwoofer output, 52W x 4, rear camera input.

PD-701 Single-Din Mobile 8 Multimedia Source Unit with Motorized 7" LCD Touch Screen. DVD/CD/MP3/MP4 playback, 32GB SD/USB, Aux-in, front and rear pre-amp audio outputs, variable subwoofer output, 52W x 4, rear camera input.

PD-712B Single-Din Mobile 8 Multimedia Source Unit with Detachable 7" LCD Touch Screen. Built-in Bluetooth, motorized angle adjustment, DVD/CD/MP3/MP4 playback, 32GB SD/USB, Aux-in, front and rear pre-amp audio outputs, variable subwoofer output, 52W x 4, rear camera input.

PD-712 Single-Din Mobile 8 Multimedia Source Unit with Detachable 7" LCD Touch Screen. Motorized angle adjustment, DVD/CD/MP3/MP4 playback, 32GB SD/USB, Aux-in, front and rear pre-amp audio outputs, variable subwoofer output, 52W x 4, rear camera input. (*Similar as pictured.*)

© 2014 VEI ALL RIGHTS RESERVED

MOBILE VIDEO

PD-650B Double-Din Multimedia Unit with Motorized 6.5" LCD Touch Screen & Built-in Bluetooth. Motorized angle adjustment, 32GB SD/USB, Aux-in, sub output, 52W x 4, rear camera input.

PD-650 Double-Din Multimedia Unit with Motorized 6.5" LCD Touch Screen. Motorized angle adjustment, 32GB SD/USB, Aux-in, sub output, 52W x 4, rear camera input.

PTID-8920B Single-Din Multimedia Unit with Motorized 7" Flip-up LCD Touch Screen & Built-in Bluetooth. Dual zone, LED backlighting, 32GB SD/USB, Aux-in, sub output, 52W x 4, rear camera input.

PTID-8920 Single-Din Multimedia Unit with Motorized 7" Flip-up LCD Touch Screen. Dual zone, LED backlighting, 32GB SD/USB, Aux-in, sub output, 52W x 4, rear camera input.

PD-344B Single-Din Multimedia Unit with 3.4" LCD Screen and Built-in Bluetooth. Theft deterrent detachable face plate, 32GB SD/USB, Aux-in, A/V RCA outputs, fixed subwoofer output, 52W x 4, AM/FM, CD/DVD/MP3 player.

PD-344 Single-Din Multimedia Unit with 3.4" LCD Screen. Theft deterrent detachable face plate, 32GB SD/USB, Aux-in, A/V RCA outputs, fixed subwoofer output, 52W x 4, AM/FM, CD/DVD/MP3 player.

PCD-42B Double-Din MP3/CD Receiver with Built-in Bluetooth. 32GB USB, Aux-in, front and rear pre-amp output, digital clock, wireless remote 52W x 4.

PCD-42 Same as PCD-42B without built-in Bluetooth.

PCD-41B Single-Din MP3/CD Receiver with Built-in Bluetooth. 32GB USB, Aux-in, front and rear pre-amp output, digital clock, wireless remote 52W x 4.

PL-11B Single-Din Mechless Digital Media Receiver with Built-in Bluetooth. 32GB USB, SD Card, Aux-in, front and rear pre-amp output, digital clock, wireless remote 52W x 4.

PADVD-390 Compact Mobile DVD/MP3/CD Player. 32GB SD/USB, front Aux-in, floor and in-dash mounting brackets, last position memory, wireless remote.

© 2014 VEI ALL RIGHTS RESERVED

PMD-143H 14.3" Ceiling Mount Monitor/DVD Combo with 3 Snap-on Color Skins (Gray, Beige, Black) & MobileLink MHL Input. SD/USB, 8-CH FM modulator, IR transmitter, LED dome lights, A/V input, 16:9 widescreen.

HDM-i4 iPhone4/4s, iPad2 & iPad3

HDM-A2 Galaxy 2 & Select 5-Pin Android Devices

HDM-A3 Galaxy 3/4 & Select 11-Pin Android Devices

PMD-121CMX 12.1" Ceiling Mount Monitor/DVD Combo with 3 Snap-on Color Skins (Grey, Beige, Black). SD/USB, slim/compact design, FM modulator, HD digital display, LED backlighting, IR transmitter, LED dome lights, last position memory, 2 A/V inputs, 4:3 screen.

PMD-112CMX 11.2" Wide Ceiling Mount Monitor/DVD Combo with 3 Snap-on Color Skins (Gray, Beige, Black). SD/USB, slim/compact design, FM modulator, HD digital display, LED backlighting, 16:9 widescreen, IR transmitter, LED dome lights, last position memory, 2 A/V inputs.

PMD-104X 10.3" Wide Ceiling Mount Monitor/DVD Combo with 3 Snap-on Color Skins (Gray, Beige, Black). SD/USB, Car-Spec DVD, FM modulator, HD digital display, LED backlighting, 16:9 widescreen, IR transmitter, dome lights, last position memory, A/V inputs, A/V output.

PMD-90CM 9" Wide Ceiling Mount Monitor/DVD Combo with 3 Snap-on Color Skins (Gray, Beige, Black). SD card slot, USB input, FM modulator, IR transmitter, dome lights, last position memory, 2 A/V inputs, 16:9 widescreen.

PT-151CM 15.2" TFT/LCD Universal Ceiling Mount Monitor. Dual A/V inputs, built-in IR transmitter, remote control, 4:3 display.

PT-143CM 14.3" Wide Ceiling Mount Monitor with 3 Snap-on Color Skins (Gray, Beige, Black). Slim/compact design, built-in IR transmitter for wireless headphones, dome lights, 2 A/V inputs, 16:9 widescreen.

PT-110CM 11.2" Wide Ceiling Mount Monitor with 3 Snap-on Color Skins (Gray, Beige, Black). Slim/compact design, built-in IR transmitter for wireless headphones, dome lights, 2 A/V inputs, 16:9 widescreen.

PT-90CM 9" Wide Ceiling Mount Monitor. Slim/compact design, 180°/90° swivel, dual channel wireless IR transmitter, dome lights, A/V inputs. Available in beige and black, 16:9 widescreen.

PT-90CMBG Beige Model
PT-90CMBK Black Model

© 2014 VEI ALL RIGHTS RESERVED

MOBILE VIDEO

PHDM-103 Single 10.3" 1080p Digital Media Headrest with HDMI MHL Input. Forward/Backward tilting, SD/USB, 3 changeable color skins (grey, beige, black), FM transmitter, dual channel IR transmitter, Aux A/V input, 2-RCA A/V inputs, 4.75"–8.25" pole adjustment.

GRIP-H Headrest Mounting Bracket for Mobile Devices.

Mobile Link MHL Interface Cables

HDM-i4
iPhone4/4s, iPad2 & iPad3

HDM-A2
Galaxy 2 & Select 5-Pin Android Devices

HDM-A3
Galaxy 3/4 & Select 11-Pin Android Devices

5' Interface cable unlocks 1080p video and audio playback from MHL enabled mobile devices appropriate micro connector for your mobile device.

HDVD-91CC Single Universal 9" Headrest with DVD Player. SD/USB, 3 changeable color skins (grey, beige, black), FM transmitter, dual channel IR transmitter, Aux A/V input, RCA A/V inputs, 4.75"–8.25" pole adjustment.

HDVD-71CC Single Universal 7" Headrest with DVD Player. SD/USB, 3 changeable color skins (grey, beige, black), FM transmitter, dual channel IR transmitter, Aux A/V input, RCA A/V inputs, 4.75"–8.25" pole adjustment.

HDVD-75CC Single Universal 7" Headrest with DVD Player. SD/USB, 3 changeable color skins (grey, beige, black), FM transmitter, dual channel IR transmitter, Aux A/V input, RCA A/V inputs, 4.00"–7.50" pole adjustment.

H-91CC Single Universal 9" Headrest. 3 Changeable color skins (grey, beige, black), FM transmitter, dual channel IR transmitter, Aux A/V input, RCA A/V inputs, 4.75"–8.25" pole adjustment.

H-71CC Single Universal 7" Headrest. 3 Changeable color skins (grey, beige, black), FM transmitter, dual channel IR transmitter, Aux A/V input, RCA A/V inputs, 4.75"–8.25" pole adjustment.

H-75CC Single Universal 7" Headrest. 3 Changeable color skins (grey, beige, black), dual channel IR transmitter, RCA A/V input, 4.00"–7.50" pole adjustment.

PT-712IRA 7" Dual Channel IR Headrest Monitor. LED backlighting, 2 A/V inputs, wired headphone output, new slim design, 16:9 aspect ratio.

© 2014 VEI ALL RIGHTS RESERVED

PT-700MHR 7" Headrest Monitor. Widescreen, adjustable installation depth, headrest shroud, 1 video input, remote.

PT-727MSV 7" Sun Visor Monitor. Widescreen, 1 video input, remote.

PTM-430 Universal Clip-on Rear View Mirror with Swiveling 4.3" LCD Screen. 4.3" Active matrix LCD monitor swivels adjacent to mirror, 2 RCA video input for primary source and rear video camera, reverse gear trigger activates rear camera input, selectable image flip and direction inversion.

AC-1 Wireless Mobile Link MHL Receiver. Wirelessly stream video and content from your smart device, compatible with DLNA, Miracast, AirPlay, and AllShare smart devices, connect to any headrest, overhead or source unit with mobile link input, streams full 1080p video. Universal application with most home LCD TVs.

UMHL-1 Universal Mobile Link MHL Receiver. Share video and content from your smart device to in-car entertainment systems by replicating the image of your smart device. Connect to any headrest, overhead or source unit via RCA A/V outputs. Interface cable for 1st and 2nd generation Android devices included. Compatible with iOS devices (requires iOS interface cable). Universal application with most home LCD TVs.

WLHP-100 Wireless Infrared Headphones. Adjustable headphone straps, single channel.

WLHP-200 2-Channel Wireless Infrared Headphones. Adjustable headphone straps.

HP-10S Foldable Wireless Headphones. Adjustable headphone.

HP-11S Swivel Ear Pad Single Channel IR Wireless Headphones with MP3 Input. Adjustable headphone.

HP-12S Swivel Ear Pad Dual Channel IR Wireless Headphones with MP3 Input. Adjustable headphone.

HP-22IRT Pair of Swivel Ear Pad Single Channel IR Wireless Headphones with MP3 Input and Transmitter.

HP-902RFT Pair of Swivel Ear Pad 2 Channel 900Mhz Wireless Headphones with MP3 Input and Transmitter.

HP-900S Swivel Ear Pad 2-Channel 900Mhz Wireless Headphones with MP3 Input.

HP-K1B Blue Single Channel IR Headphone. Adjustable headband, Aux-in for personal media players, volume control, color match carry bag included.

HP-K1P Pink Single Channel IR Headphone. Adjustable headband, Aux-in for personal media players, volume control, color match carry bag included.

HP-K2B Blue Dual Channel IR Headphone. Adjustable headband, Aux-in for personal media players, volume control, color match carry bag included.

HP-K2P Pink Dual Channel IR Headphone. Adjustable headband, Aux-in for personal media players, volume control, color match carry bag included.

© 2014 VEI ALL RIGHTS RESERVED

AMPLIFIERS

Razor Series Amplifiers

We're in a time where small is "in". Smaller, more economical vehicles are more and more desirable. But that doesn't mean you have to sacrifice big power for your system.

- Small Compact 4.75" Wide Chassis
- 4-Ohm Stable/2-Ohm Stereo Class D Full Range
- 2-Ohm Stable Class D Monoblocks
- Mosfet PWM Power Supply
- 80Hz 12dB HP or LP Crossover (2/4 ch)
- 50-250Hz Variable 12dB LP Crossover (mono)
- 10-50Hz Variable 12dB Subsonic Crossover (mono)
- 12dB 45Hz Bass Boost (mono)
- 200mv-6V Low Level Input Sensitivity
- High Level Input

RZ1-1500D
1500 Watt Class D Amplifier with Remote Bass Gain Included. Dimensions: 4.75"W x 1.625"H x 10"L

RZ1-2300D
2300 Watt Class D Amplifier with Remote Bass Gain Included. Dimensions: 4.75"W x 1.625"H x 11"L

RZ2-1300D
1300 Watt 2-Channel Class D Amplifier with Remote Bass Gain Included. Dimensions: 4.75"W x 1.625"H x 5"L

RZ4-1200D
1200 Watt 4-Channel Class D Full Range Amplifier.
Dimensions: 4.75"W x 1.625"H x 9"L

RZ4-2000D
2000 Watt 4-Channel Class D Full Range Amplifier.
Dimensions: 4.75"W x 1.625"H x 11" L

RZ5-2500D
2500 Watt 5-Channel Class D Full Range Amplifier with Remote Bass Gain Included.
Dimensions: 4.75"W x 1.625"H x 12.25"L

Reaper Series Amplifiers

Don't settle for second best, the New Reaper Series of Amplifiers from Power Acoustik are capable of delivering music so low and so loud that it could possibly disembowel you!

- Class A/B & Class D Mosfet Amplifiers
- 2-Ohm Stable Class A/B Full Range
- 2-Ohm Stable Class A/B Monoblock
- 1-Ohm Stable Class D Monoblocks
- Class D Monoblocks Strapable w/2-Ohm

REP2-450
450 Watt 2-Channel Class A/B Full Range Amplifier.

REP2-1300
1300 Watt 2-Channel Class A/B Full Range Amplifier.

REP4-900
900 Watt 4-Channel Class A/B Full Range Amplifier.

REP4-1400
1400 Watt 4-Channel Class A/B Full Range Amplifier.

REP1-2000
2000 Watt Class A/B Monoblock with Bass Gain.

REP1-2100D
2100 Watt Class D Amplifier with Remote Bass Gain.

REP1-2700D
2700 Watt Class D Amplifier with Remote Bass Gain

REP1-3500D
3500 Watt Class D Amplifier with Remote Bass Gain

REP1-6000D
6000 Watt Class D Amplifier with Remote Bass Gain.

© 2014 VEI ALL RIGHTS RESERVED

Crypt Micro Amplifiers

Don't let these little monsters fool you!

NEW

The latest and greatest of Class D full-range technology allows us to pack 10 pounds of "kick your ass" in a less than a two-pound chassis. Minimal power requirements, ultra micro footprint, unbelievable sound quality and easy installation makes the Crypt Micro amplifiers great for any car, motorcycle, boat or off-road vehicle.

CA1-1200D
1200 Watt Cyrpt Micro Series Class D Amplifier with Remote Bass Gain Control Included.
Dimensions: 3"W x 1.5"H x 6"L

CA4-1600D
1600 Watt Cyrpt Micro Series Class D 4-Channel Amplifier.
Dimensions: 3"W x 1.5"H x 6"L

- Hybrid aluminum alloy heatsink for optimum heat dissipation
- 2-Ohm stereo and 4-Ohm bridged full range operation
- 2-Ohm minimum impedance monoblock operation
- MOSFET power supply
- High level or low level RCA input
- Quick disconnect RCA/high level wire harness
- Quick disconnect power and speaker output harness
- Variable 12dB high pass, low pass and subsonic crossovers
- 12dB Bass boost increases low octave harmonics (monoblock)
- Dash mount bass gain included with CA1-1200D

Reaper Series Full-Range Speakers

MODEL	SIZE & TYPE	MAX POWER	MAGNET
RF-693	6"x9" 3-Way Speaker Pair	330 Watts	24.3 oz.
RF-573	5"x7" 3-Way Speaker Pair	200 Watts	6.50 oz.
RF-652	6.5" 2-Way Speaker Pair	190 Watts	6.50 oz.
RF-502	5.25" 2-Way Speaker Pair	160 Watts	4.25 oz.
RF-402	4" 2-Way Speaker Pair	140 Watts	4.00 oz.

FEATURES OF REAPER SERIES FULL-RANGE SPEAKERS:

- VACUUM FOAM POLYPROPYLENE CONE
- NBR SURROUND
- 1" VOICE COIL ON ALUMINUM FORMER
- 4-OHM IMPEDANCE
- QUICK DISCONNECT TERMINALS
- 1" MYLAR TWEETER
- 2" MYLAR MIDRANGE (RF-693)

© 2014 VEI ALL RIGHTS RESERVED

THIN-8A 8" Ultra-Thin Amplified Enclosure. 8" Subwoofer, 500 watt monoblock amplifier built-in, cast aluminum chassis, hi-level RCA input, remote bass gain control, 3"H x 9.5"W x 13.5"L.

NB1 2-Way Mount Tweeter Pair. 200 Watts, surface/angle mount, built-in crossover, polypropylene diaphragm.

NB-2 3-Way Mount Tweeter Pair. 200 Watts, surface/angle/flush mount, built-in crossover, polypropylene diaphragm.

NB-4 4-Way Mount Tweeter Pair. 250 Watts, swivel/surface/angle/flush mount, built-in crossover, polypropylene diaphragm.

BASS-10C Bass Maximizer. Parametric bass boost, remote bass control, variable bandwidth adjustment, LED max bass indicators, selectable subsonic filter, balanced RCA inputs.

BASS-12C Bass Maximizer with Chrome Finish & Illuminated Badge. Parametric bass boost, remote bass control, variable bandwidth adjustment, LED max bass indicators, selectable subsonic filter.

PWM-16 4-Band Parametric Equalizer. Pre-amp EQ with 18dB/ octave, master volume control, PWM power supply.

PWM-19 4-Band Parametric Equalizer. Pre-amp EQ with 18dB/ octave, master volume control, PWM power supply.

PC1.5F 1.5 Farad Digital Capacitor. Digital display, red 8 segment LED's, brushed aluminum finish, mounting brackets.

PCX-10F 10 Farad Digital Capacitor. Digital blue display, 8 blue LED's, tinted plexiglass viewing window, platinum finish with chrome end caps.

PCX-20F 20 Farad Digital Capacitor. Digital blue display, 8 blue LED's, tinted plexiglass viewing window, platinum finish with chrome end caps.

PCX-30F 30 Farad Digital Capacitor. Digital blue display, 8 blue LED's, tinted plexiglass viewing window, platinum finish with chrome end caps.

© 2014 VEI ALL RIGHTS RESERVED

Welcome ASA3!

NEW

The 3rd generation of ASA-Series amplifiers have a narrower foot–print for installation versatility, increased over-voltage protection, broader input sensitivity, new extruded chassis designed for better heat management and a sporty light up PowerBass badge.

2-Channel Full Range Class A/B Amplifiers

Model	Channels	Watts	Description	Dimensions
ASA3-200.2	2-Channel	400	2-Ohm Stereo/4-Ohm Mono, Optional Remote Bass Gain	9" x 8.3" x 2.3"
ASA3-300.2	2-Channel	600	2-Ohm Stereo/4-Ohm Mono, Optional Remote Bass Gain	9.8" x 8.3" x 2.3"
ASA3-400.2	2-Channel	800	2-Ohm Stereo/4-Ohm Mono, Optional Remote Bass Gain	12" x 8.3" x 2.3"
ASA3-600.2	2-Channel	1200	2-Ohm Stereo/4-Ohm Mono, Optional Remote Bass Gain	15.7" x 8.3" x 2.3"
ASA3-800.2	2-Channel	1600	2-Ohm Stereo/4-Ohm Mono, Optional Remote Bass Gain	18.4" x 8.3" x 2.3"
ASA3-1200.2	2-Channel	2400	2-Ohm Stereo/4-Ohm Mono, Optional Remote Bass Gain	23" x 8.3" x 2.3

4 & 5-Channel Full Range Class A/B Amplifiers

Model	Channels	Watts	Description	Dimensions
ASA3-400.4	4-Channel	800	2-Ohm Stereo/4-Ohm Mono, Optional Remote Bass Gain	12" x 8.3" x 2.3"
ASA3-600.4	4-Channel	1600	2-Ohm Stereo/4-Ohm Mono, Optional Remote Bass Gain	16.8" x 8.3" x 2.3"
ASA3-700.5	5-Channel	1400	2-Ohm Stereo/4-Ohm Mono (stereo channels) + 2-Ohm Mono Stable	16.8" x 8.3" x 2.3"
ASA3-1100.5	5-Channel	2200	2-Ohm Stereo/4-Ohm Mono (stereo channels) + 2-Ohm Mono Stable	20.3" x 8.3" x 2.3"

Monoblock Class A/B Amplifiers

Model	Channels	Watts	Description	Dimensions
ASA3-400.1	Monoblock	800	2-Ohm Stable, Remote Bass Gain Included	13.7" x 8.3" x 2.3"
ASA3-600.1	Monoblock	1200	2-Ohm Stable, Remote Bass Gain Included	16.8" x 8.3" x 2.3"

• 2-Ohm Stereo/4-Ohm Mono Stable • Defeatable Lighted PowerBass Badge • MOSFET Power Supply • Variable 12dB, High/Low Pass Electronic Crossover • Variable Bass EQ • Optional Remote Level Control

Class D Amplifiers

Model	Channels	Watts	Description	Dimensions
ASA3-600.1D	Monoblock	1200	1-Ohm Stable, Remote Bass Gain Included	13.6" x 9.4" x 2.3"
ASA3-1000.1D	Monoblock	2000	1-Ohm Stable, Remote Bass Gain Included	15.5" x 9.4" x 2.3"
ASA3-1500.1D	Monoblock	3000	1-Ohm Stable, Remote Bass Gain Included	16.6" x 9.4" x 2.3"

• 1-Ohm Stable Class D Circuitry • Defeatable Lighted PowerBass Badge • Dual Link Capability • Variable Electronic Low Pass Crossover • Variable Electronic Sub-Sonic Filter • Variable Electronic Bass EQ • Remote Level Control Included

© 2014 VEI ALL RIGHTS RESERVED

SELECT MARKETS ONLY!

NEW XL PowerSport Mini Amplifiers

New for 2014, the XL Series was developed for the growing power sports market including UTV and marine applications where electronics must withstand harsh environments. The circuit boards have been conformally coated with a layer of transparent material that protects the parts against moisture, dust and temperature extremes. These ultra small weather resistant amplifiers are ideal for all types of outdoor audio applications such as motorcycles, golf carts and off-road vehicles.

The small size also makes these amps a great choice anywhere space is a premium. Utilizing the latest Class D circuit design these amplifiers may be small on size but they are big on power and have a much lower current draw compared to other amplifiers with similar power output. The wrap around aluminum heatsink keeps everything running cool.

2 & 4-Channel Mini Full Range Class D Amplifiers

Model	Channels	Watts	Description	Dimensions
XL-2200M	2-Channel	800	2-Ohm Stereo/4-Ohm Mono Stable, Aux-input	7.5" x 4.5" x 1.6"
XL-4160M	4-Channel	1280	2-Ohm Stereo/4-Ohm Mono Stable, Aux-input	9.6" x 4.5" x 1.6"

Mini Class D Amplifiers

Model	Channels	Watts	Description	Dimensions
XL-350DM	Monoblock	700	2-Ohm Stable, Aux-input, Remote Bass Gain Included	7.5" x 4.5" x 1.6"
XL-600DM	Monoblock	1200	1-Ohm Stable, Aux-input, Remote Bass Gain Included	8.4" x 4.5" x 1.6"

- **Wrap Around Aluminum Heatsink** provides maximum heat management.
- **Side Panel Aux-in (3.5mm)** allows you to use a portable device as a source unit.
- **Conformal Coated PC Board** is weather resistant against dust and moisture.
- **Low Power Draw** uses less current compared to amps with similar power output.
- **Latest IR Class Technology** provides high efficiency and delivers big power in a small chassis.

© 2014 VEI ALL RIGHTS RESERVED

ACA Series Amplifers

These amplifiers are designed to fit into the tightest spaces while providing the largest sound. They boast overbuilt, ultra efficient, linear power supplies that create high voltage and ample current. Couple this with superior components and the benefit is huge amounts of dynamic headroom with plenty of reserve power to produce musical details and dynamics in a very small package. To handle all this power in such a small footprint, double-sided fiberglass circuit boards were utilized. The high quality PCB's feature clean board layout consisting of 2 ounces of pure copper traces to maximize the current transferred from the inputs to the outputs. The net result is low distortion, highly detailed sonic reproduction!

2 & 4-Channel Compact Full Range A/B Amplifiers

Model	Channels	Watts	Description	Dimensions
ACA-240.2	2-Channel	480	2-Ohm Stereo/4-Ohm Mono Stable, Lighted Mirror Logo	7.2" x 7.1" x 2"
ACA-480.2	2-Channel	960	2-Ohm Stereo/4-Ohm Mono Stable, Lighted Mirror Logo	11.7" x 7.1" x 2"
ACA-480.4	4-Channel	960	2-Ohm Stereo/4-Ohm Mono Stable, Lighted Mirror Logo	13.2" x 7.1" x 2"

- **2-Ohm Stereo/4-Ohm Mono Stable** for multiple connection versatility.
- **Ultra Efficient Design** results in a compact A/B Class footprint and low profile chassis with uncompromised sound.
- **Variable 12dB, High/Low Pass Electronic Crossover** for infinite system applications.
- **Selectable Electronic Bass EQ** adjusts bass in three steps (0dB, 6dB & 12dB).
- **Lighted Mirror Logo Badge** illuminates a blue background when the amp is powered on.

Class D Mini Amplifiers

Model	Channels	Watts	Description	Dimensions
ACA-500.1D	Monoblock	1000	1-Ohm Stable, Remote Bass Gain Included	9.2"w x 7.1" x 2"
ACA-1000.1D	Monoblock	2400	1-Ohm Stable, Remote Bass Gain Included	11.5" x 7.1" x 2"

- **1-Ohm Stable Class D Circuitry**
- **Low Current/High Efficiency** ultra low current draw produces less heat along with 85% efficiency for more power in a compact footprint.
- **Variable Electronic Low Pass Crossover** to customize the bass for your vehicle.
- **Variable Electronic Sub-Sonic Filter** to cut the power robbing signals that can not be reproduced or heard from your subwoofers.
- **Selectable Electronic Bass EQ** adjusts bass in three steps (0dB, 6dB & 12dB).
- **Variable Remote Level Control (included)** gives the listener the option of turning the subwoofer's output up or down.

© 2014 VEI ALL RIGHTS RESERVED

SELECT MARKETS ONLY!

XMA Series Amplifiers

The XMA Series represents the very latest in Class D amplifier technology. It uses the new IR® (International Rectifier) platform which has been under development for the past several years. IR® a leader in PWM circuit design, has worked in conjunction with PowerBass engineers to produce more stable power output, minimal RF interference and improved sound quality. The benefits of this cooperative effort are many and include improved temperature, frequency, voltage regulation and drive capability to name a few. The result to the user is a all around improved product that will provide years of listening enjoyment!

2, 4 & 5-Channel Mini Full Range Class D Amplifiers

Model	Channels	Watts	Description	Dimensions
XMA-2160IR	2-Channel	640	2-Ohm Stereo/4-Ohm Mono Stable, Edge-Lit Logo	7.6” x 7.1” x 2”
XMA-2400IR	2-Channel	1600	2-Ohm Stereo/4-Ohm Mono Stable, Edge-Lit Logo	9.1” x 7.1” x 2”
XMA-4160IR	4-Channel	640	2-Ohm Stereo/4-Ohm Mono Stable, Edge-Lit Logo	10.3” x 7.1” x 2”
XMA-5670IR	5-Channel	1920	2-Ohm Stereo/4-Ohm Mono + 2-Ohm Mono Stable (CH5)	11.9” x 7.1” x 2”

- **IR Full Range Class-D Design** is the newest Class D technology allowing for a small footprint that is highly efficient and boasts amazingly detailed sonic clarity.
- **High Damping Control Circuit** provides accurate and tight bass with plenty of head room that gives the fine details in the music you listen to.
- **High Efficiency SMD Circuit Technology**, simply put, is small package with a big sound.
- **Ultra Low Current Draw with More Than a 85% Efficiency Rating** means less heat and more power in a small footprint amplifier.
- **Blue Led Logo Lighting** adds that custom touch to your install.

Class D Mini Amplifiers

Model	Channels	Watts	Description	Dimensions
XMA-600D	Monoblock	1200	1-Ohm Stable, Remote Bass Gain Included	10.3" x 7.1" x 2"
XMA-1200D	Monoblock	2400	1-Ohm Stable, Remote Bass Gain Included	14.6" x 7.1" x 2"

- **High Damping Control Circuit** provides accurate and tight bass with plenty of head room that gives the fine details in the music you listen to.
- **High Efficiency SMD Circuit Technology**, simply put, is small package with a big sound.
- **Ultra Low Current Draw with More Than a 85% Efficiency Rating** means less heat and more power in a small footprint amplifier
- **Dual Link Circuitry (2-Ohm Minimum)** enables two like amplifiers to be strapped for double the power to your subwoofers.
- **Blue Led Logo Lighting** adds that custom touch to your install.
- **Variable Remote Level Control** allows you the audio pilot to add all the bass you want by the simple twist of a knob on the dash.

© 2014 VEI ALL RIGHTS RESERVED

PS Series Woofers

- Single 4-Ohm Voice Coil
- Ribbed DDC Treated Paper Cone
- 2-Layer Treated Foam Surround
- Progressive Flat Spider
- Extended & Vented Pole Motor Assembly
- 110 oz. Magnet Structure

Model	Size	Power
PS-10	10"	500W Max/250W RMS
PS-12	12"	550W Max/275W RMS

S Series DVC Woofers

- Dual Voice Coil Design
- 4-Layer Black Paper/Wool Cone
- Large Roll Foam Surround
- Oversized Motor Structures
- Chrome Push Input Terminals
- Designed for Both Small Sealed and Ported Enclosures

Model	Size	Power
S-84D	8"	250W Max/125W RMS
S-1004D	10"	550W Max/275W RMS
S-1204D	12"	600W Max/300W RMS

S Series SVC Woofers

- Single Voice Coil Design
- 4-Layer Black Paper/Wool Cone
- Large Roll Foam Surround
- Oversized Motor Structures
- Chrome Push Input Terminals
- Designed for Both Small Sealed and Ported Enclosures

Model	Size	Power
S-84	8"	250W Max/125W RMS
S-1004	10"	550W Max/275W RMS
S-1204	12"	600W Max/300W RMS

S Series Thin SVC Woofers

- Single Voice Coil Design
- Thin Mount Woofer Design
- Fiber Composite Turbine Basket
- Oversized Motor Structure
- Large Roll Rubber Surround
- 3.25" Mounting Depth
- Designed for Small Sealed Enclosures

Model	Size	Power
S-10T	10"	500W Max/275W RMS
S-12T	12"	600W Max/300W RMS

© 2014 VEI ALL RIGHTS RESERVED

AMPLIFIERS

SELECT MARKETS ONLY!

S Series Thin DVC Woofers

- Dual Voice Coil Design
- Thin Mount Woofer Design
- Fiber Composite Turbine Basket
- Oversized Motor Structure
- Large Roll Rubber Surround
- 3.25" Mounting Depth
- Designed for Small Sealed Enclosures

Model	Size	Power
S-10TD	10"	500W Max/275W RMS
S-12TD	12"	600W Max/300W RMS

M Series DVC Woofers

- Dual Voice Coil Design
- Non-Pressed Paper Cone with DDC Fi
- Massive Motor Structure
- Large Roll Santoprene Surround
- Non-Resonant Basket
- Designed for Both Sealed and Ported Enclosures

Model	Size	Power
M-1004D	10"	650W Max/325W RMS
M-1204D	12"	750W Max/375W RMS
M-1504D	15"	850W Max/425W RMS

M Series SVC Woofers

- Single Voice Coil Design
- Non-Pressed Paper Cone with DDC Finish
- Massive Motor Structure
- Large Roll Santoprene Surround
- Non-Resonant Basket
- Designed for Both Sealed and Ported Enclosures

Model	Size	Power
M-1004	10"	650W Max/325W RMS
M-1204	12"	750W Max/375W RMS
M-1504	15"	850W Max/425W RMS

L Series DVC Woofers

- Dual Voice Coil Design
- Injection Molded PP Cone
- Large Roll, NBR Rubber Surround
- Large Motor Structure
- Non-Resonant Basket
- Designed for Both Sealed and Ported Enclosures

Model	Size	Power
L-1004D	10"	700W Max/350W RMS
L-1204D	12"	800W Max/400W RMS
L-1504D	15"	1100W Max/500W RMS

© 2014 VEI ALL RIGHTS RESERVED

XL Series Woofers

NEW

- Dual Voice Coil Design (XL-804 is SVC)
- Proprietary Composite Polycarbonate/Glass Fiber Basket
- Xtra Large Motor Structure
- High Roll Santoprene Surround
- Chrome Push Terminals
- Designed for Both Sealed and Ported Enclosures

Model	Size	Power
XL-804	8"	400W Max/200W RMS
XL-1004D	10"	700W Max/350W RMS
XL-1204D	12"	800W Max/400W RMS
XL-1504D	15"	1000W Max/500W RMS

2XL Series Woofers

NEW

- Dual Voice Coil Design
- IMFPM Cone Material
- Santoprene Surround
- Custom Cast Aluminum Basket
- Xtra Xtra Large Motor Structure
- Aluminum Trim Ring
- Designed for Both Sealed and Ported Enclosures

Model	Size	Power
2XL-1004D	10"	800W Max/400W RMS
2XL-1204D	12"	900W Max/450W RMS
2XL-1504D	15"	1000W Max/500W RMS

3XL Series Dual 1-Ohm Woofers

- Dual 1-Ohm Voice Coils
- Custom Cut, Cast Aluminum Basket
- Non-Pressed Raw Pulp Cone
- U-Turn High Roll Surround
- Xtra Xtra Xtra Large Motor Structures
- Billet Aluminum Trim Ring
- Designed for Both Sealed and Ported Enclosures

Model	Size	Power
3XL-1201D	12"	850W Max/425W RMS
3XL-1501D	15"	1700W Max/850W RMS

3XL Series Dual 2-Ohm Woofers

- Dual 2-Ohm Voice Coils
- Custom Cut, Cast Aluminum Basket
- Non-Pressed Raw Pulp Cone
- U-Turn High Roll Surround
- Xtra Xtra Xtra Large Motor Structures
- Billet Aluminum Trim Ring
- Designed for Both Sealed and Ported Enclosures

Model	Size	Power
3XL-1202D	12"	850W Max/425W RMS
3XL-1502D	15"	1700W Max/850W RMS

© 2014 VEI ALL RIGHTS RESERVED

BASS PACKAGES

SELECT MARKETS ONLY!

500 Watt Bass Package!

PX-BP12 500 Watt Bass System Packaged in an Attractive Self-Selling Gift Box.

Package includes a 500-Watt Class A/B 2-Channel Amplifier with Lighted PowerBass Badge and two (2) 12" Polypropylene 8-Ohm Subwoofers. The following is the recommended enclosure volume per woofer: Sealed box: 0.8 – 1.75 cu/ft (optimum 1.25 cu/ft), Vented enclosure: 1.0 – 2.0 cu/ft (optimum 1.5 cu/ft).

600 Watt Bass Package!

PS-PP112 Complete 600 Watt Bass System Packaged in an Attractive Self-Selling Gift Box.

Package includes a PowerBass 600-Watt Class 2-Channel Amplifier, single 12" loaded enclosure, 1.2 farad digital capacitor and 8-gauge amp install kit.

800 Watt Bass Package!

PS-PP12 Complete 800 Watt Bass System Packaged in a Attractive Self-Selling Gift Box.

Package includes a PowerBass 800-Watt Class 2-Channel Amplifier, dual 12" loaded enclosure, 1.2 farad digital capacitor and 8-gauge amp install kit.

© 2014 VEI ALL RIGHTS RESERVED

ENCLOSURES & PROCESSORS

powerbass AutoSound

SELECT MARKETS ONLY!

BTA-8 Single 8" Amplified Enclosure. Built-in 150 watt RMS mono amplifier, high/low input, remote gain control, black carpet. 10"W x 10"H x 15"TD x 21.5"BD.

PS-WB112 Single 12" Loaded Enclosure. 2-tone vinyl finish, proprietary paper cone woofer, 275 watt RMS/550 watts max power, single 4-ohm input, 18.75"W x 13.5"H x 14.4"D.

RTA-110 Single 10" 175-Watt Amplified Enclosure. 175 Watts RMS into 4-ohms, 2-tone vinyl finish, 10" poly cone woofer, high/low level input, remote gain control.

XL-WB8 Ultra-Small, Single 4-Ohm 8" Loaded Enclosure. Small enough to fit under or behind most seats, computer optimized, 200 watt RMS, 11.25"H x 19.25"W x 5.5"D.

PS-WB112T Single 12" Thin Loaded Enclosure. 2-tone vinyl finish, sealed air suspension enclosure, 300 watt RMS/600 watts max power, single 4-ohm input, 30.3"W x 14"H x 3.5"TD x 5.4"BD.

RTA-112 Single 12" 200-Watt Amplified Enclosure. 200 Watts RMS into 4-ohms, 2-tone vinyl finish, 12" poly cone woofer, high/low level input, remote gain control.

PS-WB110 Single 10" Loaded Enclosure. 2-tone vinyl finish, proprietary paper cone woofer, 250 watt RMS/500 watts max power, single 4-ohm input, 17"W x 12.25"H x 13.75"D.

PS-WB10 Dual 10" Loaded Enclosure. 2-tone vinyl finish, proprietary paper cone woofer, 500 watt RMS/1000 watts max power, single 4-ohm input, 32"W x 12.25"H x 13.75"D.

ALC-2 2-Channel Line Output Converter. Selectable high/low input, variable gain, LED clipping indicator, RCA low level output, 13Vrms output.

PS-WB110T Single 10" Thin Loaded Enclosure. 2-tone vinyl finish, sealed air suspension enclosure, 275 watt RMS/550 watts max power, single 4-ohm input, 21.5"W x 13"H x 3.5"TD x 6.75"BD.

PS-WB12 Dual 12" Loaded Enclosure. 2-tone vinyl finish, proprietary paper cone woofer, 550 watt RMS/1100 watts max power, single 4-ohm input, 34"W x 13.5"H x 14.4"D.

ALC-4 4-Channel Line Output Converter. 2CH/4CH Selectable switch, front/rear high level input, front/rear variable gain, LED clipping indicator, RCA low level output, 13Vrms output, includes remote level.

© 2014 VEI ALL RIGHTS RESERVED

COMPONET SYSTEMS

SELECT MARKETS ONLY!

S-Series 5.25" 2-Way Component System

S-50C 5.25" 2-Way Component System. 150 watts peak handling, silk dome tweeter, paper DDC cone, 12 dB 2-way crossover.

S-Series 6.5" 2-Way Component System

S-60C 6.5" 2-Way Component System. 210 watts peak handling, silk dome tweeter, paper DDC cone, 12 dB 2-way crossover.

L-Series 6.5" 2-Way Component System

L2-6C 6.5" 2-Way Component System. 225 watts peak handling, advanced injection cone, Aluminum Dome 1" tweeter, Butyl rubber surround, 2-ohm midrange, 3-ohm tweeter, non-resonant basket and deluxe external 12 dB 2-way crossover network.

2XL Series 5.25" 2-Way Component Set

2XL-53C 5.25" 2-Way Convertible Component System. 140 watts peak handling, pivot point 1" Emperor silk dome tweeter, convertible tweeter assembly, non-woven paper cone, non-resonant basket, external 12dB 2-way crossover network, 3-ohm system impedance, PBX custom mesh grill.

2XL Series 6.5" 2-Way Component Set

2XL-63C 6.5" 2-Way Convertible Component System. 180 watts peak handling, pivot point 1" Emperor silk dome tweeter, convertible tweeter assembly, non-woven paper cone, non-resonant basket, external 12dB 2-way crossover network, 3-ohm system impedance, PBX custom mesh grill.

2XL Series 6.5" 3-Way Component Set

2XL-60.3C 6.5" 3-Way Component System. 240 watts peak handling, pivot point 1" silk dome tweeter, 2" silk dome midrange, 50/50 wool blend cone, 3-way crossover, 3-ohm system impedance.

3XL Series 6.5" 2-Way Component System

3XL-63CX 6.5" 2-Way Component System. 180 watts peak handling, 1" Emperor Silk dome tweeter with acoustically transparent mesh screen for improved highs, twill woven S-2 fiberglass cone sealed with a gel coating to reduce resonance provides smoother dispersion of mid-range frequencies, computer optimized crossover network (12dB network with on-board +3 or -3dB attenuation.

© 2014 VEI ALL RIGHTS RESERVED

FULL RANGE SPEAKERS

powerbass AutoSound

SELECT MARKETS ONLY!

2XL Series Full Range

Model	Size &Type	MaxPower	Impedance	Magnet
2XL-693	6" x 9" 2-Way Pair with Custom Grills	200 Watts	3-Ohm	20 oz.
2XL-683	6" x 8" 2-Way Speaker Pair with Custom Grills	150 Watts	3-Ohm	14 oz.
2XL-673	6.75" 2-Way Speaker Pair with Custom Grills	150 Watts	3-Ohm	12 oz.
2XL-653	6.5" 2-Way Speaker Pair with Custom Grills	150 Watts	3-Ohm	14 oz.
2XL-653T	6.5" Thin 2-Way Speaker Pair with Grills	120 Watts	3-Ohm	12 oz.
2XL-523	5.25" 2-Way Speaker Pair with Custom Grills	120 Watts	3-Ohm	12 oz.
2XL-463	4" x 6" 2-Way Speaker Pair with Custom Grills	100 Watts	3-Ohm	10 oz.
2XL-403	4" 2-Way Speaker Pair with Custom Grills	105 Watts	3-Ohm	6 oz.

- 1" Emperors Silk Dome Tweeter Enhanced with Ferrofluid® (3/4" Dome on the 2XL-403 and 2XL-463)
- Non-Woven Wool Paper Cone for Better Bass Response
- Butyl Rubber Surround
- Heavy Motor Structure with Protective Boot
- 3-Ohm System Impedance
- Non-Resonant Basket
- PBX Custom Mesh Grill

3XL Series Full Range

Model	Size &Type	MaxPower	Impedance	Sensitivity
3XL-693	6” x 9” 2-Way Speaker Pair with Grills	260 Watts	3-Ohm	89dB
3XL-653	6.5” 2-Way Speaker Pair with Grills	180 Watts	3-Ohm	86dB

For 2014, our flagship coaxial received a major upgrade in both sound and performance while at the same time presenting a better value than ever before. We took our no compromise approach to sound quality and refined the drivers to perform even better by using an esoteric twill woven cone material known as S2 Fiberglass, then we sealed the fiberglass with a gel coating to strengthen the cone and reduce the resonance.

Next we combined that with a progressive dual roll rubber surround to accurately control cone movement for a controlled bass kick that most other speakers lack. The ultra efficient Y-35 grade magnet assembly also helps increase power handling. Top that off with our Emperors Silk dome tweeter with built-in diffuser for improved high frequency imaging and you’ve got one outstanding sounding speaker system!

© 2014 VEI ALL RIGHTS RESERVED

powerbass Auto Sound

FULL RANGE SPEAKERS

SELECT MARKETS ONLY!

S-Series Full Range Speakers

Model	Size & Type	MaxPower	Impedance	Magnet
S-6903	6" x 9" 3-Way Pair with Grills	210 Watts	4-Ohm	20 oz.
S-6902T	6" x 9" Thin 2-Way Pair with Grills	150 Watts	4-Ohm	10 oz.
S-6802	6" x 8" 2-Way Speaker Pair	180 Watts	4-Ohm	10 oz.
S-4102	4" x 10" 2-Way Speaker Pair	150 Watts	4-Ohm	10 oz.
S-6752	6.75" 2-Way Speaker Pair	150 Watts	4-Ohm	10 oz.
S-6502	6.5" 2-Way Speaker Pair with Grills	150 Watts	4-Ohm	10 oz.
S-6502T	6.5" Thin 2-Way Speaker Pair with Grills	135 Watts	4-Ohm	10 oz.
S-5202	5.25" 2-Way Speaker Pair with Grills	120 Watts	4-Ohm	8 oz.
S-4602	4" x 6" 2-Way Speaker Pair	105 Watts	4-Ohm	6 oz.
S-4002	4" 2-Way Speaker Pair with Grills	105 Watts	4-Ohm	6 oz.
S-3502	3.5" 2-Way Speaker Pair	90 Watts	4-Ohm	4 oz.
S-275CF	2.75" Dual Cone Speaker Pair	60 Watts	4-Ohm	3 oz.

S-Series Full Range Speakers Feature: Pure Silk Dome, 3/4" Tweeters (S-6903 uses PEI Tweeter and Mid; S-275CF is dual cone), 2-Layer Paper DDC Cone, Double Pressed UV Treated Foam Surround, OEM Drop-in Replacement Design, EFF Motor Structures, Rigid Tooled Basket with Flat Black Finish and Proprietary SEL Tweeter Ring (Sound Expander Lens).

L-Series Full Range Speakers

Model	Size & Type	MaxPower	Impedance	Magnet
L2-693	6" x 9" 3-Way Pair with Grills	300 Watts	2-Ohm	30 oz.
L2-692T	6" x 9" Thin 2-Way Speaker Pair	180 Watts	2-Ohm	10 oz.
L2-682	6"X8" 2-Way Speaker Pair	210 Watts	2-Ohm	14 oz.
L2-702	7" 2-Way Speaker Pair	270 Watts	2-Ohm	16 0z.
L2-700	7" Mid Speaker Pair	270 Watts	2-Ohm	16 0z.
L2-675	6.75" 2-Way Speaker Pair	180 Watts	2-Ohm	12 oz.
L2-652	6.5" 2-Way Speaker Pair with Grills	180 Watts	2-Ohm	12 oz.
L2-522	5.25" 2-Way Speaker Pair with Grills	150 Watts	2-Ohm	10 oz.
L2-462	4" x 6" 2-Way Speaker Pair	120 Watts	2-Ohm	8 oz.

L-Series Full Range Speakers Feature: Advanced Injection Cone, Aluminum Dome 3/4" Tweeter (L2-693 uses PEI Tweeter & Mid), Butyl Rubber Surround, 2-Ohm System Impedance (Compatible with most Premium Factory Systems), Non-Resonant Basket and Wave Guide Tweeter Lens.

© 2014 VEI ALL RIGHTS RESERVED

PRO DRIVERS & TWEETERS

powerbass AutoSound

SELECT MARKETS ONLY!

4XL-65-92 6.5" Mid Range Driver.

- Hybrid carbon/paper cone
- Phase plug
- Treated cloth surround
- Rigid tooled basket
- 4-ohm, 200 watts max
- 35 oz. ferrite magnet

4XL-80-94 8" Mid Range Driver.

- Hybrid carbon/paper cone
- Phase plug
- Treated cloth surround
- Rigid tooled basket
- 4-ohm, 300 watts max
- 35 oz. ferrite magnet

XPRO-65 6.5" Professional 4-Ohm Driver.

- Y-35 Grade magnet
- Double roll textile surround
- Large voice coil
- Chrome push input terminals
- Large motor structure
- 4-ohm, 125 watts RMS

XPRO-8 8" Professional 4-Ohm Driver.

- Y-35 Grade magnet
- Double roll textile surround
- Large voice coil
- Chrome push input terminals
- Large motor structure
- 4-ohm, 200 watts RMS

XPRO-10 10" Professional 4-Ohm Driver.

- Y-35 Grade magnet
- Double roll textile surround
- Large voice coil
- Chrome push input terminals
- Large motor structure
- 4-ohm, 250 watts RMS

S-1ZT 1" Zirconium Super Tweeter.

(Blister card)

- 100 RMS/200 watts peak
- 102 dB SPL
- Surface mount
- 5 kHz-25 kHz frequency range
- 4-8 ohm impedance

S-1S 1" Silk Dome Tweeter.

- 50 RMS/100 watts peak
- 90 dB SPL
- 12 dB In-line crossover
- 3 kHz-20 kHz frequency range
- Neodymium magnet
- Flush/angle/surface mount

L-1A 1" Aluminum Dome Tweeter.

- 50 RMS/100 watts max
- 91 dB SPL
- 12 DB In-line crossover
- 3 kHz -21 kHz frequency range
- Neodymium magnet
- Flush/angle/surface mount

L-3H 3" Compression Horn Tweeter.

- 100 watts RMS/ 200 watts peak
- 98 dB SPL
- 4 ohm impedance
- Die cast horn
- 3 kHz-20 kHz frequency range
- 15 oz. magnet
- 6 dB crossover
- Sold individually

XPRO-4 4" Horn Professional Horn Tweeter.

- Die cast aluminum
- Taper aluminum phase plug
- 1.75" KSV voice coil
- 25 oz. double-stack magnet
- 4-ohm, 150 watts RMS

2XL-1T 1" Titanium Dome Tweeter.

- 50 RMS/100 watts max
- 93 dB SPL
- 12 dB In-line crossover
- 4.5 kHz-20 kHz frequency range
- Neodymium magnet
- Ferrofluid cooled
- Flush, surface, or angle mount

3XL-2S 1.25" Silk Dome Tweeter.

- 60 RMS/120 watts max
- 92 dB SPL
- 12 dB In-line crossover
- 3.0 kHz-20 kHz frequency range
- Neodymium magnet
- Ferrofluid cooled
- Flush, surface, or angle mount

© 2014 VEI ALL RIGHTS RESERVED

MARINE AUDIO

SELECT MARKETS ONLY!

Marine Certified 5.25" 2-Way Full Range Speakers

XL-522M 5.25" White 2-Way Speaker Pair. 4-Ohm Impedance, 120 watts, injection molded UV-treated white Polypropylene cone, UV-resistant hi-impact integrated white grills, white Polyamide speaker baskets, Polyurethane rubber woofer surrounds, grill mounted sealed dome tweeters, gold plated terminals, moisture protective sealed magnet covers.

Marine Certified 6"X9" 2-Way Full Range Speakers

XL-692M 6"X9" White 2-Way Speaker Pair. 4-Ohm Impedance, 240 watts, injection molded UV-treated white Polypropylene cone, UV-resistant hi-impact integrated white grills, white Polyamide speaker baskets, Polyurethane rubber woofer surrounds, grill mounted sealed dome tweeters, gold plated terminals, moisture protective sealed magnet covers.

Marine Certified 10" Free Air Subwoofer

XL-104MF 10" White Marine Free Air SVC Subwoofer. 400 Watts, single 4-ohm, 120 oz. motor structure, marine grade with injection molded UV-treated white Polypropylene cone, Polyurethane rubber woofer surrounds, insulated tinsel leads, marine grade spider, white powder coated basket, gold plated input terminals.

Marine Certified 6.5" 2-Way Full Range Speakers

XL-652M 6.5" White 2-Way Speaker Pair. 4-Ohm Impedance, 160 watts, injection molded UV-treated white Polypropylene cone, UV-resistant hi-impact integrated white grills, white Polyamide speaker baskets, Polyurethane rubber woofer surrounds, grill mounted sealed dome tweeters, gold plated terminals, moisture protective sealed magnet covers.

Marine Certified 6.5" 2-Way Component System

XL-60M 6.5" White 2-Way Component System. 12dB 2-Way crossover network, Pivot Point 1" Titanium dome tweeter, 4-Ohm Impedance, 200 watts, injection molded UV-treated white Polypropylene cone, UV-resistant hi-impact integrated white grills, white Polyamide speaker baskets, Polyurethane rubber woofer surrounds, grill mounted sealed dome tweeters, gold plated terminals, moisture protective sealed magnet covers.

Marine Certified 12" Free Air Subwoofer

XL-124MF 12" White Marine Free Air SVC Subwoofer. 500 Watts, single 4-ohm, 120 oz. motor structure, marine grade with injection molded UV-treated white Polypropylene cone, Polyurethane rubber woofer surrounds, insulated tinsel leads, marine grade spider, white powder coated basket, gold plated input terminals.

© 2014 VEI ALL RIGHTS RESERVED

QZA Series Amplifiers

- QSINK Heat Management System
- Q-Glow Badge Logo
- Increased Heat Sink lengths and Fan Cooling on Select Models
- 2 Ohm Stereo Stable on 2 and 4 Channel Models
- 1 Ohm Stable on Mono Models
- MOSFET Power Supply
- Continuously Variable Hi-Pass X-over
- Continuously Variable Low-Pass X-over
- Variable Input Level Control
- Bass Boost
- Thermal/Overload/Short Circuit Protection
- Power and Protection LED Indicator
- Class A/B Circuitry
- Remote Bass Control included with Monoblock Amplifiers

QZA-4400.4 2000 Watt 2-Ohm Stereo Stable 4-Channel Amplifier.
Dimensions: 14.25"L x 2.25"H x 10.25"W

QZA-4800.4 2400 Watt 2-Ohm Stereo Stable 4-Channel Amplifier.
Dimensions: 15.87"L x 2.25"H x 10.25"W

QZA-2100D 2000 Watt Monoblock Amplifier with Remote Bass Control. 1-Ohm Mono Stable.
Dimensions: 17.31"L x 2.25"H x 10.25"W

QZA-3100D 3000 Watt Monoblock Amplifier with Remote Bass Control. 1-Ohm Mono Stable.
Dimensions: 19.31"L x 2.25"H x 10.25"W

QZA-4100D 4000 Watt Monoblock Amplifier with Remote Bass Control. 1-Ohm Mono Stable.
Dimensions: 21.66"L x 2.25"H x 10.25"W

QXA Series Amplifiers

- Q-Glow Badge Logo
- 2 Ohm Stereo Stable on 2 and 4 Channel Models
- 1 Ohm Stable on Mono Models
- MOSFET Power Supply
- Variable Hi-Pass X-over
- Variable Low-Pass X-over
- Variable Input Level Control
- Bass Boost
- Thermal/Overload/Short Circuit Protection
- Power and Protection LED Indicator
- Class A/B Circuitry
- Remote Bass Control included with Monoblock Amplifiers

QXA-4160.4 760 Watt 2-Ohm Stereo Stable 4-Channel Amplifier.
Dimensions: 11.75"L x 1.88"H x 8.62"W

QXA-1500.1D 1500 Watt 1-Ohm Stable Monoblock Amplifier with Remote Bass Control.
Dimensions: 13.5"L x 1.88"H x 8.62"W

QXA-2000.1D 2000 Watt 1-Ohm Stable Monoblock Amplifier with Remote Bass Control.
Dimensions: 15.31"L x 1.88"H x 8.62"W

© 2014 VEI ALL RIGHTS RESERVED

AMPLIFIERS & MORE!

SELECT MARKETS ONLY!

NOW AVAILABLE!

Q Series Amplifiers

- 4 Ohm Stereo Stable on 2 and 4 Channel Models
- 2 Ohm Stable on Mono Model
- Variable Input Gain Control
- Selectable Hi-Pass/Low-Pass X-over
- Direct Connection Terminals
- Nickel Plated RCA Inputs
- High Level Inputs
- Power On Indicator LED
- QSink Heat Management System
- System Short Circuit Protection

Q2002 200 Watt 2-Channel 4-Ohm Stereo Stable Amplifier.
Dimensions: 3.15"L x 1.97"H x 7.97"W

Q3002 300 Watt 2-Channel 4-Ohm Stereo Stable Amplifier.
Dimensions: 3.94"L x 1.97"H x 7.97"W

Q4004 400 Watt 4-Channel 4-Ohm Stereo Stable Amplifier.
Dimensions: 3.94"L x 1.97"H x 7.97"W

Q6004 600 Watt 4-Channel 4-Ohm Stereo Stable Amplifier.
Dimensions: 5.12"L x 1.97"H x 7.97"W

Q800 800 Watt 2-Ohm Stable Monoblock Amplifier with Remote Bass Control.
Dimensions: 7.09"L x 1.97"H x 7.97"W

QB1 Bass Generator. 13.5 Volt max output, PFM subsonic filter, maximum bass control, variable bass output control, adjustable parametric control.

QEQ6 5-Band Equalizer. Variable subwoofer output control with frequency bandwidth adjustment, left and right AUX input sensitivity controls.

QSM-6C 6.5" Shallow Pro Audio Mid Bass Driver. 255 Watts, ferrite magnet, grills.

QS1TW 1" Swivel Dome Tweeter Pair. 150 Watts.

QPT-3D 1.75" Die Cast Tweeter Pair. 150 Watts RMS/300 watts max, 5.4 oz. magnet.

QPSM-6 6" Shallow Pro Audio Mid Bass Driver. 300 Watts, ferrite magnet, grills.

QS2TW 1" Directional Mount Tweeter Pair. 150 Watts.

QPT-4D 1.75" Die Cast Tweeter (each). 175 Watts RMS/300 watts max, 11.6 oz. magnet.

QSM-8C 8" Shallow Pro Audio Mid Bass Driver. 275 Watts, ferrite magnet, grills.

QPT-1D 1" Die Cast Tweeter (each). 150 Watts RMS/300 watts max, 8 oz. magnet

QPT-5D 1.75" Die Cast Super Tweeter (each). 100 Watts RMS/200 watts max, 11.6 oz. magnet.

QPSM-8 8" Shallow Pro Audio Mid Bass Driver. 350 Watts, ferrite magnet, grills.

QB1-ST 1" Plastic Tweeter. 175 Watts RMS/350 watts max, Neo magnet.

QPT-6D 1" Die Cast Super Tweeter Pair. 150 Watts RMS/350 watts max, 5.4 oz. magnet.

© 2014 VEI ALL RIGHTS RESERVED

SUBWOOFERS

SELECT MARKETS ONLY!

Q800 Series Woofers

- Injection Molded PP Dust Cap
- Multi-layer Rolled Foam Surround
- Linear Molded Paper Cone
- Sealed or Vented Enclosures

Q800/12S 12" Single Voice Coil Woofer. 800 Watts Peak, Single 4 Ohm Voice Coil

Q800/12D 12" Dual Voice Coil Woofer. 800 watts peak, Dual 4 Ohm Voice Coil

Q2000 Series Woofers

- Injection Molded PP Dust Cap
- High-Excursion Foam Surround
- Poly Coated Paper Cone
- Sealed or Vented Enclosures

Q2000/10D 10" DVC Woofer, 2000 Watts.

Q2000/12D 12" DVC Woofer, 2000 Watts.

Q2000/15D 15" DVC Woofer, 2000 Watts.

Q3000 Series Woofers

- Maximum Excursion for High SPL
- Powerful Motor Structure
- Compressed Paper Cone
- Sealed or Vented Enclosures

Q3000/12D 12" DVC Woofer, 3000 Watts.

Q3000/15D 15" DVC Woofer, 3000 Watts.

Q1500 Series Woofers

- Injection Molded PP Dust Cap
- Multi-layer Rolled Foam Surround
- Poly Coated Paper Cone
- Sealed or Vented Enclosures

Q1500/10 10" Woofer, 1500 Watts. Available in SVC and DVC.

Q1500/12 12" Woofer, 1500 Watts. Available in SVC and DVC.

Q2500 Series Woofers

- Injection Molded PP Dust Cap
- Ultra High-Roll Surround
- Compressed Paper Cone
- Sealed or Vented Enclosures

Q2500/12D 12" DVC Woofer, 2500 Watts.

Q2500/15D 15" DVC Woofer, 2500 Watts

QSWF Flat Subwoofers

- High Energy Strontium Ferrite Magnet
- High Energy Top Plate
- Vent Cooled Excursion Extended Forged Back Plate
- Long Throw Mixed Polyester Spider
- Custom PVC Trim Gasket

QSW-10F 10" Flat Subwoofer. 1000 Watts Peak, 4 Ohm Voice Coil

QSW-12F 12" Flat Subwoofer. 1000 Watts Peak, 4 Ohm Voice Coil

© 2014 VEI ALL RIGHTS RESERVED

FULL RANGE SPEAKERS

SELECT MARKETS ONLY!

Q Series
Full Range Speakers

Model	Size & Type	Max Power	Sensitity	Magnet
Q69	6" x 9" 3-Way Speaker Pair with Grills	175 Watts	101.5dB	Ferrite
Q65	6.5" 3-Way Speaker Pair with Grills	160 Watts	103.4dB	Ferrite
Q57	5" x 7" 2-Way Speaker Pair with Grills	160 Watts	103.5dB	Ferrite

Q Series Full Range Speakers Feature: Injection PP Cone, Piezo Tweeter, Mylar Dome Midrange, Rubber Surround, Ferrite Oxide Magnet, 4-Color Gift Box.

QB Series
Full Range Speakers

Model	Size & Type	Max Power	Sensitivity	Magnet
QB695	6" x 9" 5-Way Pair Speaker with Grills	200 Watts	91dB	18 oz.
QB604	6.5" 4-Way Speaker Pair with Grills	180 Watts	91dB	15 oz.
QB60D	6.5" Dual Cone Speaker Pair with Grills	100 Watts	89dB	10 oz.
QB574	5" x 7" 4-Way Speaker Pair with Grills	180 Watts	91dB	15 oz.
QB463	4" x 6" 3-Way Speaker Pair	130 Watts	89dB	10 oz.
QB503	5.25" 3-Way Speaker Pair with Grills	140 Watts	91dB	12 oz.
QB403	4" 3-Way Speaker Pair	120 Watts	89dB	12 oz.
QB352	3.5" 2-Way Speaker Pair	80 Watts	92dB	15 oz.
QB65C	6.5" 2-Way Component System with X-over	200 Watts	91dB	15 oz.

QB Series Full Range Speakers Feature: Injection PP Cone, Piezo DomeTweeter, Mylar Dome Midrange, Rubber Surround, Ferrite Oxide Magnet, Stamped Heavy Gauge Basket, 4-Color Gift Box.

© 2014 VEI ALL RIGHTS RESERVED

PIRANHA SERIES

UNIVERSAL 2DIN MULTI-MEDIA NAVIGATION SYSTEM

MATCHING FACTORY WARRANTY

PR-UN1370

New Model
Includes
HD Radio, Pandora® & Faster Processors!

FEATURES

- 6.5" HD Touch Screen Color LCD Display
- AM/FM high performance tuner
  - RDS (channel, artist, song)
  - 18 FM, 12 AM presets
  - Seek / Scan
- Play DVD movies, audio CD's and MP3 music files
- 50W x 4 high output MOSFET audio amplifier
  - Custom crossover settings w/ bypass
  - Line-level out (front, rear & 2 subwoofer)
  - Pre-out = 4V
  - Subwoofer volume control
- Built-in customizable controls for
  - Treble, mid, bass, subwoofer
  - Start volume by source
  - Loudness control
- DSP (Digital Sound Processor) w/ 9 EQ presents and user selectable EQ
- "Quick-Start" back up camera interface
- Dual zone controller
- 6 back light color options
- 7 on-screen button highlight color options
- 8 background skin color options
- On-screen quick-command source buttons w/ #'s 3–6 being programmable
- 4 Screen text options (English, Spanish, French, Chinese)
- Night/Day brightness controls for LED backlights and LCD display
- Other connectivity options
  - (1) A/V in (3.5mm front mounted)
  - (1) Composite video out

Software updates via Micro SC card or USB flashdrive – download from Rosen web site

iGO primo

ADVANCED NAVIGATION

- 11+ million points-of-interest
- Complete U.S. maps including Hawaii, Alaska and Puerto Rico (U.S./Canada and U.S./Canada/Mexico available)
- Text to speech and visual turn-by-turn directions
- 3D and 2D views with advanced topography
- Lane assist with junction view
- Detailed 3D topography
- 5 voice options (English, Spanish, Japanese, Korean & Mandarin-Chinese)
- Road speed limit warnings

STANDARD MAP

MAP W/ 3D TOPOGRAPHY

NIGHT & 3D BUILDING

NIGHT & 3D BUILDING

ECHO GREEN ROUTING

ECO GREEN ROUTING

© 2014 VEI ALL RIGHTS RESERVED

ROSEN MULTI-MEDIA SYSTEMS

KEY FEATURES

- 7" HD touch-screen LCD
- Parrot Bluetooth w/ phonebook (optional for vehicles w/o Bluetooth or when factory Bluetooth not desired)
- AM-FM tuner w/ 18 FM & 12 AM presets & RDS
- 50W x 4RMS amplifier
- Audio controls include Treble, Bass & Subwoofer
- Programmable Source buttons
- 5-channel RCA output & A/V input
- Personalization options include Background Skins & Button Highlight Colors
- Factory Match LED backlights

FACTORY FUNCTIONS RETAINED

- Steering wheel controls
- Voice controlled Bluetooth
- XM SAT radio (if equipped)
- USB port (console or dash mount)
- OnStar®
- Rear seat audio controls (SAT, CD, DVD)
- Chimes
- Back up sensors
- Rear seat overhead LCD display (if equipped)
- RAP (retained accessory power)

Scan for More Info

iGO	Turn-by-turn navigation
Bluetooth	Hands-Free Calls, Phonebook Access & Music Streaming
iPod iPhone	iPod Interface w/ Album Art
	Android Audio & Video
DVD VIDEO	DVD/CD/MP3 Playback
SAT RADIO READY	Satellite Radio Ready
	iPhone Controls w/ Album Art
	Rear USB and Front Micro SD + 3.5mm AUX Input
	Rear View Camera Ready

MATCHING GM WARRANTY (Buick 4YR/50,000MI. CHEV/GMC 3YR/36,000MI)

www.rosenelectronics.com

© 2014 VEI ALL RIGHTS RESERVED

- Turn-by-Turn Navigation
- Hands-Free Calls, Phonebook Access & Music Streaming
- iPod Interface w/ Album Art
- Android Audio & Video
- DVD/CD/MP3 Playback
- Satellite Radio Ready
- iPhone Controls w/ Album Art
- Front and Rear USB & Micro SD
- Rear View Camera Ready

MATCHING GM WARRANTY (Buick 4YR/50,000MI. CHEV/GMC 3YR/36,000MI)

www.rosenelectronics.com

© 2014 VEI ALL RIGHTS RESERVED

ROSEN
CEILING MOUNT ENTERTAINMENT

NEW

X10
Includes
HDMI Input &
HD LCD Screen

CALL
FOR PRICE ON
X10 & Z8!

ALL NEW
X10
10.2" Display
Available in Tan or Grey

Z8
8.4" LCD Display
w/ DVD

X10 Features

- 10.2" — Hi-Def LCD Display
- DVD VIDEO — Play DVD, CD, MP3
- HDMI — HDMI Input
- USB Input
- AUX — A/V Input
- 2-CH Infrared — A/B IR Headphone Transmitter
- All-Channel — Wireless Audio Connection to Factory Radio

Scan for More Info

MATCHING FACTORY WARRANTY

www.rosenelectronics.com

© 2014 VEI ALL RIGHTS RESERVED

AV7900 Features

- Hi-Res LCD Display
- Play DVD, CD & MP3
- iDoc Media Center for These Apple® Devices:
  - iPhone® 3G, 3GS, 4, 4S
  - iPod Touch® 4
  - iPod Classic® (GEN 6)
- 3.5mm A/V Input
- Remote A/V Input & Output
- A/B IR Headphone Transmitter
- Wireless Audio Connection to Factory Radio
- Share Media Between Screens

MATCHING FACTORY WARRANTY

www.rosenelectronics.com

© 2014 VEI ALL RIGHTS RESERVED

Custom Mounting

- BMW
- Chrysler
- Dodge
- Jeep
- Lexus
- Mercedes
- VW
- Universal

* Fits most headrest post sizes & spacing

50 Video Games

Matching Covers



Everything's Included

(1) Wireless Remote, (1) Wireless Game Controller & (2) Wireless Headphones

AV7800 Features

- 7.0" HD LCD Display (720 x 480)
- DVD VIDEO Play DVD, CD & MP3
- USB & A/V Input
- AUX Remote A/V Input & Dual Output
- 2-CH Infrared A/B IR Headphone Transmitter
- All-Channel Wireless Audio Connection to Factory Radio
- Share Media Between Screens

MATCHING FACTORY WARRANTY

www.rosenelectronics.com

Scan for More Info

© 2014 VEI ALL RIGHTS RESERVED

It did not take long for Sound Storm's EVOLUTION Series of amplifiers to become the new standard for mobile audio excellence. EVOLUTION amplifiers are among the most sought after amplifiers in the industry. The unapologetically clean lines and simple, subtle styling boldly announce EVOLUTION as a monster force to be reckoned with!

Class A/B Amplifiers Features

- Full Range Class A/B
- MOSFET Power Supply
- Low and High Level Inputs
- Variable Input Gain Control
- Variable Low Pass Crossover
- Variable High Pass Crossover
- Variable Bass Boost
- 2-Ohm Stable
- Remote Bass Gain

2-Channel Full Range Class A/B Amplifiers

Model	Channels	Watts	Description	Dimensions	Cost
EV2.1000	2-Channel	1000	2-Ohm Stable, Remote Bass Gain Included	9.5" x 10" x 2 3/8 "	
EV2.1200	2-Channel	1200	2-Ohm Stable, Remote Bass Gain Included	12" x 10" x 2 3/8 "	
EV2.1600	2-Channel	1600	2-Ohm Stable, Remote Bass Gain Included	14" x 10" x 2 3/8 "	
EV2.2000	2-Channel	2000	2-Ohm Stable, Remote Bass Gain Included	16" x 10" x 2 3/8 "	

4-Channel Full Range Class A/B Amplifiers

EV4.1000	4-Channel	1000	2-Ohm Stable, Remote Bass Gain Included	13.5" x 10" x 2 3/8 "	
EV4.1600	4-Channel	1600	2-Ohm Stable, Remote Bass Gain Included	10.25" x 10" x 2 3/8 "	

Monoblock Class A/B Amplifiers

EV-1500M	Monoblock	1500	2-Ohm Stable, Remote Bass Gain Included	10.5" x 10" x 2 3/8 "	
EV-2500M	Monoblock	2500	2-Ohm Stable, Remote Bass Gain Included	19.5" x 10" x 2 3/8 "	



Class D Amplifiers Features

- 1-Ohm Stable
- Class D Topology
- MOSFET Power Supply
- Variable Low Pass Filter
- Variable Subsonic Filter
- Selectable Phase: 0° or 180°
- Remote Bass Gain

Class D Amplifiers

Model	Channels	Watts	Description	Dimensions	Cost
EV-3000D	Monoblock	3000	1-Ohm Stable, Remote Bass Gain Included	13" x 10" x 2 3/8 "	
EV-4000D	Monoblock	4000	1-Ohm Stable, Remote Bass Gain Included	15" x 10" x 2 3/8 "	
EV-5000D	Monoblock	5000	1-Ohm Stable, Remote Bass Gain Included	19.5" x 10" x 2 3/8 "	

© 2014 VEI ALL RIGHTS RESERVED

MOBILE VIDEO, MOTORCYCLE/UTV SPEAKER SYSTEMS

NEW

Bluetooth

DD662B Double-Din Source Unit with 6.2" LCD Touch Screen. Built-in Bluetooth, DVD/CD/MP3/MP4 playback, USB ports (front & rear), SD port, Aux-in, front and rear, sub pre-amp outputs, video output, compatible with audio output of iPod/iPhone, smartphones and most MP3 players, 50w x 4. Rear camera in.

NEW

Bluetooth

SD732MB Single-Din Source Unit with Motorized 7" LCD Touch Screen. Built-in Bluetooth, DVD/CD/MP3/MP4 playback, USB ports, SD port, Aux-in, front & rear, sub pre-amp outputs, video output, compatible with audio output of iPod/iPhone, smartphones and most MP3 players, 85w x 4. Rear camera in.

NEW

Bluetooth

SD322B Single-Din Source Unit with 3.2" LCD Touch Screen. Built-in Bluetooth, DVD/CD/MP3/MP4 playback, USB ports, SD port, Aux-in, front & rear, sub pre-amp outputs, video output, compatible with audio output of iPod/iPhone, smartphones and most MP3 players, 85w x 4. Rear camera in.

NEW

Bluetooth

ML42B Indash MP3/CD Receiver with Built-in Bluetooth. USB port, SD port, Aux-in, compatible with audio output of iPod/iPhone, smartphones and most MP3 players, front and rear outputs, wireless remote, 50w x 4.

NEW

SMC75 Motorcycle/UTV Speaker and Amplifier System. 600 Watt 2-channel MOSFET power amplifier, pair of 3" black speakers, USB port, SD port, FM tuner, Aux-in, weather proof and wireless remote that fits on a keychain.

NEW

Bluetooth

SMC70B Motorcycle/UTV Speaker and Amplifier System with Built-in Bluetooth. Bluetooth audio streaming, 600 Watt 2-channel compact amplifier weatherproof, pair of 3" black speakers, Aux-in, volume control and adjustable brackets.

NEW

SMC65 Motorcycle/UTV Speaker and Amplifier System. 600 Watt 2-channel compact amplifier weatherproof, pair of 3" black speakers, Aux-in, volume control and adjustable brackets.

NEW

C23 White 2 Farad Capacitor with Digital Voltmeter. Chrome plated posts, mounting brackets and hardware included, 10 5/16"H x 3"D.

NEW

C22 Black 2 Farad Capacitor with Digital Voltmeter. Chrome plated posts, mounting brackets and hardware included, 10 5/16"H x 3"D.

© 2014 VEI ALL RIGHTS RESERVED

GSW Series Woofers

Ask About Our Field Destroy Program!

- Dual 4-ohm Voice Coil
- Custom Tooled High Efficiency Polypropylene Cone
- Butyl Rubber Surround
- High Temperature Voice Coils
- Black Basket
- Large Magnet Structure

Model #	Size	Power	Cost
GSW-10D	10"	1500 Watts Max Power	
GSW-12D	12"	2000 Watts Max Power	

SLR Series Woofers

Ask About Our Field Destroy Program!

- Dual 4-ohm Voice Coil
- Custom Tooled High Efficiency Polypropylene Cone
- Butyl Rubber Surround
- High Temperature Voice Coils
- Black Basket
- Large Magnet Structure

Model #	Size	Power	Cost
SLR-8DVC	8"	1000 Watts Max Power	
SLR-10DVC	10"	2000 Watts Max Power	
SLR-12DVC	12"	2500 Watts Max Power	

LOPRO-8 8" Low Profile Amplified Subwoofer.
600 Watts max, RCA low level input, high level input, remote level control, phase selector, bass boost, subsonic filter, low pass filter.

LOPRO-10 10" Low Profile Amplified Subwoofer.
1200 Watts max, RCA low level input, high level input, remote level control, phase selector, bass boost, subsonic filter, low pass filter.

EX Series Full Range Loudspeakers

- Poly Injection Cone
- Durable Rubber Surround
- High Performance Voice Coil
- Polymide Dome Tweeter

Model	Description	MSRP
EX357	5" x 7" 3-Way Speaker Pair, 200 Watts	
EX365	6.5" 3-Way Speaker Pair, 150 Watts	
EX369	6" x 9" 3-Way Speaker Pair, 300 Watts	

© 2014 VEI ALL RIGHTS RESERVED

SMC2.100 Ultra Compact 200 Watt 2-Channel Amplifier.
Dimensions: 4 3/8"L x 3 1/8"W x 1 1/2"H

SMCM200 Ultra Compact 200 Watt Monoblock Amplifier.
Dimensions: 4 7/8"L x 4 5/8"W x 1 1/2"H

SSL200.2 Compact 200 Watt 2-Channel Amplifier.
Dimensions: 5 1/4"L x 9"W x 2"H

SSL400.4 Compact 400 Watt 4-Channel Amplifier.
Dimensions: 7 3/4"L x 9"W x 2"H

Evo Series 2900-Watt 5-Channel Class A/B Amplifier

EVO-2900.5 EVO Series 2900 Watt 5-Channel Class A/B Amplifier.
Mosfet power supply, high and low level inputs, variable low pass filter: 45Hz–90Hz, fixed high pass filter, variable bass boost: 0 dB - + 18 dB, includes remote subwoofer level control.
Dimensions: 18 11/16"L x 10"W x 2 5/16"H

SX210 2-Way Electronic Crossover with Remote Subwoofer Level Control. Stereo (L/R) inputs, high pass and subwoofer outputs, phase shift selector, independent high pass and subwoofer output level controls.

AKS8 Complete 8 Gauge Amp Kit.
20' Red 8-Ga power wire, 3' black 8-Ga ground wire, 20' RCA, 30' speaker wire, 16' remote turn on wire, AGU fuse holder, split loom, and complete accessory kit.

H20M330 Marine Grade MP3/CD Receiver. Front USB/SD/Aux-in, AM/FM receiver, digital clock, 30 presets, bass/treble, RCA outputs, fader control, 60W x 4.

H2-O5 5.25" 2-Way Marine Speaker Pair. Poly injection cone, 250 watts.

H2-O6 6.5" 2-Way Marine Speaker Pair. Poly injection cone, 250 watts.

H2-O9 6X9" 2-Way Marine Speaker Pair. Poly injection cone, 400 watts.

© 2014 VEI ALL RIGHTS RESERVED

D63TS Double-Din 6.2" Touch Screen TFT Monitor/DVD with AM/FM Receiver. SD card slot, USB port, 30 presets, 75W x 4, A/V input, A/V output, rear camera input, subwoofer output, wireless remote.

D695TS Double-Din 6.95" Touch Screen TFT Monitor/DVD with AM/FM Receiver. SD card slot, USB port, 30 presets, 75W x 4, A/V input, A/V output, rear camera input, subwoofer output, wireless remote.

D74TS 7" Single-Din Touch Screen Motorized TFT Monitor/DVD with AM/FM Receiver, Built-in Bluetooth and iPod Control. SD card slot, USB port, includes iPod cable, 30 presets, 50W x 4, A/V input, A/V output, rear camera input, subwoofer output, wireless remote.

D65TSG Double-Din 6.2" Multimedia Unit with Navigation and Bluetooth. iGo Software, USA/Canada maps, USB/SD, iPod ready, 50W x 4, touchscreen, A/V input, rear camera input, AM/FM, MP3/CD/DVD, wireless remote.

T93TSG Single-Din 9.3" Multimedia Unit with Built-in iGo Navigation and Bluetooth. Slide down fully motorized full detachable panel, HD digital panel provides crystal clear picture quality, full touch screen control, four different viewing angles, A2DP Bluetooth, iGo Navigation, USA and Mexico maps, SD card slot, USB port, CD/DVD, MP3/MP4, 30 presets, 75W x 4, A/V input, A/V output, rear camera input, subwoofer output, wireless remote, region free DVD player.

T90DVFD 9" TFT Flip Down Monitor with DVD. FM modulator, IR transmitter, USB port, SD/MMC slot, dome lights, A/V input, A/V output, swivel monitor, speakers.

Available in black, grey and tan.

T1591DVFD 15" TFT Flip Down Monitor with DVD. FM modulator, IR transmitter, USB port, SD/MMC slot, dome lights, A/V input, A/V output.

Available in black, grey and tan.

T20DVFD 20" TFT Flip Down Monitor with DVD. FM modulator, IR transmitter, USB port, SD/MMC slot, dome lights, A/V input, A/V output.

T919IR 9" TFT Flip Down Monitor with IR Transmitter. Swivel monitor, super slim, OSD menu, built-in dome lights, high resolution, wireless remote.

Available in black, grey and tan.

T135FDIR 13" TFT Flip Down Monitor with IR Transmitter. 2 Video inputs, swivel monitor, super slim monitor, built-in dome lights, high resolution, wireless remote.

Available in black, grey and tan.

T1508IR 15" TFT Flip Down Monitor with IR Transmitter. Two video inputs, swivel monitor, OSD menu, built-in dome lights, high resolution, wireless remote.

Available in black, grey and tan.

© 2013 VEI ALL RIGHTS RESERVED

MOBILE VIDEO

T2207IR 22" TFT Flip Down Monitor with IR Transmitter. 2 video inputs, OSD menu, built-in dome lights, high resolution, wireless remote.

T244IR 24" TFT Flip Down Monitor with IR Transmitter. 2 video inputs, OSD menu, built-in dome lights, high resolution, wireless remote.

Available in black, grey and tan.

T257IR 25" TFT Flip Down Monitor with IR Transmitter. 2 video inputs, super slim design, built-in dome lights, high resolution, wireless remote.

Available in black, grey and tan.

T721PL 7" Headrest Monitor Pair. Built-in IR transmitter, 2 A/V inputs, feather-touch buttons, widescreen 16:9, pole adjustment 5.3"-7.3".

Available in black, grey and tan.

T922PL 9" LED Headrest Monitor Pair. Built-in dual channel IR transmitter, 2 A/V inputs, feather-touch buttons, widescreen 16:9, pole adjustment 4"-7".

Available in black, grey and tan.

T120PL 12" Headrest Monitor Pair. Built-in IR transmitter, 2 A/V inputs, blue screen when there is no signal, pole adjustment 3.7"-7.1".

Available in black, grey and tan.

T719DVPL 7" Headrest Monitor Pair with Dual DVD Players. Built-in IR transmitter, FM transmitter, USB/SD/MMC/MS reader. Pole adjustment: 5.3–7.28.

Available in black, grey and tan.

T939DVPL 9" Headrest Monitor Pair with Built-in DVD Player. Built-in IR transmitter, FM transmitter, built-in speakers, universal posts, USB/SD/MMC/MS reader. Only one headrest with DVD player.

Available in black, grey and tan.

T102DVPL 10.1" Headrest Monitor Pair with Built-in DVD Player. Built-in IR transmitter, FM transmitter, built-in speakers, universal posts, USB/SD/MMC/MS reader. Only one headrest with DVD player.

Available in black, grey and tan.

T711HR-IR 7" Widescreen TFT Monitor with Headrest Shroud and Stand. Built-in IR transmitter, 2 video inputs, wireless remote, blue screen appears when no signal.

T73SV 7" Sun Visor Monitor Pair. 2 video inputs, wireless remote.

Available in black, grey and tan.

T93SV 9" Sun Visor Monitor Pair. 2 video inputs, wireless remote.

Available in black, grey and tan.

© 2014 VEI ALL RIGHTS RESERVED

RV-725C 7" Rear View Monitor Packaged with Rear View Camera. Clip-on mirror, 16:9 widescreen, dual A/V, built-in reverse gear sensor wire, wireless remote, includes bullet style rear view camera.

RV-808C 8.8" Rear View Monitor Packaged with Night Vision Camera. Dual video inputs, wireless remote. Display mode: left side 4.5", 5.6", 7", 8.5", (full screen), right side (full screen) 8.5", 7", 5.6", 4.5".

RV-43C High Quality 4.3" Stand Alone Monitor with Color Back up Camera Set. Mini dual mount camera, built-in distance scale line, low lux.

T574HP Dual Channel Wireless Headphone. Auto power off when no signal present.

T200NV Night Vision Bullet Camera.

LS400NV Night Vision CMOS Camera.

LS300NV License Plate Frame with Built-in Night Vision Camera. Super high resolution, waterproof camera, waterproof housing. Available in black and silver.

LS300NV-BK Black, LS300NV-SL Silver

Checkout the ***NEW***
Logo Ghost Lights!

See Page 27 for more details!

Universal Mount Raw Monitors

TRP1177 11" TFT Universal Mount Raw Panel. 16:9 aspect ratio, 300:1 contrast ratio, 800 x 480 high resolution, wireless remote, video input: RCA, VGA.

TRP1577 15" TFT Universal Mount Raw Panel. 4:3 aspect ratio, 400:1 contrast ratio, 1024 x 768 high resolution, wireless remote, video input: RCA, VGA.

TRP22 22" TFT Universal Mount Raw Panel. 16:9 aspect ratio, 1000:1 contrast ratio, 1680 x 1050 (RGB) high resolution, wireless remote, video input: RCA, VGA.

TRP25 25" TFT Universal Mount Raw Panel. 16:9 aspect ratio, 1000:1 contrast ratio, 1920 x 1080 (RGB) high resolution, wireless remote, video input: RCA, VGA.

© 2013 VEI ALL RIGHTS RESERVED

NEW ITEMS FOR 2014

Single Sealed Shallow Enclosures

10SME 10" Single sealed shallow mount enclosure. 20"W x 5"H x 15"D, .95 airspace.

12SME 12" Single sealed shallow mount enclosure. 24"W x 5"H x 15"D, 1.04 airspace.

Dual 10" GM Crew Cab 2014 & Up

A184-10CP 2014 and up GM Crew Cab, dual 10" enclosure.

Dual Ford F250/F350 Super Duty Crew Cab 2011 & Up

A394-10CP 2011 and up Ford F250/F350 Super Duty Crew Cab, dual 10" enclosure (no electric window).

Dual GM Extended Cab 2014 & Up

A134-10CP 2014 and up GM Extended Cab, single 10" vented enclosure.

Dual 12" GM Crew Cab 2014 & Up

A184-12CP 2014 and up GM Crew Cab, dual 12" enclosure.

Dual 10" Toyota Tundra Crew Max Enclosure '07–'13

A604-10CP '07–'13 Toyota Tundra Crew Max, dual 10" enclosure.

Dual GM Extended Cab 2014 & Up

A144-10CP 2014 and up GM Extended Cab, dual 10" enclosure.

Dual Dodge Ram Mega Cab '06–'13

A214-10CP '06–'13 Dodge Ram Mega Cab, dual 10" enclosure.

Dual 12" Toyota Tundra Crew Max Enclosure '07–'13

A604-12CP '07–'13 Toyota Tundra Crew Max, dual 12" enclosure.

© 2014 VEI ALL RIGHTS RESERVED

EMPTY MDF SPEAKER BOXES

10" and 12" Spacer Rings

A-S10 10" carpeted woofer spacer.

ea.

A-S12 12" carpeted woofer spacer.

PAIR

6X9PR 6 x 9 front wedge pair. 12"W x 8"TD x 6"BD

Single Hatchback Enclosures

E10-S Single 10" enclosure, 15.5W x 12H x 10TD x12.75B, .88 cu. ft. airspace.

E12-S Single 12" enclosure, 15.5W x 12H x 10TD x 12.75B, .88 cu. ft. airspace.

E15-S Single 15" enclosure, 18W x 15.75H x 14.5TD x18B, 2.0 cu. ft. airspace.

Dual Hatchback Enclosures

E10-D Dual 10" enclosure, 26.5W x 12H x 14.5D, 1.0 cu. ft. airspace per chamber.

E12-D Dual 12" enclosure, 30.25W x 13.25H x 14.5D, 1.25 cu. ft. airspace per chamber.

E15-D Dual 15" enclosure, 35W x 15.75H x 16.25D, 2.25 cu. ft. airspace per chamber.

Single Slot Port Enclosure

E10-SV Single 10" enclosure, 16W x 12H x 15.75D, 1.0 cu. ft. airspace.

E12-SV Single 12" enclosure, 16W x 13.75H x 17.75D, 1.30 cu. ft. airspace.

E15-SV Single 15" enclosure, 21W x 15.75H x 17.25D, 1.75 cu. ft. airspace.

Dual Slot Port Enclosure

E10-DSV Dual 10" enclosure, 30W x 12H x 16.75D, 1.2 cu. ft. airspace per chamber.

E12-DSV Dual 12" enclosure, 30.25W x 13.75H x 18.25D, 1.6 cu. ft. airspace per chamber.

E15-DSV Dual 15" enclosure, 36W x 15.75H x 17.25D, 1.85 cu. ft. airspace per chamber.

Dual Slot Port Enclosures with Dual Divided Chambers

E10-DV Dual 10" enclosure, 30W x 12H x 17D, 1.35 cu. ft. airspace per chamber.

E12-DV Dual 12" enclosure, 32W x 14H x 17D, 1.70 cu. ft. airspace per chamber.

E15-DV Dual 15" enclosure, 40W x 16H x 17D, 2.25 cu. ft. airspace per chamber.

Single SPL Vented Enclosure

12-LSV Single 12", 3.0 cu. ft.

Single Camaro Enclosures



CF9302-C '93–'99 Camaro, single 10".

CF9302-B '00–'02 Camaro, single 10".

Single Camaro '10–'11 Enclosures

CS12CB Large drivers side stealth, single 12".

Camaro Enclosures '94 and Up with Round Holes

12CB Dual 12" Camaro enclosure, 37.25W x 15H x 17.50D, 1.25 cu. ft. airspace per chamber.

Dual Chevy Camaro '10 and Up

NB12CB Dual 12" front fire, mounting depth 5", 1.10 cu. ft. airspace per chamber.

© 2014 VEI ALL RIGHTS RESERVED

EMPTY MDF SPEAKER BOXES

Dual Corvette '05 and Up

C6-10D Dual 10" up fire for Corvette C6, mounting depth 4", .65 cu. ft. airspace per chamber.

Single Split Truck Enclosures – Pair

E10-ST Pair 10" single split truck enclosures, 20W x 15.50H x 5.25TD x 8.50BD, .88 cu. ft. airspace per chamber.

E12-ST Pair 12" single split truck enclosures, 20W x 15.50H x 5.25TD x 8.50BD, .88 cu. ft. airspace per chamber.

Dual Truck Enclosures

E10-DT Dual 10" universal truck enclosures, 40W x 15.50H x 5.25TD x 8.50BD, .88 cu. ft. airspace per chamber.

E12-DT Dual 12" universal truck enclosures, 48W x 15.50H x 5.25TD x 8.50BD, 1.0 cu. ft. airspace per chamber.

Single GM Extended Cab '88-'98

A101-10CP Single 10" sealed down fire enclosure, mounting depth 6.5", 1.0 cu. ft. airspace per chamber..

Dual GM Extended Cab '88–'98

A102-10CP Dual 10" sealed down fire enclosures, mounting depth 6.5", .90 cu. ft. airspace per chamber.

A102-12CP, Dual 12" sealed down fire enclosures, mounting depth 6.5", .90 cu. ft. airspace per chamber.

GM Extended Cab S10/S12

A132-12CP All years, dual 12" enclosures.

Single GM Extended Cab '07 and Up

A131-10CPV Single 10" down fire vented, mounting depth 6", .80 cu. ft. airspace per chamber.

Single GM Extended Cab '99-'07 *(Old Body Style)*

A151-10CP Single 10" sealed down fire enclosure, mounting depth 7", 93 cu. ft. airspace per chamber.

A151-12CP Single 12" sealed down fire enclosure, mounting depth 7", .93 cu. ft. airspace per chamber.

Dual GM Extended Cab '99–'07 *(Old Body Style)*

A152-10CP Dual 10" sealed down fire enclosure, mounting depth 7", .93 cu. ft. airspace per chamber

A152-12CP Dual 12" sealed down fire enclosure, mounting depth 7", .93 cu. ft. airspace per chamber.

Dual GM Heavy Duty Crews '01–'06

WILL NOT FIT '05 AND UP GMC SIERRA

A162-10CP Dual 10" sealed down fire enclosure, mounting depth 6.12", .55 cu. ft. airspace per chamber, vehicles with jack under passenger side seat.

Dual Light Duty Crew Cab '02–'07

A164-10CP Dual 10" sealed down fire, mounting depth 5.75", .58 cu. ft. airspace per chamber.

Dual GM Extended Cab '07 and Up *(Non "Classic" Models)*

A142-10CP Dual 10" sealed down fire enclosure, mounting depth 5.25", .77 cu. ft. airspace per chamber.

© 2014 VEI ALL RIGHTS RESERVED

EMPTY MDF SPEAKER BOXES

GM Crew Cab '07–'13 Vented

A181-10CPV Single 10" enclosure.

A181-12CPV Single 12" enclosure.

Dual GM Crew Cab '07–'13

A182-10CP Dual 10" sealed down fire enclosure, mounting depth 6.5", .83 cu. ft. airspace per chamber.

A182-12CP Dual 12" sealed down fire enclosure, mounting depth 6.5", .83 cu. ft. airspace per chamber.

Dual GM Avalanche & Cadillac Escalade '02 and Up

A192-10CP Dual 10" sealed upfire enclosure, mounting depth 5.60", .80 cu. ft. airspace per chamber

Dual Universal SUV Enclosure

A122-12CP Dual 12" sealed down fire enclosure, mounting depth 8.5", 1.20 cu. ft. airspace per chamber.

Dodge Charger/Chrysler 300

A212-12CP Dodge Charger '06 and up, Chrysler 300 '05 and up, dual 12" enclosures.

Dodge Dakota Extended Cab Console

A241-10CP Single 10" enclosure.

Dual Dodge Ram '96–'01

A232-10CP Dual 10" sealed forward fire enclosure, mounting depth 7", .63 cu. ft. airspace per chamber.

Single Dodge Ram Quad Cab '02–'08 & New Crew Cab '02 and Up

A201-10CP Single 10" Dodge Ram Quad Cab 2002 and up.

Dual Doge RAM Quad Cab '02–'08 & New Crew Cab '02 and Up

Will fit 2010 with ½" spacers under seat brackets.

A202-10CP Dual 10" sealed upfire enclosure, mounting depth 7", .63 cu. ft. airspace per chamber.

A202-12CP Dual 12" sealed up fire enclosure, mounting depth 7", .63 cu. ft. airspace per chamber.

Dual Ford F-150 Extended Cab '97–'99

Must raise seat with spacers included in box, must also brace under seat.

A332-10CP Dual 10" Ford F150 Extended Cab '97–'99.

Single Ford F150 Extended Cab '97–'03

A331-10CP Single 10" down fire, mounting depth 5.25", 1.0 cu. ft. airspace per chamber.

Dual Ford F150 Extended Cab '00–'03

A302-10CP Dual 10" sealed down fire enclosure, mounting depth 5.75", .70 cu. ft. airspace per chamber.

A302-12CP Dual 12" sealed down fire enclosure, mounting depth 5.75", .70 cu. ft. airspace per chamber.

© 2014 VEI ALL RIGHTS RESERVED

ATREND EMPTY MDF SPEAKER BOXES

Single Ford F150 Extended Cab '04–'08 *(Or Super Crew Cab)*

A371-10CP Single 10" sealed down fire enclosure, mounting depth 5.5", .65 cu. ft. airspace per chamber.

Dual Ford F150 Extended Cab & Super Crew '04–'08

A372-10CP Dual 10" sealed down fire enclosure, mounting depth 5.5", .65 cu. ft. airspace per chamber.

Single Ford F150 Extended Cab '04–'08 *(Vented Enclosure)*

A321-10CP Single 10" up fire vented enclosure, mounting depth 5.5", 1.0 cu. ft. airspace per chamber.

Dual Ford F150 Extended Cab '09 and Up

A342-10CP Dual 10" box, Ford 150 Extended 2009 and up.

A342-12CP Dual 12" box, Ford 150 Extended 2009 and up.

Dual Ford F150 Super Crew Cab '00–'03

Must raise seat with spacers included in box.

A352-10CP Dual 10" sealed down fire enclosure, mounting depth 6.25", 1.05 cu. ft. airspace per chamber.

Single Ford F150 Crew Cab '09 & Up

A361-10CP Single 10" box, single Ford 150 Super Crew Cab 2009 and up.

Dual Ford F250/F350 Crew Cab '99–'04

A392-10CP Dual 10" Ford F250 and F350 Crew Cab 1999 and up.

Dual Ford F250/F350/F450 Crew Cab '04–'11 *(Electric Rear Window Version)*

A393-10CP Dual 10" front fire, mounting depth 5", .65 cu. ft. airspace per chamber.

Dual Ford Mustang Convertible or Hatchback

A312-10CP Dual 10" front fire, mounting depth 6.30", .85 cu ft airspace per chamber.

Jeep Wrangler '97–'06

A712-12CP Dual 12" enclosure.

Dual Toyota Tundra Crew Max *(Double Cab)* '07–'12

A602-10CP Dual 10" sealed down fire enclosure, mounting depth 4-3/8", shared air–space per chamber.

A602-12CP Dual 12" sealed down fire enclosure, mounting depth 4-3/8", shared airspace per chamber.

Coated Slammer Vented Enclosure

TL-12DV Dual 12" enclosure, 1.75 cu. ft. airspace per chamber.

© 2014 VEI ALL RIGHTS RESERVED

K9 Keyless Entry & Security

K9-160-LA Keyless Entry & Security. Up to 500' range, 1 auxiliary output, siren and horn outputs, 6-tone siren, built-in dual zone shock sensor, 8-programmable features, bright blue status light, English/ Spanish manual.

K9 Deluxe Keyless Entry & Security

K9-CLASSIC-EDP2 Deluxe Keyless Entry & Security. Up to 1500' range, ECHO compatible (except color), D2D port for module integration, backup battery port & holder, positive and negative light output, up to 4 auxiliary outputs, 2-in-1 Psyren, bright blue status light, AU-84TN shock sensor, English/Spanish manual.

Excalibur Deluxe 2-Way Security

AL-1510-EDP Deluxe 2-Way Keyless Entry & Security. Up to 1500' range, multi-vehicle display, multi-vehicle operation, D2D port for module integration, backup battery port & holder, positive & negative light output, up to 4 auxiliary outputs, 2-in-1 Psyren, bright blue status light, AU-84TN shock sensor.

K9 Keyless Entry & Security

K9-MUNDIAL-SSR-LA Full Featured Keyless Entry & Security. Up to 500' range, up to 3 auxiliary outputs, siren and horn outputs, 6-tone siren, AU-84TM shock sensor, 15-programmable features, bright blue status light, English/ Spanish manual.

K9 2-Way Keyless Entry & Security

K9-ECLIPSE2 2-Way Keyless Entry & Security. Up to 1500' range, multi-vehicle display, multi-vehicle operation, selectable light polarity, 2 aux outputs, 6-tone siren, AU-84TM shock sensor, onboard doorlock relays, hands-free proximity unlock, bright blue status light, English/ Spanish manual.

Basic Keyless Entry

REC-43T+ Keyless Entry. Up to 500' range, trunk release output, 3rd channel output.

K9 Keyless Entry & Security

K9-MUNDIAL-5 Full Featured Keyless Entry & Security. Up to 500'range, change–able transmitter inserts included, 1 auxiliary output, siren and horn outputs, positive and negative light output, 6-tone siren, AU-84TM shock sensor, bright blue status light, English/ Spanish manual.

Excalibur Keyless Entry & Security

EXCAL-500+ Full Featured Keyless Entry & Security. Up to 500' range, up to 3 auxiliary outputs, siren and horn outputs, 6-tone siren, AU-84TM shock sensor, 15-programmable features, bright blue status light, English/Spanish manual.

Deluxe Keyless Entry

REC-12 Deluxe Keyless Entry. Driver's door priority unlock, trunk release output, 3rd channel output, flashing light relay onboard, anti-carjack mode, ignition controlled doorlocks, passive locking, up to 500' range, horn output, 12-programmable features.

© 2014 VEI ALL RIGHTS RESERVED

REMOTE START LINEUP

ALL FEATURES PROGRAMMABLE WITH OL-LOADER VIA OmegaWebLink.com & WebLink Mobile

NEW

OL-WLM-AP1 Weblink Mobile
The Weblink Mobile cable accessory lets you flash your Omegalink interface modules and remote start kits with an iPod, iPad or iPhone.

RS-255-EDP+
Deluxe 2-Way Standalone
Remote Start

- One 2-Way Controller w/Green Backlit Buttons
- One 1-Button Remote w/Blue Backlit Buttons
- Up to 1500' Range
- Audible & Visual Confirmations
- Low Temp Auto Start, Rear Defrost Activation
- Dual Data Ports for Using Multiple Plug-in Upgrades
- Remote Buttons w/Blue Back-lighting
- CarLink Compatible
- Antenna w/Built-in Status Lights & Valet Switch

RS-251-EDP
Stand-alone Remote Start

- Up to 1500' Range
- Unlock Output
- Horn Output
- Window Mount Antenna w/Built-in Status Lights & Valet Switch
- Dual Data Ports for Using Multiple Plug-in Upgrades
- CarLink Compatible
- Remote Buttons w/Blue Back-lighting

RS-351-EDP
Keyless Entry & Remote Start

- Up to 1500' Range
- 4 Button Remotes
- ECHO Port for 2-Way Upgrade
- Horn Output
- Window Mount Antenna w/Built-in Status Lights & Valet Switch
- Dual Data Ports for Using Multiple Plug-in Upgrades
- Trunk Release
- Flashable System Firmware
- CarLink Compatible

RS-230-DPB
Deluxe Stand-alone Remote Start

WHILE SUPPLIES LAST!

- Up to 1500' Range
- Unlock Output
- Horn Output
- Window Mount Antenna
- Dual Data Ports for Using Multiple Plug-in Upgrades
- Remote Buttons w/Blue Back-lighting
- Blade Compatible
- CarLink Compatible

RS-350-EDP+
Deluxe Keyless Entry & Remote Start

- Up to 1500' Range
- 4 Button Remotes
- ECHO Port for 2-Way Upgrade
- Low Temp & Low Voltage Auto Start
- Low Temp Auto Crank Adjust
- Horn Output
- Antenna w/Built-in Status Lights & Valet Switch
- Dual Data Ports for Using Multiple Plug-in Upgrades
- CarLink Compatible

RS-250-EDPB
Deluxe Stand-alone Remote Start with Blade

- Echo 2-way upgrade compatible
- Up to 1500' Range
- Unlock Output
- Low Temp Auto Start, Rear Defrost Activation
- Window Mount Antenna w/Built-in Status Lights & Valet Swith
- Dual Data Ports for Using Multiple Plug-in Upgrades
- Remote Buttons have Blue Back-lighting
- Blade Compatible
- CarLink Compatible

RS-350-EDPB
Deluxe Keyless Entry & Remote Start with Blade

- Up to 1500' Range
- 4 Button Remotes
- ECHO Port for 2-Way Upgrade
- Low Temp & Low Voltage Auto Start
- Low Temp Auto Crank Adjust
- Horn Output
- Window Mount Antenna w/Built-in Status Lights & Valet Switch
- Dual Data Ports for Using Multiple Plug-in Upgrades
- Blade Compatible
- CarLink Compatible

© 2014 VEI ALL RIGHTS RESERVED

REMOTE START LINEUP

EXCALIBUR

1-MILE RANGE

RS-450-EDP + Deluxe Keyless Entry & Remote Start

- Up to 1-Mile Range, 900MHz
- 4 Button Remotes
- ECHO Port for 2-Way Upgrade
- Low Temp & Low Voltage Auto Start
- Low Temp Auto Crank Adjust
- Horn Output
- Window Mount Antenna w/Built-in Status Lights & Valet Switch
- Dual Data Ports for Using Multiple Plug-in Upgrades
- Trunk Release
- CarLink Compatible

AL-1851 -EDPB Deluxe 2-Way Security & Remote Start

- Up to 1500' Range
- Rechargeable LCD 2-Way Remote
- One 4 Button Remote
- Multi-Vehicle Operation
- Remote Start & Parking Timers
- 2 Data Ports Support 2 Accessories
- Blade Compatible
- CarLink Compatible

AL-1650-EDPB Deluxe Security & Remote Start

- Up to 1500' Range
- 4 Button Remotes
- ECHO Port for 2-Way Upgrade
- 2 Data Ports Support 2 Accessories
- Blade Compatible
- CarLink Compatible
- Blue Backlit Buttons

1-MILE RANGE

AL-1855-EDPB Deluxe 2-Way Security & Remote Start

- Up to 1-Mile Range, 900MHz
- Rechargeable LCD 2-Way Remote
- One 4 Button Remote
- Multi-Vehicle Operation
- Remote Start & Parking Timers
- Run Time Expiration Warning
- 2 Data Ports Support 2 Accessories
- Blade Compatible
- CarLink Compatible

1-MILE RANGE

AL-1750-EDPB Deluxe 1-Mile Security & Remote Start

- Up to 1-Mile Range, 900MHz
- 4 Button Remotes
- ECHO Port for 2-Way Upgrade
- 2 Data Ports Support 2 Accessories
- Red Backlit Buttons
- Blade Compatible
- CarLink Compatible

AL-1950-EDPB Deluxe 2-Way Security & Remote

- Up to 1500' Range
- Rechargeable 2-Way Color OLED Remote w/Charger
- One 4-Button Remote
- Multi-Vehicle Operation
- Remote Start & Parking Timers
- Run Time Expiration Warning
- 2 Data Ports Support 2 Accessories
- Blade Compatible
- CarLink Compatible

AL-1850-EDPB Deluxe 2-Way Security & Remote

- Up to 1500' Range
- One LCD 2-Way Remote
- One 4 Button Remote
- Multi-Vehicle Operation
- Remote Start & Parking Timers
- Run Time Expiration Warning
- 2 Data Ports Support 2 Accessories
- Blade Compatible
- CarLink Compatible

1-MILE RANGE

AL-2050-EDPB Deluxe 1-Mile 2-Way Security & Remote

- Up to 1-Mile Range, 900MHz
- Rechargeable 2-Way Color OLED Remote
- Car & Wall Chargers Included
- One 4 Button Remote
- Multi-Vehicle Operation
- Remote Start & Parking Timers
- Run Time Expiration Warning
- 2 Data Ports Support 2 Accessories
- Blade Compatible
- CarLink Compatible

© 2014 VEI ALL RIGHTS RESERVED

REMOTE START LINEUP

Smart Phone Interface

OMEGACARLINK-GPS Smart Phone Interface with GPS Tracking

2-Way Upgrade Kits

ECHO-3 2-Way Upgrade Kit. LCD display with blue back–lighting, 433 MHz super heterodyne technology, up to 1,500' range.

ECHO-4 2-Way Upgrade Kit. LCD display with blue back–lighting, 433 MHz super heterodyne technology, up to 1,500' range

ECHO-4HR 2-Way Upgrade Kit. 900 MHz, up to 1-mile range

ECHO-1 2-Way Upgrade Kit For 1-Button Remote Start. 2-Way confirmation, up to 1500' range with green button back-lighting

Plug-in RF Upgrade Kit

RF-10-EDP
Deluxe 1-Way/1-Button RF Kit
- Up to 1000' Range
- Unlock Capability
- Maintains Driver Settings in Vehicle
- Remote Buttons Have Blue Backlighting
- Antenna w/Built-in LED's and Valet Switch

Plug-in RF Upgrade Kit

RF-30-EDP
Deluxe 1-Way/4-Button RF Kit
- Up to 1500' Range
- Keyless Entry
- Trunk Release
- Maintains Driver Settings in Vehicle
- Data Ports Support up to 2 Accessories
- Remote Buttons Have Blue Backlighting
- Antenna w/Built-in LED's and Valet Switch

Plug-in RF Upgrade Kit

RF-50-EDP
Deluxe 2-Way
RF Kit
- Up to 1500' Range
- Keyless Entry
- Trunk Release
- Maintains Driver Settings in Vehicle
- Multi-vehicle Operation
- Remote Start & Parking Timers
- Run Time Expiration Warning
- Remote Buttons Have Blue Backlighting
- Antenna w/Built-in LED's and Valet Switch

NEW

OmegaLink Remote Starter Kits

- These RS kits allow you to do a full remote start in minutes, "Plug-N-Play" style.
- Comes complete with make specific module and T-harness.
- Most applications will work with vehicles original keyless entry remote or you can couple with an Omega RF Upgrade Kit.

OLRS-CH4 Covers 172 Chrysler, Dodge, Jeep, Ram and VW Models

OLRS-CH5 Covers 157 Chrysler, Dodge, and Jeep Models

NEW **OLRS-CH7** Covers 62 Chrysler, Dodge, Jeep and Ram Models

OLRS-FO1 Ford Vehicle Module and T-Harness Remotes Start Kits

OLRS-GM2 Covers 74 Chevrolet, Pontiac and Saturn Models

OLRS-GM7 Covers 38 Buick, Chevrolet and GMC Models

OLRS-GM10 Covers 269 Buick, Cadillac, Chevrolet, Hummer, GMC, Pontiac, Saturn and Suzuki Models

OLRS-BM1 Covers 220 BMW and Mini Models

OLRS-BZ1 Covers 174 Mercedes Benz Models

OLRS-BZ2 Covers 182 Mercedes Benz, Chrysler and Freightliner Models

OLRS-BZ3 Covers 148 Mercedes Benz Models

© 2014 VEI ALL RIGHTS RESERVED

REMOTE START LINEUP

OMEGALINK BLADE INTERFACES

Model	Description
OL-BLADE-AL-64	Multi Firmware 64K Blade Inteface
OL-BLADE-TB	Multi Firmware 64K Blade Inteface (Immobilizer Bypass Only)

OMEGALINK FLASHABLE INTERFACES

Model	Description
OL-MDB-ALL	Multi Firmware Omegalink Interface DL/IM
OL-MDB-GM1	Multi Firmware Omegalink Interface DL/IM (Non CAN Vehicles)
OL-MIB-KO	Multi Firmware Omegalink Interface (Immobilizer Bypass Only)

OMEGALINK FIXED APPLICATION INTERFACES

Model	Description
OL-IB-FMTL	Ford, Mazda, Toyota & Lexus Transponder Bypass
OL-IB-PL	VATs, Passlock, Passlock 2 & Passkey 3 Transponder Bypass

OMEGALINK ACCESSORIES

Model	Description
OL-LOADER	USB Programmer for Omegalink Interfaces
OL-CL-LINK	Adapter Harness for Omega Carlink to RS Kit
OL-LINK	Omegalink 4-pin D2D Connect
OL-HRN-CH4	T-Harness for CH4 Firmware
OL-RNG-GM3	GM Transponder Ring for PK3+

IMMOBILIZER BYPASS MODULES & DOORLOCK AND BYPASS MODULES

Model	Description
IB-GMBP	GM Passlock 2 & Passkey 3 Bypass Module
IB-MUX	2nd Generation Chrysler & GM Passkey 3 Bypass
IB-PLJX	Self Learning Passlock Bypass
PASS-3	Ford PATS1 Bypass
PASS-4	Universal Transponder Bypass (Key in the Box Solution)
DB-GMDLBP	GM Doorlock & Bypass Module

DOORLOCK ACCESSORIES

Model	Description
DLS	Pre-wired Doorlock Socket
DLR-U	Clip-on Doorlock Relays with Built-in Resisters
DLP-P3	Negative to Positive Pulse Doorlock Adpator - 5 Per Bag

SENSORS & PIN SWITCHES

Model	Description
AU-46TD	Digital Tilt Sensor
AU84TM	Dual Zone Shock Sensor
AU94TM	Mini Dual Zone Space Disturbance Sensor
AU45	Magnetic Reed Switch - 5 Per Bag
AU46	Mercury Tilt Switch - 5 Per Bag
IBMS-3	Mercury Switch with Leads
PSB	Flat Pin Switch Bracket
PSBL	L Shaped Pin Switch

© 2014 VEI ALL RIGHTS RESERVED

OMEGALINK INTERFACE MODULES

Model	Description
OL-MDB-ALL	Flashable Doorlock & Immobilizer Bypass *(comparable to ADS-AL-CA, FL-CAN)*
OL-MIB-KO	Flashable Transponder Bypass *(comparable to ADS-TB. FL-TB1)*
OL-LOADER	USB Interface for Programmable OmegaLink Modules
OL-IB-FMTL	Ford/Mazda & Toyota/Lexus Bypass *(comparable to ADS-TBSL-TL FL-TBF)*
OL-IB-PL	GM VATS/Passlock Bypass *(comparable to ADS-TBSL-PL, FL-TB2)*
OL-RNG-GM3	GM Passkey 3 Plug-in Ring for OL-MDB-ALL & OL-MDB-GM1
OL-HRN-C4	T-Harness for Tipstart CANBUS Chrysler

BLADE INTERFACE MODULES

Model	Description
OL-BLADE-AL-64	Blade All-in-One Module Onboard Doorlock & Immoblizier Bypass w/64K Processor
OL-BLADE-TB	Blade All-in-One Module Onboard Transponder Bypass

INTERFACE PRODUCTS

Model	Description
DB-GMDLBP	GM Passlock 2, Passkey 3 Doorlocks & Alarm
IB-GMBP	GM Passlock 2, Passkey 3 Bypass Kit
IB-PLJX	GM Self Learning All Passlock Override
IB-MUX	GM Passkey Transponder & Chrysler Sentry 2 Bypass
PASS-4	Universal Transponder System Bypass (key required)

INTERFACE PRODUCTS

Model	Description
TLA-ALL	Doorlock Interface & Key Bypass Module *(same as EVO-ALL)*
TLA-RIDE	Data Key Bypass Module *(same as EVO-RIDE)*
TLA-CHRT4	Chrysler Combo with Harness *(same as EVO-CHRT4)*
TLA-CHRT5	Chrysler Combo with Harness *(same as EVO-CHRT5)*
TLA-CHRT6	Chyrsler Push-to-Start Combo with T-Harness *(same as EVO-CHRT6)*
TLA-FORT1	Ford Combo with Harness
TLA-GM1	GM Combo Unit with Harness
TLA-GM2	GM Combo Unit with Harness
TLA-NIST1	Nissan Push-to-Start Combo with Harness
TLA-FLASHLINK	Internet Update Boot Loader
TLA-USB	USB Programming Cable

© 2014 VEI ALL RIGHTS RESERVED

REMOTE START LINEUP

RELAYS, RELAY SOCKETS & BATTERIES

Model	Description
AU-7	20/30 Amp Single Pole Double Throw Relay
RL3040	30/40 Amp Single Pole Double Throw Relay
ERS-123	Universal Pre-Wired 5-Wire Relay Socket
AUSOCKET-5	Universal Pre-Wired 5-Wire Relay Socket – 5 Per Bag
ERS-124	Relay Socket with Leads – 25 Per Bag
IB200	200 Amp Relay
IB500	500 Amp Relay
CR2016	Lithium Battery – 5 Pack
CR2025	Lithium 3V Battery – 5 Pack
CR2032	Lithium 3V Battery – 5 Pack
CR2450	Lithium 3V Battery – 5 Pack
12VBAT	GP-23 12V Remote Batteries – 5 Pack
12VBAT-GP27	GP-27 12V Remote Batteries – 5 Pack

DOORLOCK ACTUATORS

Model	Description
DS-2SQ	Square Style 2-Wire Actuator
DS-2.4	2-Wire Power Door Lock Actuator
DS-2.1	Heavy-Duty 2-Wire Door Lock Actuator
E-DLA	Economy Door Lock Actuator
DLA	Heavy-Duty 2-Wire Door Lock Actuator

VALET BUTTONS & TOGGLE SWITCHES

Model	Description
22GT	Toggle Switch Valet – 5 Per Bag
IBTSSS	On/Off Toggle Switch – 5 Per Bag
IBMTS	On/Off Mini Toggle Switch – 5 Per Bag
IBRRS	Round Rocker Switch – 5 Per Bag
IBRRSB	Blue Lit Round Rocker Switch – 5 Per Bag
IBRRSG	Green Lit Round Rocker Switch – 5 Per Bag
IBRRSO	Orange Lit Round Rocker Switch – 5 Per Bag
IBRRSP	Purple Lit Round Rocker Switch – 5 Per Bag
IBRRSR	Red Lit Round Rocker Switch – 5 Per Bag

DIODES

Model	Description
D1	1 Amp Diode – 20 Per Bag
D3	3 Amp Diode – 20 Per Bag
D6	6 Amp Diode – 20 Per Bag

© 2014 VEI ALL RIGHTS RESERVED

REMOTE START/ALARM LINEUP

REMOTE START FEATURES ARE PROGRAMMABLE VIA USB CABLE.
NO INTERNET REQUIRED!

RS.1
Stand-Alone Remote Start

- Up to 1000' Range
- Horn Output
- Built-in Remote Start Relays
- Antenna w/Built-in LED & Valet Switch
- ADS/Fortin Dual Data Compatible
- Tach, Tachless & Hybrid Modes
- Timer/Cold Start Mode
- Gasoline/Diesel Compatible
- Run Time Extender
- Dedicated Unlock Button

RS.2
Keyless Entry & Remote Start

- Up to 1000' Range
- 4 Button Remotes
- Multi-car Operation
- Horn Output
- Built-in Remote Start Relays
- Antenna w/Built-in LED & Valet Switch
- ADS/Fortin Dual Data Compatible
- Tach, Tachless & Hybrid Modes
- Timer/Cold Start Mode
- Gasoline/Diesel Compatible

RS.3
Deluxe Keyless Entry & Remote Start

- Up to 1500' Range
- 4 Button Metal Remotes
- Multi-car Operation
- Horn Output
- Built-in Remote Start Relays
- Antenna w/Built-in LED & Valet Switch
- ADS/Fortin Dual Data Compatible
- Tach, Tachless & Hybrid Modes
- Timer/Cold Start Mode
- Gasoline/Diesel Compatible

ARS.1
Deluxe Security & Remote Start

- Up to 1500' Range
- 4 Button Remotes
- Multi-car Operation
- Horn Output
- Built-in Remote Start Relays
- Antenna w/Built-in LED & Valet Switch
- ADS/Fortin Dual Data Compatible
- Tach, Tachless & Hybrid Modes
- Timer/Cold Start Mode
- Gasoline/Diesel Compatible

ARS.2
Deluxe 2-Way Security & Remote Start

- Up to 2000' Range
- One LCD 2-Way Remote
- One 4 Button Remote
- Multi-car Operation
- Built-in Remote Start Relays
- Antenna w/Built-in LED & Valet Switch
- ADS/Fortin Dual Data Compatible
- Tach, Tachless & Hybrid Modes
- Timer/Cold Start Mode
- Gasoline/Diesel Compatible

1-MILE RANGE

ARS.3
Deluxe 1-Mile Range 2-Way Security & Remote Start

- Up to 1-Mile Range
- One LCD 2-Way Remote
- One 4 Button Remote
- Multi-car Operation
- Built-in Remote Start Relays
- Antenna w/Built-in Spider LED & Valet Switch
- ADS/Fortin Dual Data Compatible
- Tach, Tachless & Hybrid Modes
- Timer/Cold Start Mode
- Gasoline/Diesel Compatible

AL.1
Security & Keyless Entry

- Up to 200' Range
- 4 Button Remotes
- 2-Stage, Built-in Shock Sensor
- One Aux Output
- Dome Light Supervision
- 6-Tone Siren
- Anti Hijack Mode
- Trunk Release
- Starter Disable

AL.2
Deluxe Security & Keyless Entry

- Up to 800' Range
- 4 Button Metal Remotes
- Outboard 2-Stage Shock Sensor
- Three Aux Output's
- Dome Light Supervision
- 6-Tone Siren
- Anti Hijack Mode
- Trunk Release
- Starter Disable
- Antenna w/Built-in LED & Valet Switch

© 2014 VEI ALL RIGHTS RESERVED

Dragon Distributing Is a "Full-Line" Stocking Distributor for Metra Kits and Harnesses!

New 2014 Kits Coming Soon!

FREE SHIPPING ON $350 METRA ORDERS

99-6520B
Dodge Journey with factory 4.3" screen 2011 and up.

99-5830B
Ford F150 with 4.3" screen 2013 and up.

99-3311B
Chevy Camaro '97–'02.

95-3303B
Malibu, Cobalt, Pontiac G6 '04–'08.

99-3014G
Silverado/GMC Sierra 2014 and up.

99-9600
Harley Davidson Touring Models '96–'13.

95-7862
Honda Accord '03–'07.

99-7804B
Honda Accord 2013 and up.

95-7355B
Kia Sorento 2014 and up.

99-7620B
Armada/Pathfinder '08–'13.

99-8241
Toyota Highlander 2013 and up.

99-9011B
Volkswagen Multi Kit.

© 2014 VEI ALL RIGHTS RESERVED

IMPORT WIRE HARNESSES & ANTENNA ADAPTERS

Model	Description
BW-8590	BMW HARNESS – Same as 70-8590
CH-6000	CHRYLSER HARNESS – Same as 70-1817
CH-6001	CHRYSLER HARNESS – Same as 70-6502
DA-8400	DAEWOO HARNESS – Same as 70-8405
FD-5000	FORD HARNESS – Same as 70-1770
FD-5001	FORD HARNESS – Same as 70-1771
FD-5002	FORD HARNESS – Same as 70-5600
FD-5003	FORD HARNESS – Same as 70-5700
FD-5011	FORD HARNESS – Same as 70-5511
FD-5012	FORD HARNESS – Same as 70-5512
FD-5014	FORD HARNESS – Same as 70-5514
GM-4000	GM HARNESS – Same as 70-1677-1
GM-4001	GM HARNESS – Same as 70-1858
GM-4002	GM HARNESS – Same as 70-2001
GM-4003	GM HARNESS – Same as 70-2002
GM-4004	GM HARNESS – Same as 70-2003
HO-7800	HONDA HARNESS – Same as 70-1720
HO-7801	HONDA HARNESS – Same as 70-1721
HY-7300	HYUNDAI HARNESS – Same as 70-7300
HY-7301	HYUNDAI HARNESS – Same as 70-7301
IP-1700	GEO/ISUZU HARNESS – Same as 70-1782
JP-1000	JEEP HARNESS – Same as 70-1002
KA-1003	KIA HARNESS – Same as 70-1003
MA-7900	MAZDA HARNESS – Same as 70-7901
MI-7000	MITSUBISHI HARNESS – Same as 70-1743
MI-7001	MITSUBISHI HARNESS – Same as 70-7001
NI-7400	NISSAN HARNESS – Same as 701763
NI-7401	NISSAN HARNESS – Same as 70-7550
SU-8900	SUBARU HARNESS – Same as 70-8901
TY-8100	TOYOTA HARNESS – Same as 70-1761
UN-0001	UNIVERSAL HARNESS – Same as 70-1692
VW-9000	VW HARNESS – SAME AS 70-1784

AD-CR1
Comparable to 40CR10

AD-CR2
Comparable to 40CR20

AD-EU1
Comparable to 40EU10

AD-GM1
Comparable to 40GM10

AD-GM12
Comparable to 40GM12

AD-GM2
Comparable to 40GM20

AD-NI1
Comparable to 40NI10

AD-NI11
Comparable to 40NI11

AD-VW1
Comparable to 40VW10

© 2014 VEI ALL RIGHTS RESERVED

VEHICLE INTEGRATION PRODUCTS

FM MODLATORS

Model	Description
AXM-DC02	UNIVERSAL STEREO AUDIO INPUT WIRED FM MODULATOR
AXM-DC01	UNIVERSAL WIRED FM MOD 30PIN/3.5/USB/RCA
AXM-DC-BT	BLUETOOTH FM MOD W/RDS FOR APPLE /ANDROID
AXM-DC-HF	BLUETOOTH FM MOD W/RDS FOR APPLE /ANDROID HANDS FREE CALL

CABLES

Model	Description
AXM-USB-MICRO	USB TO MICRO 3FT
AXM-USB-30	USB TO 30 PIN
AXM-USB-LTNG	i5 TO USB
AXM-I5-30	i5 TO 30 PIN ADAPTOR
AXM-I530-6	i5 TO 30 PIN FEMALE 6" CABLE

CHARGING PRODUCTS

Model	Description
AXM-CLA-M30L	CLA USB TO 30PIN/LIGHTNING 2.1 AMP
AXM-USB-CLA	CLA LOW PRO USB CHARGING 2.1AMP
AXM-2USB-CLA	CLA LOW PRO DUAL USB CHARGING 2.1AMP

DEVICE HOLDERS

Model	Description
AXM-SCM	UNIVERSAL SUCTION CUP MOUNT
AXM-CHM	UNIVERSAL CUP HOLDER MOUNT
AXM-HRM	UNIVERSAL HEAD REST MOUNT

© 2014 VEI ALL RIGHTS RESERVED

VEHICLE INTEGRATION PRODUCTS

Model	Description
STEERING WHEEL CONTROL	
ASWC-1	STEERING WHEEL CONTROL INTERFACE WITH MICRO B USB
ASWC-TOY-LEX	99-01 TOYOTA SIENNA SWC INTERFACE
AX-TOY28SWC	28 WAY TOYOTA SWC HARNESS WITH RCA
AX-NIS32SWC	32 WAY NISSAN SWC HARNESS
AX-SWC-PARROT	ASWC-1 TO PARROT RADIO HARNESS
IPOD INTEGRATION/AUX IN AFTERMARKET RADIOS	
A35-25MM-6	3.5MM MALE TO 2.5MM MALE 6 FOOT
A35-MM-2	3.5MM MALE TO MALE CABLE 3 FOOT
A35-MM-6	3.5MM MALE TO MALE CABLE 6 FOOT
A35-RCA-6	3.5MM MALE TO RCA 6 FOOT
AIP-35-RCA	IPOD AND 3.5MM TO RCA CABLE
AIP-AV5V	IPOD AUDIO VIDEO 5VOLT HARNESS
AIP-RCA5V	IPOD TO RCA WITH 5V CHARGING
AIP-USB35MM-12	IPHONE-POD TO USB-35 CBL 12'
AIP-USB35MM-36	IPHONE-POD TO USB-35 CBL 36'
AX-FM35EXTCB	6FT-3.5MM EXT CBL F/S MOUNT
AX-FMUSBEXTCB	6FT USB EXT CBL F/S MOUNT
AX-HYKIAUSB	2009-UP HYUNDAI/KIA USB RETENTION HARNESS
AX-MAZUSB	2013-UP MAZDA USB ADAPTOR
AX-NISUSB	2011-UP NISSAN USB RETENTION HARNESS
AX-NISUSB-2	2010-UP NISSAN USB RETENTION HARNESS
AX-SUBUSB	2008-UP SUBARU USB RETENTION HARNESS
AX-TOYUSB	2012-UP TOYOTA USB RETENTION HARNESS
AX-TOYUSB-2	2012-UP TOYOTA USB RETENTION HARNESS
AX-USB-35EXT	USB PLUS 3.5 WATERPROOF CABLE
AX-USB-MINIA	USB TO MINI A
AX-USB-MINIB	USB TO MINI B
LINE LEVEL/NOISE CONTROL	
AALC	2 CHANNEL REMOTE LEVEL CONTROLLER
AGL3.5	3.5 MM GROUND LOOP ISOLATOR
AX-ADCT2	2 CHANNEL 80 WATT LOC WITH TURN ON ADJUSTABLE
AX-ADCT4	4 CHANNEL 80 WATT DIFF CONV. WITH TURN ON ADJUSTABLE
AX-AGL610	2 CHANNEL GROUND LOOP ISOLATOR
AX-ALOC10	2 CHANNEL LOC 30 WATT MAX NON ADJUSTABLE
AX-ALOC608	DIGITAL 2 CHANNNEL LOC 80 WATT MAX ADJUSTABLE
AX-ALOC618	DIGITAL 2 CHANNNEL LOC 150 WATT MAX ADJUSTABLE
AX-ALOC648	DIGITAL 4 CHANNNEL LOC 80 WATT MAX ADJUSTABLE
AX-ALOC658	DIGITAL 4 CHANNNEL LOC 150 WATT MAX ADJUSTABLE
AX-ANR1000	35 WATT DIGITAL NIOSE FILTER
AX-FM01	FM MOD WITH IPOD AND USB
AX-LDBK	LINE DRIVER/LINE OUTPUT CONVERTOR
AX-MLOC720	2 CHANNEL MINI 80 WATT LOC WITH TURN-ON
AX-MLOC740	4 CHANNEL MINI 80 WATT LOC WITH TURN-ON
AX-MLOC725	2 CHANNEL MINI 150 WATT LOC WITH TURN-ON
AX-MLOC745	4 CHANNEL MINI 150 WATT LOC WITH TURN-ON
AX-MGLI01	MINI GROUND LOOP ISOLATOR

© 2014 VEI ALL RIGHTS RESERVED

Model	Description
REPLACE OEM RADIO	
AFDI-5V	12 VOLT TO 5 VOLT STEP DOWN, USED IN AMPLIFIED FORD SYSTEMS
AFDI-RSE-01	07-UP RETAIN REAR SEAT ENTERTAINMENT FORD/LINCOLN/MERCURY
AFDI-THX-01	07-UP THX TURN ON INTERFACE FORD/LINCOLN
AFSI-01	07-UP FORD SYNC RETENTION WITH NAV WIRES, LCD DISPLAY INCLUDED
AFSI-02	07-UP FORD SYNC RETENTION WITH NAV WIRES
AX-ADBOX1	AD INTERFACE WITH DIGITAL FADE
AX-ADBOX2	AD INTERFACE WITHOUT DIGITAL FADE
AX-ADCH01	2004-09 CHRYSLER AD HARNESS
AX-ADCH02	2008-UP CHRYSLER AD HARNESS
AX-ADCH100	2004-UP AUTO DETECT CHRYSLER INTERFACE
AX-ADFD01	2007-UP FORD AD HARNESS
AX-ADFD02	2011-UP FORD AD HARNESS
AX-ADFD100	2007-UP AUTO DETECT FORD INTERFACE
AX-ADGM01	2006-UP GM LAN 29 AD HARNESS
AX-ADGM02	2006-UP GM LAN 11 AD HARNESS
AX-ADGM03	2000-UP GM CLASS 2 AD HARNESS
AX-ADGM100	2000-UP AUTO DETECT GM INTERFACE
AX-ADMZ01	2007-UP MAZDA AD HARNESS
AX-ADTY01	2003-UP TOYOTA AMPLIFIED AD HARNESS
AX-ADVW01	2003-UP VW AD HARNESS
AX-ADXSVI	AD XSVI INTERFACE
AX-ADXSVI-GM1	07-UP GM XSVI HARNESS
AX-ADXSVI-GM2	06-UP GM XSVI HARNESS
AX-ADXSVI-GM3	00-UP GM XSVI HARNESS
AX-ADXSVI-GM4	04-UP GM XSVI HARNESS
AX-ADXSVI-CH1	04-UP CHRYSLER XSVI HARNESS
AX-ADXSVI-CH2	07-UP CHRYSLER XSVI HARNESS
AX-ADXSVI-CH3	13-UP CHRYSLER XSVI HARNESS
AX-ADXSVI-FD1	07-UP FORD XSVI HARNESS
AX-ADXSVI-FD2	12-UP FORD XSVI HARNESS
AX-ADXSVI-FT1	12-UP FIAT XSVI HARNESS
AX-ADXSVI-MB1	00-04 MERCEDES BENZ XSVI HARNESS
AX-ADXSVI-MB2	05-UP MERCEDES BENZ XSVI HARNESS
AX-ADXSVI-SP1	07-UP SPRINTER XSVI HARNESS
AX-ADXSVI-SP2	07-UP SPRINTER XSVI HARNESS
AX-ADXSVI-VW1	03-UP VW XSVI HARNESS
BACKUPCAM	BACKUP CAM RETENTION LAN29 SYS
BACKUPCAM-2	2012-UP GM BACKUP CAMERA RETENTION HARNESS
BMRC-01	07-UP MINI, 1 SERIES CHIME RETENTION, BUILT IN SPEAKER, NAV WIRES
CHRYSAV	2008-UP CHRYSLER RSE RETENTION HARNESS
CHTO-01	04-UP CHRYSLER CAN AMP TURN-ON
CHTO-013	04-UP CHRYSLER, DODGE, JEEP INTERFACE
CHTO-02	05-09 CHRYSLER PACIFICA TURN ON DEVICE
CHTO-03	07-UP CHRYSLER TURN ON DEVICE
GMOS-01	00-06 CLASS 2 ONSTAR INTERFACE NON AMPLIFIED SYSTEMS
GMOS-014	00-UP GM CLASS 2 ONSTAR RETENTION AMP/NON AMP/RSE
GMOS-04	00-06 CLASS 2 ONSTAR INTERFACE AMPLIFIED SYSTEMS
GMOS-044	10-UP GM 44WAY ONSTAR RETENTION AMP/NON AMP
GMOS-05	00-05 DOCK-N-LOCK NON AMPLIFIED ONSTAR INTERFACE
GMOS-06	00-04 CADILLAC ONSTAR AMPLIFIED INTERFACE
GMOS-07	05-06 EQUINOX/TORRENT NON AMPLIFIED
GMOS-08	05-06 EQUINOX/TORRENT AMPLIFIED
GMOS-09	00-05 DOCK-N-LOCK AMPLIFIED ONSTAR INTERFACE
GMOS-10	03-06 CADILLAC CTS SRX
GMOS-12	04-05 SATURN ONSTAR INTERFACE
GMOS-13	06-10 CADILLAC STS ONSTAR AMPLIFIED INTERFACE

© 2014 VEI ALL RIGHTS RESERVED

Model	Description
REPLACE OEM RADIO (Continued from page 107)	
GMOS-LAN-01	06-UP GM LAN29 NON AMPLIFIED ONSTAR INTERFACE
GMOS-LAN-012	06-UP GM LAN29 ONSTAR RETENTION AMP/NON AMP/SAT
GMOS-LAN-02	06-UP GM LAN29 NON – DIGITAL AMPLIFIED ONSTAR INTERFACE
GMOS-LAN-03	06-UP GM LAN11 NON AMPLIFIED ONSTAR INTERFACE
GMOS-LAN-034	06-UP GM LAN 11 ONSTAR RETENTION AMP/NON-AMP
GMOS-LAN-04	06-UP GM LAN11 AMPLIFIED ONSTAR INTERFACE
GMOS-LAN-06	06-07 SATURN ONSTAR INTERFACE
GMOS-LAN-07	2012-UP GM 44 WAY INTERFACE
GMOS-LAN-08	2012-UP GM ONSTAR INTERFACE
GMOS-LAN-09	2014 GM SILVERADO AND SIERRA 1500 INTERFACE
GMRC-01	00-05 CHIME RETENTION WITH BUILT IN SPEAKER
GMRC-02	00-05 CHIME RETENTION USES OEM SPEAKER
GMRC-03	00-06 CHIME RETENTION WITH BUILT IN SPEAKER
GMRC-04	00-04 CHIME RETENTION WITH BUILT IN SPEAKER DOCK AND LOCK
GMRC-05	05-06 CHEVY EQUINOX/ PONTIAC TORRENT CHIME RETENTION WITH SPEAKER
GMRSAV	RSE RETENTION LAN29 SYSTEMS
GMRSAV-2	2012-UP GM RSE RETENTION HARNESS
HYBL-01	HYUNDIA BLUE LINK INTERFACE
HYBL-02	2011-UP VELOSTER INTERFACE
HYBL-03	2010-UP TUSCON SPIDIF INTERFACE
HYBL-04	HYUNDAI SPIDIF/BLUELINK INTERFACE
HYBL-05	VELOSTER BLUE-LINK INTERFACE
LC-GMRC-01	00-UP CLASS 2 ECONOMY CHIME RETENTION WITH BUILT IN SPEAKER
LC-GMRC-044	GM 44 WAY ACCESSORY INTERFACE WITH CHIME
LC-GMRC-LAN-01	06-UP GM LAN29 ECONOMY CHIME RETENTION WITH BUILT IN SPEAKER
LC-GMRC-LAN-03	06-UP GM LAN11 ECONOMY CHIME RETENTION WITH BUILT IN SPEAKER
LC-GMRC-LAN-09	14 GM SILVERADO & SIERRA 1500 CHIME RETENTION WITH BUILT IN SPEAKER
MITO-01	06-10 MITSUBISHI TURN ON INTERFACE
MITO-02	07-UP LANCER/OUTLANDER AMP TURN ON
MZCC-01	MAZDA CX9 CC RETENTION IFACE
MZTO-01	07-10 MAZDA CX-7/CX-9 BOSE AMP TURN ON
VWTO-01	VW FENDER SYSTEM INTERFACE
NIRD-01	07-UP NISSAN SENTRA RETAIN DISPLAY
TRIGGER	MULTI-FUNCTION TRIGGER INTER
TYTO-01	03-UP TOYOTA/LEXUS TURN ON DEVICE
TYTO-02	12-UP TOYOTA TURN ON DEVICE
USB-CAB	INTERFACE UPDATE CABLE
USB-MINI-CAB	MICRO B UDPATE CABLE
XSVI-1784-NAV	07-UP SPRINTER RAP RETENTION WITH NAV
XSVI-1785-NAV	00-04 MERCEDES BENZ R.A.P. INTERFACE
XSVI-1788-NAV	2007-UP DODGE/MERCEDES SOUND 20 INTERFACE
XSVI-2003-NAV	05-UP GM CL2 RAP RETENTION WITH NAV
XSVI-2004	97-04 CORVETTE AMP INTERFACE
XSVI-2103-NAV	04-UP GM LAN RAP RETENTION WITH NAV
XSVI-2104-NAV	06-UP GM LAN RAP RETENTION WITH NAV
XSVI-2105-NAV	06-UP GM LAN RAP RETENTION WITH NAV
XSVI-5520-NAV	06-UP FORD CAN RAP RETENTION WITH NAV
XSVI-5521-NAV	06-UP FORD CAN RAP STANDARD AMP RETENTION WITH NAV
XSVI-5524-NAV	2011 FIESTA RAP WITH NAV
XSVI-6502-NAV	04-UP CHRY CAN RAP RETENTION WITH NAV
XSVI-6515-NAV	2012-UP FIAT 500 RAP INTERFACE
XSVI-6522-NAV	07-UP CHRY CAN RAP RETENTION WITH NAV
XSVI-6523-NAV	2013-UP DODGE CAN RAP RETENTION WITH NAV
XSVI-9003-NAV	02-UP VW CAN RAP RETENTION WITH NAV
XSVI-9005-NAV	05-UP MERCEDES BENZ R.A.P. INTERFACE

© 2014 VEI ALL RIGHTS RESERVED

Car Audio Integration

Model	Description
SONGM-11	OnStar® Radio Replacement for GM Class II Vehicles
SOOGM-15	OnStar® Radio Replacement Interface for Select GM Class II Vehicles with SWC
SOOGM-16	OnStar® Radio Replacement Interface for Select GM LAN 29-Bit Vehicles with SWC
SOOGM-16A	SUVs and Trucks 2012-Upwards with Factory Navigation Radios
SOOGM-16B	OnStar® Radio Replacement Interface for Select GM LAN 11-Bit Vehicles with SWC
CRUX-2333A	Cable for Retention of Rear Seat Entertainment in GM Vehicles
SWRGM-48	Radio Replacement with SWC Retention for GM Class II Vehicles
SWRGM-49	Radio Replacement with SWC Retention for GM LAN 29 bit Vehicles
SWRGM-51	Radio Replacement with SWC Retention for GM LAN 11 bit Vehicles
SWRVW-52	Radio Replacement with SWC Retention for Volkswagen Vehicles
SWRFT-53	Radio Replacement with SWC Retention for Fiat Vehicles
SWRVL-54	Radio Replacement with SWC Retention for Volvo Vehicles
SWRAD-55	Radio Replacement with SWC Retention for Audi Vehicles
SWRBM-57	Radio Replacement with SWC Retention for Mercedes, BMW, Porsche and Smart
SWRSB-58	Radio Replacement with SWC Retention for Saab Vehicles
SWRCR-59D	Radio Replacement with SWC Retention for Dodge Ram Vehicles 2013-Up
SOCGM-17	Radio Replacement Interface with Chime for GM Class II
SOCGM-18	Radio Replacement for GM LAN 29-Bit Vehicles
SOCGM-18B	Radio Replacement for GM LAN 11-Bit Systems
SOHTL-20	Radio Replacement for Toyota & Lexus Vehicles with JBL Sound Systems
SOCVW-21	Radio Replacement Interface for Volkswagen Vehicles
SOOCR-26	Radio Replacement for Chrysler, Dodge & Jeep Vehicles
SOOFD-27	Radio Replacement for Ford/Lincoln & Mercury
STPWR-01	Retrofit Performance Solution for Vehicles with “Stop-Start” Feature

© 2014 VEI ALL RIGHTS RESERVED

100% Oxygen-Free Copper 4-Ga. Amp Kit!

MK-4K 4 Ga. 100% Copper Maxkore Amplifier Kit

- 17' 4-Ga. Maxkore red OFC power cable,
- 3' 4-Ga. black OFC ground cable
- 20' 16-Ga. black OFC speaker cable
- 17' OFC quad shield satin black RCA cable
- ANL high conductivity brass fuse holder
- 150 Amp brass ANL gold plated fuse
- 6' split loom and accessories

SUPERFLEX SOFTTOUCH · BRASS FUSE · QUAD SHIELD RCA

100% Oxygen-Free Copper, Soft-Touch Speaker Wire with Extremely Flexible High Strand Bundles!

Model	Ga.	Color	Length
MKSW-10BK100	10	Black	100'
MKSW-12BK250	12	Black	250'
MKSW-16BK500	16	Black	500'

SUPERFLEX SOFTTOUCH · 100% OFC COPPER · HIGH STRAND COUNT

100% Oxygen-Free Copper, Soft-Touch Speaker Wire with Extremely Flexible High Strand Bundles!

Model	Ga.	Color	Length
MKPW-0R50	0	Red	50'
MKPW-4R100	4	Red	100'
MKPW-0BK50	0	Black	50'
MKPW-4BK100	4	Black	100'

SUPERFLEX SOFTTOUCH · 100% OFC COPPER · HIGH STRAND COUNT

Optimum Quad-Shield, Soft-Touch RCA with Twisted Center Conductor and Metal Tips!

Model	Length
MK-1.5	1.5'
MK-3	3'
MK-6	6'
MK-12	12'
MK-15	15'
MK-17	17'
MK-20	20'
MK-2M	2-Male Y
MK-2F	2-Female Y

QUAD SHIELD RCA · 100% OFC

© 2014 VEI ALL RIGHTS RESERVED

High Strand Ultra Flexible Soft Touch Amp Kits!

SR-4K Strandworx 4-Gauge ANL Amplifier Wiring Kit

- 17’ 4-Ga soft-touch blue premium power cable
- 3’ 4-Ga soft-touch solid gray premium ground cable
- 20’ 16-Ga blue/gunmetal premium speaker cable
- 17’ triple shield RCA cable
- ANL high conductivity brass fuse holder
- 125 Amp brass ANL gold plated fuse
- 6’ split loom and accessories

SR-0K Strandworx 0-Gauge ANL Amplifier Wiring Kit

- 17' 0-Ga soft-touch blue premium power cable
- 3' 0-Ga soft-touch solid gray premium ground cable
- 20' 16-Ga blue/gunmetal premium speaker cable
- 17' triple shield RCA cable
- ANL high conductivity brass fuse holder
- 200 Amp brass ANL gold plated fuse
- 6' split loom and accessories

SUPERFLEX SOFT TOUCH HIGH STRAND COUNT

Premium CCA High Strand Current Transfer Cable with Ultra Flexible Soft Touch Outer Jacket!

Model	Ga.	Color	Length
SXPW-0BL50	0	Blue	50'
SXPW-4BL100	4	Blue	100'
SXPW-0GM50	0	Gunmetal	50'
SXPW-4GM100	4	Gunmetal	100'

SUPERFLEX SOFT TOUCH HIGH STRAND COUNT

Premium CCA High Strand Current Transfer Cable with Ultra Flexible Soft Touch Outer Jacket!

Model	Ga.	Color	Length
SXSW-10BL100	10	Gray/Blue	100'
SXSW-12BL250	12	Gray/Blue	250'
SXSW-16BL500	16	Gray/Blue	500'

SUPERFLEX SOFT TOUCH HIGH STRAND COUNT

Triple Shielded Soft Touch OFC RCA for Sharply Defined Signal Transfer and Excellent Audio Accuracy!

Model	Length
SR-1.5	1.5'
SR-3	3'
SR-6	6'
SR-12	12'
SR-15	15'
SR-17	17'
SR-20	20'
SR-Y2M	2-Male Y
SR-Y2F	2-Female Y

100% OFC COPPER

© 2014 VEI ALL RIGHTS RESERVED

COMPETITION SERIES AMP KITS

K4-MANL
4 Ga. Competition Series Amp Kit

- 17' 4 Ga. Super Flex–Soft Touch Blue Power Wire
- 3' 4 Ga. Super Flex–Soft Touch Silver Ground Cable
- Mini ANL Fuse Holder
- 100 AMP Mini ANL Fuse
- 17' Competition Series RCA
- 25' 16 Ga. Speaker Cable
- 17' 18 Ga. Blue Remote Wire
- 6' Split Loom Tubing

K8-MANL
8 Ga. Competition Series Amp Kit

- 17' 8 Ga. Super Flex–Soft Touch Blue Power Wire
- 3' 8 Ga. Super Flex–Soft Touch Silver Ground Cable
- Mini ANL Fuse Holder
- 50 AMP Mini ANL Fuse
- 17' Competition Series RCA
- 25' 16 Ga. Speaker Cable
- 17' 18 Ga. Blue Remote Wire
- 6' Split Loom Tubing

CK-4Z2RCA
4 Ga. Competition Series Amp Kit

- 17' 4 Ga. Blue Super Flex–Soft Touch Power Cable
- (2) 17' Competition Series RCA Cable
- 3' 4 Ga. Silver Super Flex–Soft Touch Ground Cable
- 17' 18 Ga. Blue Remote Wire
- 25' 16 Ga. Speaker Wire
- ANL Heat Resistant Fuse Holder (ANLFH3)
- 150 Amp ANL Gold Plated Fuse (ANL150)
- 6' Split Loom and Accessories

CK-4DZ
4 Ga. Competition Series Amp Kit

- 17' 4 Ga. Super Flex–Soft Touch Blue Power Cable
- 17' Competition Series RCA Cable
- 3' 4 Ga. Super Flex–Soft Touch Silver Ground Cable
- 17' 18 Ga. Blue Remote Wire
- ANL Heat Resistant Fuse Holder
- 100 Amp ANL Nickel Plated Fuse
- AGU Heat Resistant Distribution Fuse Block
- Heat Resistant Power Distribution Ground Block
- 6' Split Loom and Accessories

CK-0DZ
0 Ga. Competition Series Amp Kit

- 17' 0 Ga. Super Flex–Soft Touch Blue Power Cable
- 3' 0 Ga. Super Flex–Soft Touch Silver Ground Cable
- ANL Heat Resistant Power Distribution Fuse Block (NANLFB02)
- ANL Heat Resistant Fuse Holder (NANLFH3)
- Heat Resistant Distribution Ground Block (NGB04)
- 250 Amp ANL Nickel Plated Fuse (ANL250)
- Heat Resistant Battery Terminal (NBTP01)
- Accessories

CK-4Z
4 Ga. Competition Series Amp Kit

- 17' 4 Ga. Super Flex–Soft Touch Blue Power Cable
- 17' Competition Series RCA Cable
- 3' 4 Ga. Super Flex–Soft Touch Silver Ground Cable
- 17' 18 Ga. Blue Remote Wire
- 25' 16 Ga. Speaker Wire
- ANL Heat Resistant Fuse Holder
- 100 Amp ANL Gold Plated Fuse
- 6' Split Loom and Accessories
- Wire Ties & Accessories

CK-2Z
2 Ga. Competition Series Amp Kit

- 17' 2 Ga. Super Flex–Soft Touch Blue Power Cable
- 17' Competition Series RCA Cable
- 3' 2 Ga. Super Flex–Soft Touch Silver Ground Cable
- 17' 18 Ga. Blue Remote Wire
- 25' 16 Ga. Speaker Wire
- ANL Heat Resistant Fuse Holder
- 150 Amp ANL Gold Plated Fuse
- 6' Split Loom and Accessories
- Wire Ties & Accessories

CK-8Z
8 Ga. Competition Series Amp Kit

- 17' 8 Ga. Super Flex–Soft Touch Blue Power Cable
- 17' Competition Series RCA Cable
- 3' 8 Ga. Super Flex–Soft Touch Silver Ground Cable
- 17' 18 Ga. Blue Remote Wire
- 25' 16 Ga. Speaker Wire
- AGU Heat Resistant Fuse Holder
- 50 Amp AGU Gold Plated Fuse
- 6' Split Loom
- Wire Ties & Accessories

© 2014 VEI ALL RIGHTS RESERVED

POWER SERIES & XTREME SERIES AMP KITS

PK-0RZ
0 Ga. Power Series Amp Kit

- 17' 0 Ga. Translucent Red LinkFlex Power Cable
- 17' Jammin' RCA Cable
- 3' 0 Ga. Translucent Black LinkFlex Ground Cable
- 17' 18 Ga. Blue Remote wire
- 25' 16 Ga. Speaker Wire
- ANL Heat Resistant Fuse Holder (ANLFH2)
- 200 Amp ANL Gold Plated Fuse (ANL200)
- Accessories

PK-0Z
0 Ga. Power Series Amp Kit

- 17' 0 Ga. Translucent Red LinkFlex Power Cable
- 3' 0 Ga. Translucent Black LinkFlex Ground Cable
- ANL Heat Resistant Fuse Holder (ANLFH2)
- 200 Amp ANL Gold Plated Fuse (ANL200)
- Accessories

PK-4ANL
4 Ga. Power Series Amp Kit

- 17' 4 Ga. Translucent Red LinkFlex Power Cable
- 17' Jammin' RCA Cable
- 3' 4 Ga. Black LinkFlex Ground Cable
- 17' 18 Ga. Blue Remote Wire
- 25' 16 Ga. Speaker Wire
- ANL Heat Resistant Fuse Holder
- 100 Amp ANL Gold Plated Fuse
- 6' Split Loom, Wire Ties, & Accessories

PK-4Z
4 Ga. Power Series Amp Kit

- 17' 4 Ga. Translucent Red LinkFlex Power Cable
- 17' Jammin' RCA Cable
- 3' 4 Ga. Black LinkFlex Ground Cable
- 17' 18 Ga. Blue Remote Wire
- 25' 16 Ga. Speaker Wire
- AGU Heat Resistant Fuse Holder
- 60 Amp AGU Gold Plated Fuse
- 6' Split Loom, Wire Ties, & Accessories

PK-8Z
8 Ga. Power Series Amp Kit

- 17' 8 Ga. Translucent Red LinkFlex Power Cable
- 17' Jammin' RCA Cable
- 3' 8 Ga. Black LinkFlex Ground Cable
- 17' 18 Ga. Blue Remote Wire
- 25' 16 Ga. Speaker Wire
- AGU Heat Resistant Fuse Holder
- 50 Amp AGU Gold Plated Fuse
- 6' Split Loom
- Wire Ties & Accessories

XK-4Z
4 Ga. X-treme Series Amp Kit

- 17' 4 Ga. Red LinkFlex Power Cable
- 17' RCA Cable
- 3' 4 Ga. Black LinkFlex Ground Cable
- 17' 18 Ga. Blue Remote Wire
- 17' 16 Ga. Speaker Wire
- AGU Heat Resistant Fuse Holder
- 60 Amp AGU Fuse
- 6' Split Loom
- Wire Ties & Accessories

XK-4ZANL
4 Ga. X-treme Series Amp Kit

- 17' 4 Ga. Translucent Red LinkFlex Power Cable
- 17' Jammin' RCA Cable
- 3' 4 Ga. Black LinkFlex Ground Cable
- 17' 18 Ga. Blue Remote Wire
- 25' 16 Ga. Speaker Wire
- ANL Heat Resistant Fuse Holder
- 100 Amp ANL Gold Plated Fuse
- 6' Split Loom
- Wire Ties & Accessories

XK-8Z
8 Ga. X-treme Series Amp Kit

- 17' 8 Ga. Red LinkFlex Power Cable
- 17' RCA Cable
- 3' 8 Ga. Black LinkFlex Power Cable
- 17' 18 Ga. Blue Remote Wire
- 17' 16 Ga. Speaker Wire
- AGU Heat Resistant Fuse Holder
- 50 Amp AGU Fuse
- 6' Split Loom
- Wire Ties & Accessories

© 2014 VEI ALL RIGHTS RESERVED

POWER WIRE & SPEAKER WIRE

Elite SuperFlex Soft Touch Power & Ground Wire

Model #	Ga.	Color	Length
STPW-0R50Z	0	Red	50'
STPW-4R100Z	4	Red	100'
STPW-8R250Z	8	Red	250'

STPW-0BL50Z	0	Blue	50'
STPW-4BL100Z	4	Blue	100'
STPW-8BL250Z	8	Blue	250'

STGW-0BK50Z	0	Black	50'
STGW-4BK100Z	4	Black	100'
STGW-8BK250Z	8	Black	250'

STGW-0S50Z	0	Silver Pearl	50'
STGW-4S100Z	4	Silver Pearl	100'
STGW-8S250Z	8	Silver Pearl	250'

StrandFlex Blue Speaker Wire
(Square Jacket)

Model #	GA.	Color	Length
SFSW-10BL100Z	10	Blue	100'
SFSW-12BL250Z	12	Blue	250'
SFSW-16BL500Z	16	Blue	500'
SFSW-18BL1000Z	18	Blue	1000'

Oxygen Cable Blue Speaker Wire
(Round Jacket)

Model #	Ga.	Color	Length
SW-10G100Z	10	Blue	100'
SW-12G250Z	12	Blue	250'
SW-16G500Z	16	Blue	500'
SW-18G1000Z	18	Blue	1000'

© 2014 VEI ALL RIGHTS RESERVED

RCA CABLES

StrandFlex RCAs

- Nickel Plated Center Pin
- Adjustable Compression RCA
- High Performance Outer Protective Metal
- Protective Rubber Grip
- Oxygen Free Noise Canceling Twisted Wire
- Micro Fiberglass Shielding
- Precision Metal Film Shielding
- Braided Fiberglass Nylon Shielding
- Ultra Flexible Exterior Cable Shielding
- Packed: Blister Shell

Model #	Length
SF-1.5	1.5'
SF-3	3'
SF-6	6'
SF-12	12'
SF-15	15'
SF-17	17'
SF-Y2M	2-Male Y
SF-Y2F	2-Female Y

Elite RCAs

- Gold Plated Split Tip
- Adjustable Compression RCA
- High Performance Outer Protective Metal
- Protective Rubber Grip
- Oxygen Free Noise Canceling Twisted Wire
- Micro Fiberglass Shielding
- Precision Metal Film Shielding
- Braided Fiberglass Nylon Shielding
- Ultra Flexible Exterior Cable Shielding
- Packed: Blister Shell

Model #	Length
EST-1.5Z	1.5'
EST-3Z	3'
EST-6Z	6'
EST-12Z	12'
EST-15Z	15'
EST-17Z	17'
EST-20Z	20'
EST-2MZ	2-Male Y
EST-2F	2-Female Y

Competition RCAs

- 24K Gold Plated Split Tip
- Adjustable Compression RCA
- Translucent Blue Jacket
- Oxygen Free Cable
- Electromagnetic Shield
- Spirally Wrapped Foil Shield
- Ultra Flexible Exterior Cable Shielding
- Packed: Blister Card

Model #	Length
CL-1.5Z	1.5'
CL-3Z	3'
CL-6Z	6'
CL-12Z	12'
CL-15Z	15'
CL-17Z	17'
CL-20Z	20'
CL-Y2MZ	2-Male Y
CL-Y2FZ	2-Female Y

X-Series RCAs

- Clear Plastic Jacket Shielded Cable
- High Performance
- Copper Conductor
- Gold Plated Split Tip
- Oxygen Free Cable
- Packed: Header Card

Model #	Length
XL-1.5Z	1.5'
XL-3Z	3'
XL-6Z	6'
XL-12Z	12'
XL-15Z	15'
XL-17Z	17'
XL-20Z	20'
XL-Y2MZ	2-Male Y
XL-Y2FZ	2-Female Y

Bulk X-Series RCAs

- Clear Plastic Jacket Shielded Cable
- High Performance
- Copper Conductor
- Gold Plated Split Tip
- Oxygen Free Cable
- Packed: 10 Pieces Per Bag

10 PACK!

Model #	Length
XLB-1.5Z	1.5'
XLB-3Z	3'
XLB-6Z	6'
XLB-12Z	12'
XLB-15Z	15'
XLB-17Z	17'
XLB-20Z	20'
XLBY-2MZ	2-Male Y
XLBY-2FZ	2-Female Y

UltraFlex Audio/Video RCAs

- Gold Plated Split Center Pin
- Direct Connect Negative Collar
- Plastic Outer Protective Grip
- Ultra Flexible Exterior Cable Shielding
- Oxygen Free Twisted Wire Conductors
- Electromagnetic Shielding
- Precision Metal Film Shielding

Model #	Length
UFAV-3	3'
UFAV-6	6'
UFAV-12	12'
UFAV-20	20'

© 2014 VEI ALL RIGHTS RESERVED

FUSE HOLDERS

AGUFH1 Single AGU Fuse Holder. 4/8 Ga., clear heat resistant plastic housing.

AGUFH1-B Bulk 10-Pack of Single AGU Fuse Holders. 4/8 Ga., clear heat resistant plastic housing.

NAGUFH3 Nickel Single AGU Fuse Holder. 4/8 Ga., clear heat resistant plastic housing.

NAGUFH3-B Bulk 10-Pack of Nickel Single AGU Fuse Holders. 4/8 Ga., clear heat resistant plastic housing.

NFB3428 2-Position AGU Power Distribution Block with Clear Heat Resistant Plastic Housing. 4 Ga. In/ (2) 8 Ga. Out.

ANLFH2 Single ANL Fuse Holder. 4/8 Ga., clear heat resistant plastic housing.

ANLFH2-B Bulk 10-Pack of Single ANL Fuse Holders. 4/8 Ga., clear heat resistant plastic housing.

NANLFH3 Nickel Single ANL Fuse Holder. 4/8 Ga., clear heat resistant plastic housing.

NANLFH3-B Bulk 10-Pack of Nickel Single ANL Fuse Holders. 4/8 Ga., clear heat resistant plastic housing.

ANLFH01 Single ANL Fuse Holder. 0/0 Ga., clear heat resistant plastic housing.

ANLFB01 2 Position ANL Fuse Holder. 0/4 Ga. In/ (2) 4 Ga. Out, 2 position ANL power distribution fuse block.

NANLFH04 Nickel Single ANL Fuse Holder. 0/0 Ga., clear heat resistant plastic housing.

MANLFH1 Single Mini ANL Fuse Holder. 4/8 Ga., clear heat resistant plastic housing.

MANLFB-428 2-Position Mini ANL Fused Distribution Block. 4Ga. In/ (2) 8 Ga. Out, clear heat resistant plastic housing.

GMA-10 GM Factory Vehicle Specific OEM Antenna Adaptor.

GMA-10B 10-Pack GM Factory Vehicle Specific OEM Antenna Adaptor.

CHD-07 Chrysler, Jeep, Dodge 2007 and up into car (22 pin plug) harness.

FD-03 Ford Harness into car (24 pin plug) harness.

PIO16-2KH Pioneer 16-pin harness 2003 and up.

© 2014 VEI ALL RIGHTS RESERVED

INSTALLATION ACCESSORIES

MANLFB-438 3-Position Mini ANL Fused Distribution Block. 4Ga. In/ (3) 8Ga. Out, clear heat resistant plastic housing.

GB-448 Distribution Ground Block. 4Ga. In, (4) 8Ga. Out.

NGB-1448 Nickel Distribution Ground Block. 4Ga. In, (4) 8Ga. Out.

GB-01 Distribution Ground Block. 0Ga. In, (6) 4Ga. Out.

NGB-04 Nickel Distribution Ground Block. 0Ga. In, (6) 4Ga. Out.

BTP01 Gold Battery Terminal. (1) 0Ga. / (1) 4Ga. / (2) 8Ga Inputs.

NBT-P03 Nickel Positive Battery Terminal with Clear Heat Resistant Plastic Housing. (1) 0Ga. / (1) 4Ga. / (2) 8Ga Inputs.

NBT-N03 Nickel Negative Battery Terminal with Clear Heat Resistant Plastic Housing. (1) 0Ga. / (1) 4Ga. / (2) 8Ga Inputs.

GMBAT-1 GM Gold Battery Post Terminal.

GMBAT-2 GM Gold Battery Post Extended Terminal.

Single Pack Gold ANL Fuses.
Available in 100A, 150A, 200A, 250A

ANL100, ANL150, ANL200, ANL250

Single Pack Nickel ANL Fuses.
Available in 100A, 150A, 200A, 250A.

ANL100-N, ANL150-N, ANL200-N, ANL250-N

Mini ANL Fuse 4-Packs.
Available in the 60A, 80A, 100A, 150A.

MANL60, MANL80, MANL100, MANL150

MAXI Fuse 10-Packs.
Available in the 20A, 30A, 40A, 50A, 60A.

MAX20A, MAX30A, MAX40A, MAX50A, MAX60A

Gold AGU Fuse 4-Packs. Available in the 30A, 40A, 50A, 60A, 80A, 100A.

AGU-30, AGU-40, AGU-50, AGU-60, AGU-80, AGU-100

© 2014 VEI ALL RIGHTS RESERVED

INSTALLATION ACCESSORIES

Package Blue Speaker Wire

SW16G30
30' 16Ga. Wire

SW12G15
15' 12Ga. Wire

500' Spools of 18Ga. Primary Wire

Available in 10 colors:
RW18-BK500Z Black
RW18-BL500Z Blue
RW18-O500Z Orange
RW18-R500Z Red
RW18-Y500Z Yellow
RW18-P500Z Purple
RW18-W500Z White
RW18-GY500Z Grey
RW18-BR500Z Brown
RW18-GN500Z Green

MP3C1 MP3 Adapter Cord.
Male to Male (3.5mm to 3.5mm), 5' cable.

MP3C1-B Bulk 10-Pack MP3 Adapter Cords. Male to Male (3.5mm to 3.5mm), 5' cable

MP3C2 RCA MP3 Adapter Cord.
RCA to 3.5mm jack, 5' cable.

NF-103 Ground Loop Isolator

NF-102 Noise Filter

NF-105 Ground Loop Isolator

HLC-2 Hi-Lo Converter with Adjustable Level Outputs

HLC-5R Hi-Lo Converter with Remote Trigger Output

HLC-1 Hi-Lo Converter with Adjustable Level Outputs

HLC-3 Hi-Lo Converter with Adjustable Level Outputs

Blister Carded Gold Ring Terminals

RT-8 8Ga.
2-Red, 2-Black

RT-4 4Ga.
2-Red, 2-Black

Bulk Ring Terminals

0-Ga.
Nickel, Bags of 20
RT020-NR Red,
RT020-NBK Black

0-Ga.
Gold, Bags of 20
RT020-GR Red,
RT020-GBK Black

4-Ga.
Nickel, Bags of 50
RT450-NR Red,
RT450-NBK Black

4-Ga.
Gold, Bags of 50
RT450-GR Red,
RT450-GBK Black

© 2014 VEI ALL RIGHTS RESERVED

12 VOLT INSTALLER PARTS

PRIMARY WIRE

18 Ga Primary Wire	500' Spool		500ft
Black	Blue	Brown	Green
Grey	Orange	Pink	Purple
Red	White	Yellow	

18 Ga Primary Wire	1000' Spool	1000ft
Black	Red	

16 Ga Primary Wire	500' Spool		500ft
Black	Blue	Brown	Green
Orange	Pink	Purple	Red
White	Yellow		

14 Ga Primary Wire	500' Spool		500ft
Black	Blue	Green	Orange
Red	White	Yellow	

12 Ga Primary Wire	500' Spool	500ft
Black	Red	

POWER WIRE

IBPC10-50	Blue 1/0ga 50'	50ft
IBPC04-125	Blue 4ga 125'	125ft
IBPC04R-125	Red 4ga 125'	125ft
IBPC08-250	Blue 8ga 250'	250ft
IBPC08R-250	Red 8ga 250'	250ft

GROUND WIRE

IBGN10-50	Smoke 1/0ga 50'	50ft
IBGN04-125	Smoke 4ga 125'	125ft
IBGN08-250	Smoke 8ga 250'	250ft

CLEAR SPEAKER WIRE

IBSW12-250	Clear 12ga Wire 250'	250ft
IBSW14-250	Clear 14ga Wire 250'	250ft
IBSW16-500	Clear 16ga Wire 500'	500ft
IBSW18-1000	Clear 18ga Wire 1,000'	1,000ft

RED/BLACK SPEAKER WIRE

SWRB12-500	12ga R/B Wire 500'	500ft
SWRB14-500	14ga R/B Wire 500'	500ft
SWRB16-500	16ga R/B Wire 500'	500ft
SWRB18-500	18ga R/B Wire 500'	500ft

SPEED WIRE 9 CONDUCTOR

MC918-250	18ga 9 Wire 250'	250ft

WATER RESISTANT SPEAKER PLUGS

JW4136	Male and Female Plugs	Pair

ACOUSTIC BAFFLES

VXT40	4" Round Baffle	Pair
VXT42	4" Shallow Round Baffle	Pair
VXT46	4 x 6" Oval Baffle	Pair
VXT462	4 x 6" Shallow Oval Baffle	Pair
VXT52	5" Round Shallow Baffle	Pair
VXT55	5 1/4" Round Baffle	Pair
VXT57	5 x 7" Oval Baffle	Pair
VXT60	6 1/2" Round Large Frame	Pair
VXT62	6" Round Shallow Lg Frame	Pair
VXT65	6 1/2" Round Small Frame	Pair
VXT652	6" Round Shallow Sml Frame	Pair
VXT68	6 x 8" Oval Standard Baffle	Pair
VXT69	6 x 9" Oval Baffle	Pair
VXT80	8" Round Standard	Pair
VXT92	6 x 9" Shallow Oval	Pair

ACOUSTIC BAFFLES

PSP2	2" x 11"	Compete Kit
PSP3	3" x 11"	Complete Kit
PSP4	4" x 11"	Complete Kit
PSP6	6" x 11"	Complete Kit

IB-AK8 Complete 8 Ga. Amp Kit. 1000 watt kit contains: 17' 8 Ga. blue power cable, 3' 8 Ga. black ground wire, 17' clear blue RCA cable, 25' speaker wire, 17' blue turn-on wire, AGU, fuseholder, plus 40 amp fuse.

IB-AK4 Complete 4 Ga. Amp Kit. 1600 watt amplifier kit contains: 17' 4 Ga. blue power cable, 3' 4 Ga. black ground wire, 17' clear blue RCA cable, 25' speaker wire, 17' clear blue turn-on wire, AGU fuse holder, plus 60 amp AGU fuse.

IB-AK4ANL Complete 4 Ga. Amp Kit. *SAME AS IB-AK 4 Ga. Amp Kit but with ANL fuse holder.*

IB-AK2 Complete 1/0 Ga. Amp Kit. 2000 watt amplifier kit contains: 17' 1/0 Ga. blue power cable, 3' 1/0 Ga. black ground wire, 17' clear blue RCA cable, 25' speaker wire, 17' clear blue turn-on wire, ANL fuse holder, plus 250 amp ANL fuse.

IB-AK01 Complete 1/0 Ga. Multi Amplifier Amp Kit. Kit contains: 17' 15.5MM clear blue power cable with 3/8" ring terminal, 8' clear blue power cable, 6' clear silver ground cable, 2 17' clear blue RCA cables, 20' clear blue remote turn-on wire, 15' speaker cable, 1 ANL fuse holder, 250 amp fuse, one 1 ANL fuse power distribution block, 2 pieces 100 amp fuse and 1 battery terminal.

© 2014 VEI ALL RIGHTS RESERVED

12 VOLT INSTALLER PARTS

CRIMP CAPS

RF128	18/14ga	100/bag
CC1210	12/10ga	100/bag

BUTT CONNECTORS

VINYL

RVBC	Red Vinyl	100/bag
BVBC	Blue Vinyl	100/bag
YVBC	Yellow Vinyl	100/bag
RVBV8	8ga Red Vinyl	100/bag
RVBV825	8ga Red Vinyl	25/bag
YVBC4	4ga Yellow Vinyl	25/bag

NYLON

RNBC	Red Nylon	100/bag
RNBC-1	Red Nylon	1000/bag
BNBC	Blue Nylon	100/bag
BNBC-1	Blue Nylon	1000/bag
YNBC	Yellow Nylon	100/bag
YNBC-1	Yellow Nylon	1000/bag

3M NYLON

3MRNB	3M Red Nylon	100/bag
3MBNB	3M Blue Nylon	100/bag
3MYNB	3M Yellow Nylon	100/bag

HEAT SHRINK BUTTS

HSRBC	Red Heat Shrink	100/bag
HSBBC	Blue Heat Shrink	100/bag
HSYBC	Yellow Heat Shrink	50/bag
HSRBC8	8ga Heat Shrink	25/bag

T TAPS

ECONOMY

RTT	Red 22/18ga	100/bag
BTT	Blue 16/14ga	100/bag
YTT	Yellow 12/10ga	100/bag

3M TTAP

3MRTT	3M Red 22/18ga	100/bag
3MBTT	3M Blue 16/14ga	100/bag
3MYTT	3M Yellow 12/10ga	100/bag

SCOTCH LOKS

ECONOMY

RSL	Red 22/18ga	100/bag
BSL	Blue 16/14ga	100/bag
YSL	Yellow 12/10ga	100/bag

3M SCOTCH LOK

3MRSL	Red 22/18ga	100/bag
3MBSL	Blue 16/14ga	100/bag
3MYSL	Yellow 12/10ga	100/bag
3MBRSL	Brown 16/14 &12/10	100/bag

RING TERMINALS

RED 22/18 GAUGE

RVRT6	Red Vinyl #6	100/bag
RVRT8	Red Vinyl #8	100/bag
RVRT10	Red Vinyl #10	100/bag

BLUE 16/14 GAUGE

BVRT6	Blue Vinyl #6	100/bag
BVRT8	Blue Vinyl #8	100/bag
BVRT10	Blue Vinyl #10	100/bag
BVRT14	Blue Vinyl 1/4"	100/bag
BVRT516	Blue Vinyl 5/16"	100/bag
BVRT38	Blue Vinyl 3/8"	100/bag
BVSRT8	Blue Star Ring #8	100/bag
BVSRT10	Blue Star Ring #10	100/bag

YELLOW 12/10 GAUGE

YVRT8	Yellow Vinyl #8	100/bag
YVRT10	Yellow Vinyl #10	100/bag
YVRT14	Yellow Vinyl 1/4"	100/bag
YVRT516	Yellow Vinyl 5/16"	100/bag
YVRT38	Yellow Vinyl 3/8"	100/bag

RED 8 GAUGE

RVRT88	8ga Red Vinyl #8	25/bag
RVRT8516	8ga Red Vinyl 5/16"	25/bag
RVRT838	8ga Red Vinyl 3/8"	25/bag
RVRT812	8ga Red Vinyl 1/2"	25/bag

YELLOW 4 GAUGE

YVRT4516	Yellow Vinyl 4ga 5/16"	25/bag
YVRT438	Yellow Vinyl 4ga 3/8"	25/bag
YVRT412	Yellow Vinyl 4ga 1/2"	25/bag
YVRT6	Yellow Vinyl 4ga #6	25/bag

VINYL QUICK DISCONNECTS

FEMALE RED 22/18 GAUGE

RVFD110	Red Vinyl .110	100/bag
RVFD187	Red Vinyl .187	100/bag
RVFD205	Red Vinyl .205	100/bag
RVFD250	Red Vinyl .250	100/bag

FEMALE BLUE 16/14 GAUGE

BVFD110	Blue Vinyl .110	100/bag
BVFD187	Blue Vinyl .187	100/bag
BVFD205	Blue Vinyl .205	100/bag
BVFD250	Blue Vinyl .250	100/bag

FEMALE YELLOW 12/10 GAUGE

YVFD250	Yellow Vinyl .250	100/bag

MALE RED 22/18 GAUGE

RVMD250	Red Vinyl .250	100/bag

MALE BLUE 16/14 GAUGE

BVMD250	Blue Vinyl .250	100/bag

MALE YELLOW 12/10 GAUGE

YVMD250	Yellow Vinyl .250	100/bag

INSULATED QUICK DISCONNECTS

FEMALE RED 22/18 GAUGE

RNFD250F	Red Nylon .250	100/bag
3MRNFD250F	3M Nylon .250	100/bag

FEMALE BLUE 16/14 GAUGE

BNFD250F	Blue Nylon .250	100/bag
3MBNFD250F	3M Nylon .250	100/bag

FEMALE YELLOW 12/10 GAUGE

YNFD250F	Yellow Nylon .250	100/bag
3MYNFD250F	3M Nylon .250	100/bag

MALE RED 22/18 GAUGE

RNMD250F	Red Insulated .250	100/bag
3MRNMD250F	3M Red Insulated .250	100/bag

MALE BLUE 16/14 GAUGE

BNMD250F	Blue Insulated .250	100/bag
3MBNMD250F	3M Blue Insulated .250	100/bag

MALE YELLOW 12/10 GAUGE

YNMD250F	Yellow Insulated .250	100/bag
3MYNMD250F	3M Yellow Ins .250	100/bag

SPADE (FORK) TERMINALS

RED 22/18 GAUGE

RVST6	Red 22/18ga #6	100/bag
RVST8	Red 22/18ga #8	100/bag
RVST10	Red 22/18ga #10	100/bag

BLUE 16/14 GAUGE

BVST6	Blue 16/14ga #6	100/bag
BVST8	Blue 16/14ga #8	100/bag
BVST10	Blue 16/14ga #10	100/bag
BVLST8	Blue 16/14ga #8 Locking	100/bag

YELLOW 12/10 GAUGE

YVST6	Yellow 12/10ga #6	100/bag
YVST8	Yellow 12/10ga #8	100/bag
YVST10	Yellow 12/10ga #10	100/bag
YVLST8	Yellow 12/10ga #8 Locking	100/bag

RED 8 GAUGE

RVST88	Red 8ga #8	25/bag
US810-50	8ga #10 Nickel 25 black/25 red	25 pr

YELLOW 4 GAUGE

US410	4ga #10 Nickel 5 black/5 red	5pr
US410-50	4ga #10 Nickel 25 black/25 red	25pr

© 2014 VEI ALL RIGHTS RESERVED

12 VOLT INSTALLER PARTS

BULLET CONNECTORS

RED 22/18 GAUGE

RVMB	Male Bullet Connector	100/bag
RVFB	Female Bullet Connector	100/bag

BLUE 16/14 GAUGE

BVMB	Male Bullet Connector	100/bag
BVFB	Female Bullet Connector	100/bag

BLACK CABLE TIES

BCT4	4" Cable Tie	100/bag
BCT4-1	4" Cable Tie	1000/bag
BCT6	6" Cable Tie	100/bag
BCT6-1	6" Cable Tie	1000/bag
BCT8-IB	8" Cable Tie	100/bag
BCT8-1	8" Cable Tie	1000/bag
BCT11	11" Cable Tie	100/bag
BCT14	14" Cable Tie	100/bag
BCT24	24" Cable Tie	100/bag
BCT36	36" Cable Tie	100/bag

HOLE MOUNT CABLE TIES

BMCT6	6" Hole Mount	100/bag
BMCT7	7" Hole Mount	100/bag
BMCT11	11" Hole Mount	100/bag

CABLE TIE MOUNTING PAD

CTM34	3/4" X 3/4" Cable Mount	100/bag
CTM1	1" X 1" Cable Mount	100/bag

SNAP BUSHINGS

SB16	16ga .155" ID .323" OD	100/bag
SB10	10ga .225" ID .351" OD	100/bag
SB8	8ga .315" ID .391 OD	100/bag
SB4	4ga .402 ID .595 OD	100/bag
SB1	1ga .605 ID .745 OD	100/bag
SB0	0 ga .735 ID .825 OD	100/bag

LOCKWASHERS

IELW10	#10 Int/Ext /Lockwasher	100/bag
ELW8	Washer-External Lock #8	100/bag

SPLIT LOOM

SLT14	100' 1/4" Split Loom	100 ft
SLT145	500' 1/4" Split Loom	500 ft
SLT38	100' 3/8" Split Loom	100 ft
SLT12	100' 1/2" Split Loom	100 ft
SLT122	200' 1/2" Split Loom	200 ft
SLT58	100' 5/8" Split Loom	100 ft
SLT34	100' 3/4" Split Loom	100 ft
SLT1	100' 1" Split Loom	100 ft
SLT18	100' 1/8" Split Loom	100 ft

CABLE CLAMPS

BCC18	1/8" Black Clamp	100/bag
BCC14	1/4" Black Clamp	100/bag
BCC38	3/8" Black Clamp	100/bag
BCC12	1/2" Black Clamp	100/bag
BCC34	3/4" Black Clamp	100/bag
BCC1	1" Black Clamp	100/bag
BCC516	5/16" Black Clamp	100/bag
BCC316	3/16" Black Clamp	100/bag

BACKSTRAPS

BS9	9" Back Strap	Each
BS9HD	9" Heavy Duty	Each
BS18	18" Back Strap	Each

ANDERSON QUICK DISCONNECT

SB50	Red 8ga Connector 2 needed	Each
SB120	Blue 4ga Connector 2 needed	Each
SB175	Yellow 1ga Connector 2 needed	Each

3M HEAT SHRINK TUBING

3MHST18	1/8" 4' Black	4ft
3MHST18-1	1/8" 100' Black	100ft
3MHST316	3/16" 4' Black	4ft
3MHST316-1	3/16" 100' Black	100ft
3MHST14	1/4" 4' Black	4ft
3MHST14-1	1/4" 100' Black	100ft
3MHST38	3/8" 4' Black	4ft
3MHST38-1	3/8" 100' Black	100ft
3MHST12	1/2" 4' Black	4ft
3MSHT12-1	1/2" 100' Black	100ft
3MHST34	3/4" 4' Black	4ft
3MHST34-1	3/4" 100' Black	100ft
3MHST1	1" 4' Black	4ft
3MHST1-1	1" 100' Black	100ft

GLUE STICKS

HMGS	Black Hot Melt 10" Stick	8/bag
HMGSC	Clear Hot Melt 10" Stick	8/bag
HMAHS	Amber High Strength Stick	8/bag

PHILLIPS OVAL HEAD

POH812	#8 X 1/2"	500box
POH834	#8 X 3/4"	500/box
POH81	#8 X 1"	500/box
POH8112	#8 X 1 1/2"	500/box
POH82	#8 X 2"	500/box

PHILLIPS PAN HEAD

PPH814	#8 X 1/4"	500/box
PPH812	#8 X 1/2"	500/box
PPH834	#8 X 3/4"	500/box
PPH81	#8 X 1"	500/box
PPH8112	#8 X 1 1/2"	500/box
PPH82	#8 X 2"	500/box

PHILLIPS PAN HEAD TEK

PPHT812	#8 X 1/2"	500/box
PPHT834	#8 X 3/4"	500/box
PPHT81	#8 X 1"	500/box
PPHT8112	#8 X 1 1/2"	500/box

PHILLIPS WAFER HEAD

PWHS812	#8 X 1/2"	500/box
PWHS834	#8 X 3/4"	500/box
PWHS81	#8 X 1"	500/box

PHILLIPS WAFER HEAD TEK

PWHT812	#8 X 1/2"	500/box
PWHT834	#8 X 3/4"	500/box
PWHT81	#8 X 1"	500/box

PHILLIPS STINGER

PST61	#8 X 1"	500/box
PST6114	#8 X 1 1/4"	500/box
PST6112	#8 X 1 1/2"	500/box
PST62	#8 X 2"	500/box
PST83	#8 X 3"	500/box

© 2014 VEI ALL RIGHTS RESERVED

12 VOLT INSTALLER PARTS

HEX WASHER HEAD TEK

HWHT812	#8 X 1/2"	500/box
HWHT834	#8 X 3/4"	500/box
HWHT81	#8 X 1"	500/box

CAMOUFLAGE SCREW CAPS

CSC	Black Screw Caps	100/bag
CSC106	Off White Screw Cap	100/bag
CSC122	Tan Screw Cap	100/bag
CSC151	Navy Blue Cap	100/bag
CSC160	Red Screw Cap	100/bag
CSC172	Silver Grey Screw Cap	100/bag
CSK-BN	Brown Screw Cap	100/bag
CSK-CH	Charcoal Screw Cap	100/bag
CSK-DB	Dark Blue Screw Cap	100/bag
CSK-DG	Dark Grey Screw Cap	100/bag
CSK-DR	Dark Red Screw Cap	100/bag
CSK-LB	Light Brown Screw Cap	100/bag
CSK-WH	White Screw Cap	100/bag

ANL FUSEHOLDER

ANLFH	Nickel ANL Fuseholder	Each

AGU FUSEHOLDER

WFH-AGU	AGU Fuseholder 4/8ga	10/box

MINI ANL FUSEHOLDER

WFH-MANL	Mini ANL Fuseholder 4/8ga	10/box

LOOP STYLE FUSEHOLDER

ATFH18C-10	18ga ATC w/Cover	10/bag
ATFH14C-10	14ga ATC w/Cover	10/bag
ATFH12C-10	12ga ATC w/Cover	10/bag
ATFH10C-10	10ga ATC w/Cover	10/bag
ATFH16MC-10	16ga ATM w/Cover	10/bag
ATFH8CB	8ga AGU Bakelite	Each
MAXIFH-10	8ga MAXI w/Cover	10/bag

MINI ANL FUSES

MINI ANL FUSE 10 PACKS	10/bag

MANL60-10	MANL100-10
MANL80-10	MANL150-10

ANL FUSES

ANL FUSE 10 PACKS	10/bag

ANL80-10	ANL150-10	ANL250-10
ANL100-10	ANL200-10	ANL300-10

AGU FUSES

AGU FUSE 10 PACKS	10/bag

AGU5	AGU25	AGU50
AGU10	AGU30	AGU60
AGU15	AGU35	AGU70
AGU20	AGU40	AGU80

MAXI FUSES

MAXI FUSE SINGLE FUSE	Each

MAX20	MAX40	MAX60
MAX30	MAX50	MAX80
MAX35		

ATC FUSES

ATC FUSE 25 PACKS	25/bag

ATC3-25	ATC15-25	ATC30-25
ATC5-25	ATC20-25	ATC40-25
ATC10-25	ATC25-25	

ATM FUSES

ATM FUSE 25 PACKS	25/bag

ATM2-25	ATM7.5-25	ATM25-25
ATM3-25	ATM10-25	ATM30-25
ATM4-25	ATM15-25	ATM40-25
ATM5-25	ATM20-25	

NOISE FILTERS

IBNF5	5 Amp Noise Filter	Each
IBNF10	10 Amp Noise Filter	Each
IBNF30	30 Amp Noise Filter	Each

LINE OUT CONVERTORS

IBLOC01	2 Channel Adjustable 40 watts	Each
IBLOC02	2 Channel Adjustable 80 watts	Each
IBLOC04	4 Channel Adjustable 60 watts	Each

TOGGLE SWITCHES

IBTSSS	On/Off Toggle w/ 6" Leads	5/bag
IBMTS	On/Off Mini Toggle w/ 20" Leads	5/bag
IBRRS	Round Rocker Switch	5/bag
IBRRSB	Blue Lit Round Rocker Switch	5/bag
IBRRSG	Green Lit Round Rocker Switch	5/bag
IBRRSO	Orange Lit Round Rocker Switch	5/bag
IBRRSP	Purple Lit Round Rocker Switch	5/bag
IBRRSR	Red Lit Round Rocker Switch	5/bag

BULK RING TERMINAL 50 PACK

IB1GNRT-50	1/0ga Nickel Terminals	50/bag
IB4GNRT-50	4ga Nickel Terminals	50/bag
IB8GNRT-50	8ga Nickel Terminals	50/bag

© 2014 VEI ALL RIGHTS RESERVED

12 VOLT INSTALLER PARTS

TERMINAL CUPS

TCRB	Round Gold Binding Post	Each
TCRS	Round Spring Clips	Each
TCSB	Square Gold Binding Post	Each
TCSS	Square Spring Clips	Each

ELECTRICAL TAPE

3MET33	3M Super 33+ Premium Tape	Each
3METEC	3M EconomyTape	Each

DUCT TAPE

3MBDT	3M Black Duct Tape	Each
3MSDT	3M Silver Duct Tape	Each

STRIP CAULK

3MSTC	3M Strip Caulk 1"X60 Strips	60/box

HOOK & LOOP

3MBVPK	3M Hook & Loop	1"X 4.9yds

INSTANT CURE GLUE

INSTGL8	Instacure 8oz.	8oz/bottle
INSTGL4	Instacure 4oz.	4oz/bottle
INSTGL8	Instacure 8oz.	8oz/bottle
YORKER	Top for Instacure Bottles	Each
INSTAC	Instant Accelerator	2oz/bottle
INSTAUN	Instacure Uncure	2oz/bottle

SPRAY ADHESIVE

APSA	All Purpose Spray Adhesive	12oz/can

WOOFER GRILLES

85-9008
8" Steel Woofer Grille with Hardware

85-9010
10" Steel Woofer Grille with Hardware

85-9012
12" Steel Woofer Grille with Hardware

85-9015
15" Steel Woofer Grille with Hardware

DIODES



D1	1 Amp Diode	20/bag
D3	3 Amp Diode	20/bag
D6	6 Amp Diode	20/bag

DOOR LOCK ACTUATOR

DLA	Door Lock Actuator 2 Wire	Each
E-DLA	Economy Door Lock Actuator	Each

BATTERIES

12VBAT	GP-23 Alkaline Battery	5/card
12VBAT-GP27	GP-27 Battery	5/card
CR2016	Lithium 3 Volt Battery	5/card
CR2025	Lithium 3 Volt Battery	5/card
CR2032	Lithium 3 Volt Battery	5/card
CR2450	Lithium 3 Volt Battery	5/card

RELAYS & SOCKET

RL3040	30/40 Amp SPDT Economy Relay	Each
IB200	200 Amp Relay	Each
IB500	500 Amp Relay	Each
ERS-123	Relay Socket 12" Lead	Each

BATTERY POST ADAPTERS

GM38	Side Post Adapter	Each
GM38L	Long Side Post Adapter	Each
BT305-10	Side Post Adapter	10/bag
BT305L-10	Long Side Post Adapter	10/bag

COOLING FANS

CF1	3.11" x 3.11" x .95"	Each
CF2	5.12" x 5.12" x 1.5"	Each
CF3	8.5" x 1.38" x 1.18"	Each

POWER SUPPLY

$159.99

IBPS55 55 Amp Power Supply, 4-Stage. 3.6" x 8" x 9", 5.8 lbs, reverse battery protection, filtered DC power to all 12 volt lighting and appliance circuits, electronic current limiting, low line voltage protection, variable speed fan, high voltage protection, automatic thermal shut down, built-in total charge management system.

TOOLS

IB35400	Door Upholstery Remover

IB18600	Window/Door Clip Remover

© 2014 VEI ALL RIGHTS RESERVED

12 VOLT INSTALLER PARTS

TOOLS

IB35350
Door Panel Remover

IB35260
Plastic Fastener Remover

IBJ1005
Journeyman Crimping/Cutting Tool

IB1006
Klein Pro Cutter/Crimper

IB1005
Klein Cutter/Crimper

IBHDCRIMP
Lg Gauge Hammer Crimper

IB63020
Kurve Cable Cutter

IB1004
Yellow Handle
Wire Strippers

IB1011
Multi Purpose
Wire Stripper

HW-9002
Skewdriver Pro Kit

HW-9006
5" Stripper and Cutter

UNIBIT

IB59005	6 Step 3/16" to 1/2"
IB59001	13 Step 1/8" to 1/2"
IB59002	8 Step 9/26" to 1"
IB59003	9 Step 1/4" to 3/4"
IB59004	10 Step 13/16" to 1 3/8"

ABS PLASTIC SHEETS

89-00-9025	8" X 12" X 1/8"	Each
89-00-9030	12" X 12" X 1/8" Grid	Each
89-00-9031	12" X 12" X 1/8"	Each
89-00-9032	17" X 21" X 1/8"	Each

FUSE TAPS



FTATC	ATC Over Leg .250	100/bag
FTATM	ATM Over Leg .250	100/bag
ATMDT	ATM Dual Add a Fuse	10/bag
ATCDT	ATC Dual Add a Fuse	10/bag

3.5MM MALE TO RCA

IB3.5RCA	6 ft / 2m	10/bag

3.5MM MALE TO MALE

IB3.5MM	6 ft / 2m	10/bag

BARREL CONNECTORS

RCA100BM10	Male to Male Nickel	10/bag
RCA100BF10	Female to Female	10/bag
IBFF35	3.5mm Female to Female	10/bag
RCAMRA-10	Right Angle Connector	10/bag

CARPET

AC3015	BLACK CARPET 5 YD.
AC3105	NAVY CARPET 5 YD.
AC3125	OCEAN BLUE CARPET 5 YD.
AC3145	MED. BLUE CARPET 5 YD.
AC3315	MED. DRK. OAK CARPET 5 YD.
AC3335	MED. PARCHMENT CARPET 5 YD.
AC3355	MED. NEUTRAL CARPET 5 YD.
AC3375	MED PRAIRIE TAN CARPET 5 YD.
AC3385	MOCHA CARPET 5 YD.
AC3605	CINDER CARPET 5 YD.
AC3615	MED. DRK. PEWTER CARPET 5 YD.
AC3625	CHARCOAL CARPET 5 YD.
AC3635	MED. GRAPHITE CARPET 5 YD.
AC3645	MED. GRAY CARPET 5 YD.
AC3805	BURGUNDY CARPET 5 YD.
AC3825	SCARLET CARPET 5 YD.
TL3015	BLACK TRUNKLINER 5 YD.
TL3605	CHARCOAL TRUNKLINER 5 YD.
TL3625	HEATHER TRUNKLINER 5 YD.
TL3645	SILVER TRUNKLINER 5 YD.
BC3015	BLACK BACKED 5 YD.
BC3605	CHARCOAL BACKED 5 YD.

CALL FOR 50 YARD PRICING ON ANY OF THE CARPETING LISTED ABOVE!

© 2014 VEI ALL RIGHTS RESERVED

NOISE DAMPENING MATERIALS

BUZZMAT BY DB LINK

REDUCE ROAD NOISE

Ever wonder why high end European cars sound so quite inside? Well, wonder no more. They have sound dampening materials applied to the sheet metal structure that the interior of the vehicle is made of. This material reduces, or in most cases, completely eliminates the unwanted noise resonance that make a car sound noisy.

AUDIO ENHANCEMENT

Are you adding a new set of speakers in your car? Get the most out of them by eliminating unwanted acoustical resonances. Car speakers produce acoustical sound waves from both the front and back of the speaker. These sound waves can make the sheet metal panels in your car vibrate causing unwanted musical distortion. The trick to making your speakers sound like a high-end home speaker is to completely eliminate the speaker panel vibrations. Without the panel distortion, your musical experience will come alive.

License Plate Kit

LBK-1410LPK License Plate Kit. Contains one 4" x 10" sheet of sound dampening material to be used on the back of the license plate. Chemical resistant: Mineral oils and water, Onyx Metallic Thermal barrier, black Elasto Mass, neutral wax paper release liner, eliminate license plate rattle, impress with bass not noise.

Door Kit

LBK-41236DK Door Kit. Contains four 12" x 36" (304.8mm x 904mm) sheets of sound dampening material to reduce road noise. Kit includes enough material for two standard size doors. Chemical resistant: Mineral oils and water, Onyx Metallic Thermal barrier, black Elasto Mass, neutral wax paper release liner, reduce road noise, increase SPL, enhance dynamic sound range of your speakers.

Trunk Kit

LBK-51832TK Trunk Kit. Contains five 18" x 32" sheets of sound dampening material to be used on the trunk floor, side panels, and trunk lid. Chemical resistant: Mineral oils and water, Onyx Metallic Thermal barrier, black Elasto Mass, neutral wax paper release liner, reduce road noise, increase SPL, enhance dynamic sound range of your speakers.

Speaker Kit

LBK-21010SK Speaker Kit. Contains two 10" x 10" sheets of sound dampening material to be used when mounting speakers. Chemical resistant: Mineral oils and water, Onyx Metallic Thermal barrier, black Elasto Mass,neutral wax paper release liner, reduce road noise, increase SPL, enhance dynamic sound range of your speakers.

Bulk Kit

LBK-101832BK Bulk Kit. Contains ten 18" x 32" sheets of sound dampening material to be used on rear decks, doors, floors and trunk floors. Chemical resistant: Mineral oils and water, Onyx Metallic Thermal barrier, black Elasto Mass, neutral wax paper release liner, reduce road noise, increase SPL, enhance dynamic sound range of your speakers.

© 2014 VEI ALL RIGHTS RESERVED

HIGH PERFORMANCE BATTERIES

NEW *at Dragon Distributing!*

SK-BT18
500 Watt, 18 AMP Hours
Compact AGM Battery.
12 LBS, 7.14"W x 6.5"H x 3"D

SK-BT45
1250 Watt, 45 AMP Hours
Compact AGM Battery.
32 LBS, 6"W x 6.46"H x 6.69"D

SK-BT80
1800 Watt, 80 AMP Hours
Compact AGM Battery.
55 LBS, 10.25"W x 8"H x 6.75"D

SK-BT20
600 Watt, 20 AMP Hours
Compact AGM Battery.
13 LBS, 7.14"W x 6.5"H x 3"D

SK-BT60
1500 Watt, 60 AMP Hours
Compact AGM Battery.
37.5 LBS, 9"W x 8"H x 5.5"D

SK-BT100
2000 Watt, 100 AMP Hours
Compact AGM Battery.
60 LBS, 12"W x 8.5"H x 6.75"D

SK-BT28
700 Watt, 28 AMP Hours
Compact AGM Battery.
21 LBS, 6.5"W x 6.9"H x 4.92"D

SK-BT70
1650 Watt, 70 AMP Hours
Compact AGM Battery.
40 LBS, 10.2"W x 9"H x 6.61"D

SK-BT110
2200 Watt, 110 AMP Hours
Compact AGM Battery.
70 LBS, 12"W x 9"H x 6.6"D

SK-BT35
800 Watt, 35 AMP Hours
Compact AGM Battery.
21 LBS, 7.7"W x 6.46"H x 5.12"D

SK-BT75
1750 Watt, 75 AMP Hours
Compact AGM Battery.
41 LBS, 10.2"W x 9"H x 6.6"D

SK-BT120
2400 Watt, 120 AMP Hours
Compact AGM Battery.
79 LBS, 13"W x 8.5"H x 6.75"D

© 2014 VEI ALL RIGHTS RESERVED

CB RADIOS & POWER INVERTERS

19DX4 Compact 40-Channel CB Radio. Signal/receive meter, 4-pin screw-on mic.

18WXST2 40-Channel CB Radio with NOAA Weather Channels. Front firing speaker, dual channel watch, 4-pin screw-on microphone.

25LTD Classic 40-Channel CB Radio with RF Gain. Switchable noise blanker, dim/bright switch, 4-pin screw-on mic.

29LTD Classic 40-Channel CB Radio with RF Gain. Switchable noise blanker, dim/bright switch, 4-pin screw-on mic.

HGS100 Dynamic External CB Speaker. 15 Watts, 4" Speaker, 7 Ft. Cord, Heavy Duty Construction

HGM73 4-Pin Dynamic CB Microphone

HGM75 4-Pin Power Amplified CB Microphone

HGM77 4-Pin Noise Canceling Microphone

CPI-480 400 Watts Continuous, 800 Watts Peak Power Inverter. 5 Volt USB output, modified sine wave, thermal shutdown, reverse polarity protection, low voltage shutdown, 2 grounded AC receptacles, cigarette lighter adapter and direct-to-battery cables included.

CPI-880 800 Watts Continuous, 1600 Watts Peak Power Inverter. 5 Volt USB output, modified sine wave, thermal shutdown, reverse polarity protection, low voltage shutdown, 2 grounded AC receptacles and direct-to-battery cables included.

CPI-1000 1000 Watts Continuous, 2000 Watts Peak Power Inverter. 5 Volt USB output, modified sine wave, thermal shutdown, reverse polarity protection, low voltage shutdown, 2 grounded AC receptacles, remote on/off capable and direct-to-battery cables included.

CPI-1575 1500 Watts Continuous, 3000 Watts Peak Power Inverter. 5 Volt USB output, modified sine wave, thermal shutdown, reverse polarity protection, low voltage shutdown, 3 grounded AC receptacles, remote on/off capable.

CPI-2575 2500 Watts Continuous, 5000 Watts Peak Power Inverter. 5 Volt USB output, modified sine wave, thermal shutdown, reverse polarity protection, low voltage shutdown, 3 grounded AC receptacles, remote on/off capable.

CPI-A20 Remote On/Off Control for Cobra Power Inverter

CPI-A4000BC Direct to Battery Power Cables for Cobra Power Inverters. Package includes 10" red 4-Ga power cable, 10' black 4-Ga ground cable, 8' green 8-Ga chassis ground cable with terminal and battery terminals.

© 2014 VEI ALL RIGHTS RESERVED

MISSOURI DEPARTMENT OF REVENUE
TAXATION DIVISION

SALES/USE TAX EXEMPTION CERTIFICATE

FORM **149** (REV. 11-2009)

THIS FORM IS TO BE GIVEN TO THE SELLER BY THE PURCHASER

Caution to seller: In order for the certificate to be accepted in good faith by the seller, the seller must exercise care that the property being sold is exempt. When a purchaser is claiming an exemption for purchases of items that qualify for the full manufacturing exemption and other items that only qualify for the partial manufacturing exemption, the seller must make certain the correct amount of tax is charged for each item purchased.

PURCHASER/SELLER

PURCHASER'S NAME	SELLER'S NAME
	Vogler Enterprises, Inc.
DOING BUSINESS AS NAME (DBA)	DOING BUSINESS AS NAME (DBA)
	Dragon Distributing
ADDRESS	ADDRESS
	503 S. McCleary Road
CITY, STATE, ZIP	CITY, STATE, ZIP
	Excelsior Springs, MO 64024

PRODUCT OR SERVICES PURCHASED EXEMPT FROM TAX
Consumer Electronics/Car Audio Equipment

PURCHASER'S TYPE OF BUSINESS

SALES/USE TAX

RESALE: EXCLUSION FROM SALES/USE

- ☐ Purchases of Tangible Personal Property for RESALE: *Retailer's State Tax ID Number* _____ *Home State* _____
  (Missouri Retailers must have a Missouri Tax ID Number)
- ☐ Purchases of Taxable Services for RESALE (see list of taxable services in instructions): *Retailer's MO Tax ID Number* _____
  (Resale certificate cannot be taken by seller in good faith unless the purchaser is registered in Missouri)
- ☐ Purchases by Manufacturer or Wholesaler for Wholesale: *Home State*: _____
  (Missouri Tax ID Number is not required)
- ☐ Purchases by Motor Vehicle Dealer: *Missouri Dealer License Number* _____
  (Only for parts that will be used on vehicles being resold)(Form 149T is required for tire and battery fees)

MANUFACTURING FULL EXEMPTIONS: *(These exemptions apply to state and local sales and use tax.)*

- ☐ INGREDIENT / COMPONENT PART
- ☐ MANUFACTURING MACHINERY, EQUIPMENT AND PARTS
- ☐ MATERIAL RECOVERY PROCESSING
- ☐ PLANT EXPANSION
- ☐ RESEARCH AND DEVELOPMENT OF AGRICULTURAL BIOTECHNOLOGY PRODUCTS AND PLANT GENOMICS PRODUCTS AND PHARMACEUTICALS

If any box checked, description line must be filled in.

DESCRIBE PRODUCT OR SERVICES PURCHASED EXEMPT FROM TAX

MANUFACTURING PARTIAL EXEMPTIONS : *(These exemptions apply to state tax (4.225%) and local use tax, but not local sales tax. The seller must collect and report local sales taxes imposed by political subdivisions.)*

- ☐ RESEARCH AND DEVELOPMENT
- ☐ MANUFACTURING CHEMICALS AND MATERIALS
- ☐ MACHINERY AND EQUIPMENT USED OR CONSUMED IN MANUFACTURING
- ☐ MATERIALS, CHEMICALS, MACHINERY, AND EQUIPMENT USED OR CONSUMED IN MATERIAL RECOVERY PROCESSING PLANT

If any box checked, description line must be filled in.

DESCRIBE PRODUCTS OR SERVICES PURCHASED EXEMPT FROM STATE TAX AND LOCAL USE TAX, BUT SUBJECT TO LOCAL SALES TAX

- ☐ UTILITIES /ENERGY AND WATER USED OR CONSUMED IN MANUFACTURING **(MUST COMPLETE BELOW)**

PURCHASER'S MANUFACTURING PERCENTAGE _____%

PURCHASER'S METHOD OF CALCULATION

- ☐ SQUARE FOOTAGE
- ☐ USE ANALYSIS
- ☐ OTHER _____

ENERGY ACCOUNT NUMBER(S) _____

OTHER SALES/USE EXEMPTIONS:

- ☐ AGRICULTURAL
- ☐ COMMON CARRIER
- ☐ LOCOMOTIVE FUEL
- ☐ AIR AND/OR WATER POLLUTION CONTROL MACHINERY, EQUIPMENT, APPLIANCES AND DEVICES.
- ☐ OTHER _____

SIGNATURE

SIGNATURE:

UNDER PENALTIES OF PERJURY, I SWEAR OR AFFIRM THE INFORMATION ON THIS FORM IS TRUE AND CORRECT AS TO EVERY MATERIAL MATTER. I also declare under penalties of perjury that I employ no illegal or unauthorized aliens as defined under federal law and that I am not eligible for any tax exemption, credit or abatement if I employ such aliens.

AUTHORIZED SIGNATURE (PURCHASER OR PURCHASER'S AGENT)	TITLE	DATE
		__ __ / __ __ / __ __ __ __

© 2014 VEI ALL RIGHTS RESERVED

DRAGON DEALER APPLICATION & SALES AGREEMENT

Account Number _____

Date _____

MAIL TO: DRAGON DISTRIBUTING
503 S. McCleary Road
P. O. Box 186
Excelsior Springs, MO 64024

EMAIL TO: dragonaccounting@att.net

Attn: Credit Manager
Fax: (816) 630-9440

Phone: (800) 825-3746 Watts
Phone: (816) 630-6011
Order Fax Phone: (816) 630-9440

The following statement in writing is made by the applicant for the purpose of obtaining merchandise from Dragon Distributing on credit, and Dragon Distributing should rely on all information as correct. Applicant authorizes Dragon Distributing to contact any references given and inquire of them about credit history. Upon the approval of this application, applicant agrees to abide by the terms and conditions of sale. Applicant further agrees to notify Dragon Distributing within five days of any changes of ownership, address, telephone, authorized purchasing agent(s), banks, transfer of listed assets, or other facts set forth below.

Please select option below that best meets your needs.

❑ **COD** (Customer check acceptable on delivery.)
List two references and full bank info. ***(See below.)***

❑ **OPEN ACCOUNT** (Submit application for credit privileges)

❑ **CREDIT CARD** ❑ Visa ❑ MC ❑ AMEX ❑ DISCOVER

❑ **DEBIT CARD** _____

Credit card number _____

Expiration date _____ V-Code* _____
*3-DIGIT NUMBER ON BACK OF CARD

Name on card _____

Statement address _____

City _____ State _____ Zip _____

Phone number _____

Signature of card holder

X _____

GENERAL INFORMATION

Legal name of firm _____ D/B/A _____

Bill to address _____

Ship to address _____

Phone _____ Cell _____

FAX _____ E-mail _____

Type of business _____ Number of locations _____

At present location since (Date) _____ Year business opened _____

❑ Corporation ❑ Partnership ❑ Sole Prop. ❑ Warehouse ❑ Storefront ❑ Other _____

Pres. (Owner/Partner) _____ Partner/VP _____

BANK REFERENCES *MUST BE COMPLETED, SIGNED AND BE A **BUSINESS ACCOUNT** IN THE **BUSINESS NAME**.*

Bank _____ Account No. _____

Address _____ Phone _____

City _____ State _____ Zip _____ Bank contact _____

Account holder Social Security number _____ Date of birth _____

Account holder drivers license number _____

I, **(PRINT NAME)** _____
authorize my bank to release any necessary information to Dragon Distributing for their confidential use in processing my application for check approval.

SIGNATURE _____ Title _____ Date _____

CLIP ON DOTTED LINE

© 2014 VEI ALL RIGHTS RESERVED

APPLICATION FOR CREDIT PRIVILEGES

NOTE: IN ORDER TO BE CHECKED FOR CREDIT, A $500 ORDER MUST ACCOMPANY THIS DEALER APPLICATION, OR A CUMULATIVE TOTAL OF $500 MUST HAVE BEEN PURCHASED IN THE LAST 60 DAYS.

TRADE REFERENCES: *(Your credit limit with trade references should be at least as high as you are requesting from Dragon Distributing.)* A minimum of four (4) references are required.

1. Name _____ Phone _____

Address _____ City _____ State _____ Zip _____

2. Name _____ Phone _____

Address _____ City _____ State _____ Zip _____

3. Name _____ Phone _____

Address _____ City _____ State _____ Zip _____

4. Name _____ Phone _____

Address _____ City _____ State _____ Zip _____

CREDIT REQUIREMENTS

IMPORTANT: Please answer the following question.

Credit amount requested $ _____ **Your authorizing purchasing agent** _____

Would you be willing to sign a personal guaranty? ☐ **YES** ☐ **NO**

IF YOU HAVE REQUESTED A CREDIT LINE LARGER THAN $3,500, PLEASE ATTACH A CURRENT FINANCIAL STATEMENT.

The undersigned hereby certifies that above information is true and current, and in addition to the foregoing, the undersigned promises to pay for all purchases in accordance with Dragon Distributing's terms of sale. If at any time the undersigned is unable to pay for said purchases when due, the undersigned agrees to pay, and authorizes Dragon Distributing to bill my account with interest computed at 2% per month (24% annum) on any past due amount or the maximum prevailing rate allowable under the law of state governing the transactions contemplated by this credit application. If it becomes necessary for Dragon Distributing to incur collection costs for any amount due under this agreement, the undersigned promises to pay additional collection costs including reasonable attorney fees. Upon acceptance by Dragon Distributing, this application will constitute a sales and purchase agreement.

Facsimile transmission of signature shall be enforceable against party signing.

Signature (Owner, officer or authorized agent) _____

Company (Legal Name) _____

FOR OFFICE USE ONLY:

Date opened _____ Limit _____ Notified _____

By _____ Salesperson _____ Type _____

CLIP ON DOTTED LINE

© 2014 VEI ALL RIGHTS RESERVED

TERMS & CONDITIONS OF SALE
WHOLESALE TO DEALERS ONLY!

DRAGON 41 Years/1973-2014

ADDRESS
Dragon Distributing
503 McCleary Road
P.O. Box 186
Excelsior Springs, MO 64024

BUSINESS HOURS
8:30 a.m. to 5:00 p.m. (CST)
Monday through Friday

PHONE NUMBERS

Office	(816) 630-6011
TOLL FREE	(800) 825-3746
Fax	(816) 630-9440

dragondistributing.com

Terms and Conditions of Sale

DEALER QUALIFICATIONS
- We require retail sales license, **a business checking account in the business name** and a completed tax exemption certificate.

TERMS AND PRICING
- All prices reflect a 2% cash discount.
- C.O.D. company check are available with a qualified application.
- **Open Account Terms:** Net 30 days with approved credit. (*Completed credit application is required.*)
- MasterCard, Visa, American Express and Discover accepted with a completed credit card application. (*$50.00 minimum required per order.*)
- **We no longer establish accounts that request C.O.D. cashier's check or money order.**

DAMAGE SHIPMENTS
- All damaged shipments must be reported within 72 hours of receipt. Damaged box, packing and contents must be available for UPS inspection.

SHIPPING
- We do not have a minimum order, however a $5.00 handling fee is automatically added to all orders under $50.00.
- Freight and insurance is added to all orders. C.O.D. orders will pay all C.O.D. fees.
- Accounts with refused orders will be charged $30.00 per refused shipment, plus the original freight and return freight. Accounts will be placed on a cash-in-front basis.
- Accounts with returned checks will be charged $15.00 per returned check and the accounts will be placed on a cash-in-front only basis.
- We do our best to ship all orders that are called in before 2:00 p.m. Central Standard Time (CST).

DEFECTIVE MERCHANDISE
- We exchange current line defective items 30 days from the date of last purchase.
- Due to freight costs, we do not offer over-the-counter exchange on woofers.
- Should you encounter a defective item, call your account representative and they will provide you with a return authorization number.
- All returns need to be sent freight pre-paid.
- All items are exchanged piece-for piece, so please return complete with original packing (gift box), all accessories and packing materials.
- Any merchandise returned that is not defective will be returned to you with your next order.
- There is a 20% restocking fee on all new current line items that are returned for credit. These items must be in brand new, factory fresh condition. To avoid a 20% restocking fee, you may place a 3-for-1 dollar amount offsetting order.
- Items returned without a return authorization number will be refused.
- There is a $20.00 charge per item to send discontinued items in for repair.

MasterCard VISA AMERICAN EXPRESS DISCOVER NETWORK

© 2014 VEI ALL RIGHTS RESERVED *Information in this catalog may contain inaccuracies or typographical errors.*

DRAGON DISTRIBUTING
503 S. McCleary Road • Excelsior Springs, MO 64024

PTSRT STD
US POSTAGE
PAID
Fulton, MO
Permit #38

EXCALIBUR

Basic Keyless Entry

$23.99
REC-43T+

Keyless Entry

- Up to 500' Range
- Trunk Release Output
- 3rd Channel Output

Keyless Entry & Security

$26.99
EXCAL-500+

Full Featured Keyless Entry & Security

- Up to 500' Range
- Up to 3 Auxiliary Outputs
- Siren and Horn Outputs
- 6-Tone Siren
- AU-84TM Shock Sensor
- 15-Programmable Features
- Bright Blue Status Light
- English/Spanish Manual

Weblink Mobile

NEW

$72.99
OL-WLM-AP1

Weblink Mobile

The Weblink Mobile cable accessory lets you flash your Omegalink interface modules and remote start kits with an iPod, iPad or iPhone.

Deluxe Keyless Entry

$29.50
REC-12

Deluxe Keyless Entry

- Up to 500' Range
- 12 Programmable Features
- Horn Output
- Driver's Door Priority Unlock
- Trunk Release Output
- 3rd Chanel Output
- Flashing Light Relay Onboard
- Anti-Carjack Mode
- Ignition Controlled Doorlocks
- Passive Locking

K-9 Deluxe Keyless Entry & Security

$51.99
K9-CLASSIC-EDP2

Deluxe Keyless Entry & Security

- Up to 1500' Range
- ECHO Compatible (Except Color)
- D2D Port for Module Integration
- Backup Battery Port and Holder
- Positive and Negative Light Output
- Up to 4 Auxiliary Outputs
- 2-in-1 Psyren
- Bright Blue Status Light
- AU-84TN Shock Sensor
- English/Spanish Manual

2-Way Security & Remote Start

$101.99
AL-1850-EDPB

Deluxe 2-Way Security & Remote Start

- Up to 1500' Range
- One LCD 2-Way Remote
- One 4-Button Remote
- Multi-Vehicle Operation
- Remote Start and Parking Timers
- Run Time Expiration Warning
- 2 Data Ports Support 2 Accessories
- Blade Compatible

SOLARFX
WINDOW FILMS
The Clear Vision in Solar Protection!

NEW
FREE SHIPPING ON $750 ORDERS

www.solarfxwindowfilms.com

Automotive Window Films